arXiv:0811.0492v1 [astro-ph] 4 Nov 2008

accepted for *The Astronomical Journal*, 11/04/08

The High Angular Resolution Multiplicity of Massive Stars

Brian D. Mason[1], William I. Hartkopf[1]

U. S. Naval Observatory,
3450 Massachusetts Avenue, NW, Washington, DC, 20392-5420;
Electronic mail: (bdm, wih)@usno.navy.mil

Douglas R. Gies, Todd J. Henry

Center for High Angular Resolution Astronomy,
Department of Physics and Astronomy,
Georgia State University, P. O. Box 4106, Atlanta, GA, 30302-4106;
Electronic mail: (gies, thenry)@chara.gsu.edu

John W. Helsel

Department of Physics, Furman University,
3300 Poinsett Hwy., Greenville, SC 29613;
Electronic mail: john.helsel@furman.edu

ABSTRACT

We present the results of a speckle interferometric survey of Galactic massive stars that complements and expands upon a similar survey made over a decade ago. The speckle observations were made with the KPNO and CTIO 4 m telescopes and USNO speckle camera, and they are sensitive to the detection of binaries in the angular separation regime between $0\farcs03$ and $5''$ with relatively bright companions ($\Delta V < 3$). We report on the discovery of companions to 14 OB stars. In total we resolved companions of 41 of 385 O-stars (11%), 4 of 37 Wolf-Rayet stars (11%), and 89 of 139 B-stars (64%; an enriched visual binary sample that we selected for future orbital determinations). We made a statistical analysis of the binary frequency among the subsample that are listed in the

---

[1] Visiting Astronomer, Kitt Peak National Observatory and Cerro Tololo Inter-American Observatory, National Optical Astronomy Observatory, operated by Association of Universities for Research in Astronomy, Inc. under contract to the National Science Foundation.

Galactic O Star Catalog by compiling published data on other visual companions detected through adaptive optics studies and/or noted in the Washington Double Star Catalog and by collecting published information on radial velocities and spectroscopic binaries. We find that the binary frequency is much higher among O-stars in clusters and associations compared to the numbers for field and runaway O-stars, consistent with predictions for the ejection processes for runaway stars. We present a first orbit for the O-star δ Orionis, a linear solution of the close, apparently optical, companion of the O-star ι Orionis, and an improved orbit of the Be star δ Scorpii. Finally, we list astrometric data for another 249 resolved and 221 unresolved targets that are lower mass stars that we observed for various other science programs.

Subject headings: binaries : general — binaries : visual — techniques : interferometry — stars: early-type — stars: individual (ι Ori, δ Ori, δ Sco)

1. Introduction

Massive stars appear to love company. There is growing evidence that the incidence of binary and multiple stars among the massive O- and B-type stars is much larger than that for solar type stars (see Zinnecker & Yorke 2007 and references therein). This difference in multiplicity properties may ultimately reflect differences in the star formation process between massive and low mass stars. For example, while low mass stars may lose angular momentum by magnetic and disk-related processes, it may be that these are ineffective in massive star formation because of the very short timescale of formation. Instead, the initial angular momentum of the natal cloud may end up (through a variety of processes) in the orbital angular momentum of binaries among the more massive stars (Bate et al. 2002; Zinnecker & Yorke 2007; Gies 2007).

The observational evidence for the high incidence of binaries among the massive stars comes from spectroscopic investigations of short-period systems and high angular resolution measurements of longer-period (and wide) binaries. We made one of the most comprehensive surveys of the bright, Galactic O-type stars in a speckle interferometric study made in 1994 with the NOAO 4 m telescopes in both the northern and southern hemispheres (Mason et al. 1998). This investigation considered both speckle measurements and published data on radial velocity measurements to determine the overall binary properties among stars in clusters and associations, field O-stars, and runaway O-stars. The results indicated a much higher incidence of binaries among O-stars in clusters and associations, and we suggested that the true binary frequency may reach 100% among cluster stars once account is made for the observational bias against detection of binaries with periods larger than those found spectroscopically but smaller than those found through high angular resolution measurements. This work was complemented by similar speckle interferometric surveys of Wolf-Rayet stars (Hartkopf et al. 1999) and Be stars (Mason et al. 1997a).

Ten years later (and armed with an improved detector) we decided it was an opportune time for follow up and expanded speckle observations. A second epoch survey is desirable for a number of reasons. Some systems observed in 1994 may have been situated in orbital phases of close separation, and hence were unresolved. Since the systems detectable by speckle correspond to periods of decades for massive stars, it is important to repeat the survey after a similar time span. Furthermore there are a significant number of specific systems where new observations are particularly important. For example, there are several cases where a triple is indicated by spectroscopy, but we have yet to resolve the wide system (e.g., δ Cir; Penny et al. 2001). The placement of many of the very hot, O2 and O3 stars in the Hertzsprung-Russell Diagram suggests that they are very massive because they are so bright, but sometimes this extreme luminosity is instead due to the presence of a companion (Nelan et al. 2004; Niemela & Gamen 2005; Maíz-Apellániz et al. 2007). The massive binaries in the Orion Trapezium detected in the near-IR by Schertl et al. (2003) have separations that are within the resolution limit of a 4 m telescope, and detection or not of these companions at another wavelength can help set limits on the magnitude difference Δm, the color, and hence object type. For systems with two speckle measurements, a third one may allow the motion to be recognized as either linear or non-linear (i.e., Keplerian), indicating whether the pair is optical or physical. This is extremely important in the case of ι Ori, where dynamical analysis (Gualandris et al. 2004) of this complex runaway system virtually requires that the speckle companion (first reported in Mason et al. 1998 at only $0\farcs11$ separation) be optical rather than physical. Finally, such high angular resolution measurements can provide direct astrometric orbits (for the nearby systems) and hence mass measurements for binaries that are clearly non-interacting (Vanbeveren et al. 1998). These provide fundamental data on the masses and other properties of the most massive stars.

For all these reasons, we embarked on a new survey of speckle interferometry measurements of the massive stars that were mainly selected from the Galactic O-star Catalog (Maíz-Apellániz & Walborn 2004). We describe the observational program in §2 and outline the main tabular results in §3. We use these results to reassess the binary properties of the O-stars in §4, and then we discuss the the results for specific targets in §5. The observational program included a significant number of other, less massive stars, and these measurements and several updated astrometric orbits are given in Appendices A and B, respectively.

2. Instrumentation and Calibration

The instrument used for most of these observations was the USNO speckle interferometer, described most recently by Hartkopf et al. (2008). Three different filters were selected, all having approximately the same central wavelength but with different full width at half maximum (FWHM) band passes. Of these, two are standard filters (Strömgren y, 550±24 nm, and Johnson V, 545±85 nm). An intermediate filter, designated USNO green (560±45 nm), was also used. While the Johnson V allows the camera to observe much fainter targets, the resolution limit is degraded to about 0″.05. Both of the other filters reached the goal resolution limit of 0″.03. We selected a filter for each target with a band width suitable to the magnitude of the star and which allowed us to detect an adequate number of speckles. These resolution limit values are most significant when no companion was detected (Tables 3 and B2). Instances when the wider Johnson filter was used are indicated with a note to these tables.

Observations of northern hemisphere objects were obtained with the KPNO 4 m Mayall Reflector during the period 2005 November 8 – 13; southern hemisphere pairs were observed at the CTIO 4 m Blanco Reflector during the period 2006 March 9 – 13. Atmospheric conditions during both runs were exceptional, with excellent transparency and significant periods of sub-arcsecond seeing with both telescopes, especially at Cerro Tololo. On these two runs, 1876 observations were obtained, resulting in 652 measures of double stars and 1050 high-quality observations where a pair was definitively not seen. The remaining observations were of insufficient quality for a definitive measure. Additional observations of massive stars were obtained during other 4 m observing runs as listed below.

Calibration of the KPNO data was determined through the use of a double-slit mask placed over the "stove pipe" of the 4 m telescope during observations of a bright known-single star (as described in Hartkopf et al. 2000). This application of the well known experiment of Young allowed determination of scale and position angle zero point without relying on binaries themselves to determine calibration parameters. Multiple observations through the slit mask (during five separate KPNO runs from 2001 to 2008) yielded mean errors of 0°.11 in the position angle zero point and 0.165% in the scale error. These "internal errors" are undoubtedly underestimates of the true errors of these observations. Plate scales for the five Kitt Peak runs, 2001 January, 2001 July, 2005 November, 2007 August, and 2008 June, were found to be 0.01257, 0.01282, 0.01095, 0.01090, and 0.01096 arcseconds per pixel, respectively. While the camera remained the same for all five runs, the latter three were obtained with a newer computer and frame grabber and a different set of microscope objectives. The effective field-of-view for detection of binaries is 1″.5 for nominal conditions and 3″.0 when the targets are fainter and a lower microscope objective is used with the

Johnson V filter. Wider, easily detected pairs can be accomodated with a larger $6\farcs0$ field-of-view with a low power microscope objective and 2×2 pixel averaging.

Since the slit-mask option was not available on the CTIO 4 m telescope, we calibrated the southern hemisphere data using observations of numerous well-observed, wide, and equatorially located binaries that we observed with both the KPNO and CTIO telescopes. Published orbital elements for these pairs were updated as needed using the recent KPNO measures, then predicted ρ and θ values from those orbits deemed of sufficiently high quality were used to determine the CTIO scale and position angle zero point. The calibration errors for these southern observations were (not surprisingly) considerably higher than those achieved using the slit mask. Mean errors for three CTIO runs from 2001 to 2006 were $0\fdg67$ in position angle and 1.44% in scale. Plate scales for the three Cerro Tololo runs, 2001 January, 2001 July, and 2006 March, were 0.01262, 0.01253, and 0.01084 arcseconds per pixel, respectively. The differences are attributable to changes in equipment as described above. The field-of-view was comparable for the southern and northern observations.

Speckle Interferometry is a technique which is very sensitive to changes in observing conditions, particularly coherence length (ρ_0) and time (τ_0). These are typically manifested as a degradation of detection capability close to the resolution limit or at larger magnitude differences. To ensure we are reaching our desired detection thresholds, a variety of systems with well-determined morphologies and magnitude differences were observed throughout every observing night. In all cases, the observations of these test objects indicated that our measurements met or exceeded these thresholds as indicated in Figure 1.

3. Results

The target list consists of the original sample of O-stars from Mason et al. (1998), additional O-stars from the catalog of Maíz-Apellániz & Walborn (2004), WR stars, and B-stars. The B-star sample includes candidates for orbit and mass determination, Pleiades cluster members observed previously (Mason et al. 1993b), and Be stars (Mason et al. 1997a). A number of low mass targets were also observed that are discussed in Appendix A.

Table 1 presents coordinates and magnitude information from CDS[2] for all those binaries which are resolved or measured for the first time. Column 1 gives the coordinates of the primary of the pair. Column 2 lists the discoverer designation number (with WSI = Washington Speckle Interferometry), and column 3 gives an alternative designation. Column

---

[2] Magnitude information is from the Aladin Sky Atlas, operated at CDS, Strasbourg, France.



Fig. 1.— Plot of separation (ρ) vs. magnitude difference (Δm) for pairs observed. The separations are direct measurements from Tables 2 and A1 while Δm is the tabulated value from Washington Double Star Catalog (WDS; Mason et al. 2001). The curved lines indicate the measure of difficulty relationship of Öpik (1924) as modified by Heintz (1978a). The $\rho - \Delta$m combinations below the solid line are considered completely known. Those above the dashed line are considered virtually unknown. Filled circles are those objects observed to investigate detection capabilities. The quality of data exceeded expectation. The most challenging object, 22430+3013 or BLA 11Aa, at upper left, has a measured separation of 0.″051 and a magnitude difference of 2.76 (as determined by the Mark III optical interferometer; Hummel et al. 1998).

4 provides the spectral classification, and column 5 the combined visual magnitude. Finally, column 6 refers to notes below the table.

Table 2 lists the astrometric measures of the observed massive binaries. They are subdivided into four groups consisting of the original 1998 sample of O-stars, the newer set of O-stars, WR stars, and B-stars. The first three columns identify the system by providing the epoch-2000 coordinates, discovery designation, and an alternate designation. Columns 4 through 6 give the epoch of observation (expressed as a fractional Besselian year), the position angle θ (in degrees), and the separation ρ (in seconds of arc). Note that the position angle has not been corrected for precession, and is thus based on the equinox for the epoch of observation. Objects whose measures are of lower quality are indicated by colons following the position angle and separation. These lower-quality measurements may be due to one or more of the following factors: close separation, large Δm, one or both components very faint, a large zenith distance at the time of observation, and poor seeing or transparency. They are included primarily because they confirm an earlier observation or because a long time has elapsed since the last measurement. Column 7 provides the V-band magnitude difference. This is usually a catalog value from the WDS (Mason et al. 2001), although for new pairs and some other infrequently measured interferometric pairs it is a crude value based upon the strengths of the secondary peak and "anti-peak" in Fourier Transform space, as seen in the generated directed vector autocorrelations (Bagnuolo et al. 1992). Differential magnitudes were "calibrated" by direct comparison with other pairs of known magnitude difference and are probably accurate to ±0.5 mag. Column 8 indicates the number of observations used to derive the mean position (usually 1). For systems with orbits, the observed minus calculated residuals $O - C$ for both θ and ρ are given in columns 9 and 10 according to the orbit whose reference is given in column 11. Finally, column 12 refers to specific notes for these systems. Some measures from other KPNO/CTIO 4 m runs are noted and listed here and in Table 3.

Table 3 provides a complete list of single star observations for the massive star sample. The precise coordinate (α,δ) is given in column 1, while columns 2 – 4 list various designations. A code for the massive star sub-sample is given in column 5, and the Besselian date of observation appears in column 6. Column 7 indicates with a K or C if the 4 m telescope used for the observation is the Mayall reflector at KPNO (K) or the Blanco reflector at CTIO (C). Finally, column 8 provides notes for the stars.

4. Binary Frequency of O-type Stars

It is important to consider the environment of massive stars in the determination of binary frequency. While most massive stars are found close to their birthplaces in stellar clusters and OB associations, there are significant numbers of "field" O-stars (which have no apparent nearby cluster; de Wit et al. 2005) and "runaway" O-stars (high velocity or remote from the Galactic plane; Gies & Bolton 1986) that were probably ejected from clusters. The ejection process may have involved close gravitational encounters of binaries and/or supernovae explosions in binaries (Hoogerwerf et al. 2000; Zinnecker & Yorke 2007), and such ejected stars will generally be single objects. In our original speckle survey (Mason et al. 1998), we found that indeed the binary fraction decreased among field and runaway O-stars compared to those in clusters and associations.

Here we revisit the question of the binary frequency of massive stars based upon the results from our speckle interferometric survey. We will restrict our sample to the O-stars appearing in the Galactic O Star Catalog of Maíz-Apellániz & Walborn (2004), since we now have speckle data for 360 of the 370 stars in the catalog. These stars and their binary properties are listed in Table 4, using the same names and order (based upon increasing Galactic longitude) as given in the Galactic O Star Catalog.

The second column of Table 4 gives a code for the short period, spectroscopic binary status based upon a literature search through 2008 August. These codes are similar to those adopted by Mason et al. (1998), and we use a "SB" prefix for known or probable spectroscopic binaries, a "C" for constant velocity stars, and a "U" for stars of unknown status (usually with fewer than four radial velocity measurements). The SB stars with a published orbit have an "O" suffix attached to the code and a middle numeral that represents the number of spectral components identified. Usually a code of "SB2O" represents a double-lined spectroscopic binary, but we also apply it to cases such as QZ Car = HD 93206 that consists of two single-lined binaries in a quadruple system. The "SB3O" code is applied to triple systems where a third, stationary, spectral component is visible at the greatest velocity separation of the double-lined system. An "E" suffix denotes the presence of orbital flux variations (eclipses or ellipsoidal variations), and the "SBE" code indicates that we know the star is a binary from the light curve but no spectroscopic investigation exists yet. The suspected spectroscopic binaries are coded by "SB2?" (where observers report line doubling) and "SB1?" (where the range in measured radial velocity exceeds 35 km s^{-1}). The most recent published reference is indicated by the SAO/NASA Astrophysics Data System bibliographic code in column 6 of Table 4.

The number of angularly resolved components is given in column 3 of Table 4. This represents the sum of the number of close components found by speckle interferometry, wider and fainter components found by Turner et al. (2008b) in an adaptive optics survey, and other (usually wider) components listed in the WDS (Mason et al. 2001). These sources were supplemented by detailed studies of specific stars or clusters, such as ζ Ori (long baseline optical interferometry; Hummel et al. 2000), Trumpler 14 (*HST* FGS; Nelan et al. 2004), the Orion Trapezium (infrared single aperture interferometry; Petr et al. 1998; Simon et al. 1999; Weigelt et al. 1999; Kraus et al. 2007), and NGC 6611 (Duchêne et al. 2001). A quotation mark in this column indicates that the star is a member of a visual system whose primary component also appears in the table (usually just above or below such an entry), and a colon marks those stars that lack speckle observations. Note that a large number of visual components may indicate that the star resides at the center of a dense cluster.

Column 4 of Table 4 associates the star with the field or the name of the home cluster, while column 5 lists whether or not the star is considered to be a runaway object. These determinations come directly from the Galactic O Star Catalog (Maíz-Apellániz & Walborn 2004) with new runaway identifications noted by Mdzinarishvili (2004) and de Wit et al. (2005). Note that some runaway stars can be traced to a cluster of origin, so that they will be assigned to that cluster in column 4.

The binary statistics derived from Table 4 are summarized in Table 5 (an updated version of Table 3 from Mason et al. 1998). We caution that the sample is magnitude limited (and therefore biased to more luminous stars) and incompletely surveyed (for example, the Turner et al. (2008b) adaptive optics work is limited to stars with declination $> -42°$). The stars are grouped into cluster/association, field, and runaway categories to compare the binary properties. For the immediate purpose of this work, we simply assigned any star that was not a field or runaway object to the cluster/association category. This includes stars described as more distant than some foreground cluster, since such stars generally reside along a spiral arm of the Galaxy where cluster membership is common. The top section of Table 5 summarizes the visual multiplicity properties of each category for the 347 unique, visual systems in the Galactic O Star Catalog. The results are presented in rows that correspond to the sum based upon the number of visual components n found. We divide the sample into single and multiple groups in determining the percentages without and with companions (making the tacit assumption that most of the visual companions are gravitationally bound and not line of sight optical companions).

The middle section of Table 5 presents the corresponding sums for the spectroscopic binary properties for all 370 entries in the Galactic O Star Catalog. The percentages for each subgroup represent fractions with the unknown “U” status objects excluded from the totals. Finally, the lower section in Table 5 shows the percentages for the presence of any companion (spectroscopic or visual) again excluding the stars with unknown spectroscopic status.

The results from this larger sample tend to confirm the trend found by Mason et al. (1998) that the binary frequency is lower among field and runaway stars than that found in the cluster/association group. The binaries found among the runaway stars tend to be close systems with nearly equal mass components (HD 1337, ι Ori, Y Cyg) and binaries with neutron star companions (HD 14633, HD 15137, X Per, HD 153919). The former group are predicted to be infrequently ejected in close gravitational encounters (Leonard & Duncan 1990) while the latter are the result of a supernova explosion in a binary, so both processes must contribute to the ejection of massive stars from clusters. A number of runaways have visual companions that must be optical, chance alignments, since the ejection processes are too energetic for soft, wide binaries to survive.

The binary statistics for the cluster and association group offer us the best estimate of the binary properties at birth (before dynamical and stellar evolution processes alter the statistics). Our results indicate that most O-stars (and by extension most massive stars) are born in binary or multiple star systems. This result is especially striking since those binaries with orbital periods too long for easy spectroscopic detection and too short for direct angular resolution are absent from the totals, so the fractions reported here are clearly lower limits for the binary frequency. Thus, the processes that lead to the formation of massive stars strongly favor the production of binary and multiple star systems.

5. Individual Systems

5.1. ι Ori = CHR 250

The complex dynamical relationship of AE Aur, μ Col, and ι Ori is one of the best examples of a binary-binary collision (Gies & Bolton 1986; Leonard & Duncan 1990; Leonard 1995; Clarke & Pringle 1992). As ι Ori is a known close pair ($P = 29.13376$ d; Marchenko et al. 2000), the much wider speckle component would be hierarchical if physical, with an estimated period of at least 40 y (Gualandris et al. 2004). As the high energy needed to eject AE Aur and μ Col with their runaway velocities seemed inconsistent with the less energetic dynamical interaction required for the CHR 250 pair to remain bound, Gualandris et al. (2004) postulated that this pair was non-physical, despite their close proximity. Figure 2 shows a least-squares, linear fit[3] to the published data (Mason et al. 1998 and Table 2). The data are also consistent with a long-period orbit, but much longer than $\approx$ 40 y.

5.2. δ Ori = HEI 42

We present a first orbit for the wide component of this triple system that is based on all available published data and the new measures listed in Table 2. The previous measurements were extracted from the WDS (Mason et al. 2001) and were weighted following the precepts of Hartkopf et al. (2001b). The orbital elements were determined with an iterative three-dimensional grid-search algorithm (Seymour et al. 2002). The seven orbital elements are presented in Table 6: P (period, in years), a (semimajor axis, in arcseconds), i (inclination, in degrees), Ω (longitude of the node, equinox 2000, in degrees), T (epoch of periastron passage, in fractional Besselian year), e (eccentricity), and ω (longitude of periastron, in degrees). A future ephemeris for the period 2010 to 2018, in 2-year increments, is provided in Table B2. The orbit is illustrated in Figure 3.

Due to the preliminary nature and incomplete phase coverage of the orbital fit, the errors are large and difficult to quantify. It is entirely possible that the companion may continue moving to the southeast for longer than the orbit plot and ephemeris would indicate. The

---

[3] See Hartkopf, W. I., Mason, B. D., Wycoff, G. L, & Kang, D. "Catalog of Rectilinear Elements" `http://ad.usno.navy.mil/wds/lin1.html`.



Fig. 2.— The relative motion of the components of CHR 250 = ι Ori. The straight line is a rectilinear fit to the four measures (two from Mason et al. 1998, two from Table 2), indicating motion to the ENE. The shaded circle indicates the ∼30 mas resolution limit of a 4 m telescope, while the dashed line indicates the closest separation of the two stars assuming their relative motion is rectilinear. The stars appear to have reached a closest separation of 82±5 mas in 1969.7. Of course, the entire time span of observations of this pair is only about 11.5 years; we may instead be observing only a small arc of a long-period orbit.

orbit here then may prove wildly erroneous, however, it does serve to highlight the need for periodic monitoring of the pair to verify the orbit predictions. The preliminary orbit indicates a total mass of $32 M_\odot$ for a distance of 414 pc (Menten et al. 2007).

The A component is itself a close binary with an orbital period of about 5.7 days (see Harvin et al. 2002 for a thorough analysis of the close pair). Curiously, the preliminary orbital period, 201 y, is close to the derived apsidal period of the close binary (227±37 y, Monet 1980; 225±27 y, Harvey et al. 1987).



Fig. 3.— Preliminary orbit for δ Ori. The figure shows the relative motion of the secondary about the primary (indicated by a large "plus" sign); the x and y scales are in arcseconds. The solid curve represents the new orbit determination. The dot-dash line indicates the line of nodes. The three measures from Table 2 are shown as filled stars and all other high resolution measurements as filled circles. Micrometer measures are indicated by small plus signs. All measurements are connected to their predicted positions on the orbit by "$O-C$" lines. The direction of motion is indicated on the north-east orientation in the lower right of the plot. The gray filled circle centered on the primary represents that region where the pair is too close to be resolved by speckle interferometry with a 4 m telescope.

5.3. δ Sco = LAB 3

Bedding (1993) published the first set of orbital elements for δ Sco, followed a few years later by an updated solution from Hartkopf et al. (1996). Both solutions were based solely on interferometric data (speckle interferometry plus two measures made using aperture masking). Miroshnichenko et al. (2001) obtained complementary radial velocity data which tied down T quite precisely and also gave a more accurate estimate of the eccentricity, while adopting the values for period and semimajor axis obtained by Hartkopf et al. (1996).

Since the 1996 solution, observations have covered over one additional revolution. Published data include a speckle measure by Horch et al. (1999) and one measure by Hipparcos (ESA 1997). This paper includes new speckle measures from the Kitt Peak and Cerro Tololo 4 m telescopes, the Mount Wilson 100 inch, and the USNO (Flagstaff Station) 61 inch, as well as unpublished KPNO and CTIO 4 m observations made with the CHARA speckle camera. A new orbital solution was determined, utilizing all available interferometric data and adopting the T and eccentricity values of Miroshnichenko et al. (2001). Elements from this new orbit, as well as the previously published solutions are given in Table 7; future ephemerides for the new orbit are given in Table B2. The new solution and all data used in its determination are shown in Figure 4. Here speckle data from this paper (Table 2) are shown as filled stars, while other interferometry measures are indicated by filled circles; the Hipparcos measure is shown as a letter "H". Measures are connected to their predicted locations along the orbit by "$O - C$" lines; dotted lines indicate measures given zero weight in the final orbital solution. The dot-dash line indicates the line of nodes and the shaded circle surrounding the origin indicates the Rayleigh separation limit for a 4 m telescope. At two epochs in early 1990, observations obtained with the KPNO and CTIO 4 m telescopes did not resolve the pair; these are indicated by dotted O-C lines from the origin to their predicted locations along the orbit. According to the orbital solution, these observations should have been marginally resolved. However, given a magnitude difference $\Delta m > 2$ mag, the lack of resolution so close to the Rayleigh limit is not at all surprising. The total mass of the system is approximately $27 M_\odot$ for a distance of 140 pc (Shatsky & Tokovinin 2002).

5.4. Notes on Stars Listed in Table 1

HD 68243 = WSI 55Ba,Bb: This star, γ^1 Vel, is the B component of a group of stars surrounding the bright WR star, γ^2 Vel (which is a spectroscopic binary that has been resolved by optical long baseline interferometry; North et al. 2007).

CPD−59 2636 = WSI 56: A spectroscopic study by Albacete Colombo et al. (2002)



Fig. 4.— New orbit for δ Sco as described in §5.3. The symbols have the same meaning as in Fig. 3.

detected three spectral components. The brighter star we observed probably corresponds to their identification of an A (O7 V) + B (O8 V) spectroscopic binary with a period of 3.6 d while the fainter star is probably their component C (O9 V), itself a single-lined spectroscopic binary with a period of 5.05 d. Thus, this is a quadruple system.

HD 114737 = WSI 57: Not detected by Mason et al. (1998), it is unclear whether the lack of detection earlier was due to the faintness of the companion ($\Delta m = 1.5$) or to a smaller separation at that time.

HD 114886 = WSI 58Aa,Ab: Like HD 114737 above, it is unclear whether the lack of detection earlier was due to a magnitude ($\Delta m = 1.6$) or separation issue.

HD 124314 = WSI 59Ba,Bb: This is a close pair associated with the B component of the wider known pair COO 167.

HD 319703B = WSI 62Ba,Bb: This is the first measurement of a close companion to the B component of the AB pair (separated by 14."5). Unfortunately, the A component (also an O-star) was not observed.

HD 319718C = WSI 63CD & CE: Two additional components were resolved while observing the known BC pair. They also can be seen in an *HST* image made by Maíz-Apellániz et al. (2007) near star B = Pismis 24-17. Unfortunately, we did not observe the A component = Pismis 24-1 that is also a resolved binary (Maíz-Apellániz et al. 2007).

Cyg OB2-22 = Schulte 22 = WSI 67: Our measurements agree with the first results on the pair from Walborn et al. (2002), who determined O-type classifications for both components.

5.5. Notes on Stars Listed in Table 2

HD 47839 = CHR 168Aa,Ab = 15 Mon: The earlier 15 Mon orbits (Gies et al. 1993, 1997) are both poor fits to the data listed in Table 2 as well as other unpublished data from the *HST* FGS and optical long baseline interferometry. All these data are being collated for a new combined solution orbit determination (Gies et al., in preparation).

HD 97950 = B 1184 AB-F: This multiple star is actually the core of the distant and massive star cluster NGC 3603 (see Fig. 1 in Drissen et al. 1995). Drissen et al. (1995) identify 3 WR stars and 11 O-stars in the core region.

HD 193322 = CHR 96Aa,Ab: The multiple system HD 193322 was first split by speckle interferometry in 1985 (McAlister et al. 1987) and regularly resolved until closing within the resolution limit of a 4 m telescope (30 mas) in 1989. The preliminary 31 y orbit (Hartkopf et al. 1993) had very small residuals but under sampled phase space (covering only 9% of the orbit). Subsequent to this, the A component was recognized as a close 311 d spectroscopic binary (McKibben et al. 1998). In addition to the speckle resolution listed in Table 2, separated fringe packet solutions with the CHARA Array have been obtained several times since 2005. The "B" component can act as a calibrator in the field-of-view to allow for rapid data acquisition and reduction for a baseline-visibility plus spectroscopy combined solution of the inner pair. A preliminary version was recently presented (Turner et al. 2008a) and a complete analysis of the multiple system is underway (ten Brummelaar et al., in preparation) as is determination of the distance to the surrounding cluster, Collinder 419 (Roberts et al., in preparation).

BD+40 4212 = ES 1679: The separation of this binary has declined from $\rho = 4''.5$ in 1917 (Espin 1918) to $\rho = 3''.5$ in 2005.

WR 146 = NML 1: Our measurement of this faint pair ($V_{a,b} = 16.2, 16.4$) confirms the discovery observation of Niemela et al. (1998).

WR 147 = NML 2: The very faint secondary ($V_{a,b} = 15.0, 17.2$) is at the very limit of the USNO speckle camera. This pair was also first resolved by Niemela et al. (1998). Like NML 1 above, this pair was not detected in the earlier WR speckle survey of Hartkopf et al. (1999) due to the limitations of the camera used at that time.

5.6. Notes on Stars Listed in Table 3

HD 103006 = TDS 8073: The *Tycho* satellite (Fabricius et al. 2002) resolved this pair at $0''.50$ in 1991, but the observation remains unconfirmed.

HD 106508 = FIN 195: Finsen (1951) resolved this pair at $0''.40$ in 1928, and it was measured at $0''.34$ in 1934 (Rossiter 1955) and 1941 (van den Bos 1956), and at $0''.178$ in 1991 (ESA 1997), the only other published observation in the last 67 years. Possibly the pair closed to $<0''.03$ at the time of this observation.

HD 138923 = FIN 231: Finsen (1934) resolved this pair in 1929 at a separation of $0''.18$ and followed it over 30 years as it closed to $0''.11$ in 1954 and $<0''.119$ in 1959 (Finsen 1953, 1954, 1960). No published measurements have been made in over 50 years, other than one unresolved Hipparcos observation in 1991 (ESA 1997); this suggests the pair may have closed to $<0''.03$ at the time of this observation.

HD 152386 = CHR 253: This object was resolved in 1996 into a $0''.55$ pair (Mason et al. 1998), but the discovery is unconfirmed.

HD 168878 = CHR 235: This occultation pair (Africano et al. 1978) was resolved by speckle into a $0''.13$ pair in 1996 (Mason et al. 1996); however, this discovery has never been confirmed.

HD 173524 = ISO 7Aa,Ab: Isobe et al. (1990, 1991) resolved this $0''.20$ pair in 1987; however, this discovery has never been confirmed, with nine other unresolved observations published to date (Hartkopf et al. 2001a).

HD 200595 = BU 1138: This pair has gradually closed from $0''.3$ in 1888 (Hough 1890) to $0''.07$ in 2001 (Table 2); apparently it closed to $<0''.03$ at the time of the observation listed in Table 3.

A. Other Systems Observed

Tables A1 and A2 are identical in form to Tables 2 and 3, respectively, but the targets listed here are selected from other sample sets as indicated in the more extensive collection of notes. As many of these systems were used for either primary (CTIO) or secondary (KPNO) scale and angle calibration, many have calculated orbits, with residuals derived from orbital solutions given in Table B1.

B. Corrected Orbits

We found that some of those pairs identified as calibration systems in Table A1 (used to investigate differential magnitude detection rates at various separations; Fig. 1) had poorly defined orbits. The KPNO measures, independently calibrated by use of the slit-mask, allowed us to optimize these orbits and to generate ephemerides, which helped us calibrate the CTIO measures. Going one step further, these CTIO measures could then be incorporated in a new, improved orbit solution using the same methodology as that described in §5.2. These orbital elements are presented in Table B1, together with their grades (see Hartkopf et al. 2001b for a description of the grading scale). Also provided in Table B1 is the reference to the previous "best" published orbit. Formal errors are listed below each element. Future ephemerides are presented in Table B2 and relative orbit plots are illustrated in Figures 5 and 6, with the dashed curve indicating the prior orbit listed in Table B1.

The USNO speckle interferometry program has been supported by NASA and the Space Interferometry Mission through Key Project MASSIF and is based upon work supported by the National Aeronautics and Space Administration under Grant No. NNH06AD70I issued through the Terestrial Planet Finder Foundation Science program. This material is based upon work supported by the National Science Foundation under Grant No. AST-0506573 and AST-0606861. This research has made use of the SIMBAD database, operated at CDS, Strasbourg, France. Thanks are also extended to the U. S. Naval Observatory for its continued support of the Double Star Program. The telescope operators and observing support personnel of KPNO and CTIO continue to provide exceptional support for visiting astronomers. Thanks to Skip Andree, Bill Binkert, Gale Brehmer, Ed Eastburn, Angel Guerra, Hal Halbedal, David Rojas, Patricio Ugarte, Ricard Venegas, George Will, and the rest of the KPNO and CTIO staffs.



Fig. 5.— New orbits for the systems listed in Table B1, together with the most recent published elements for these systems and all published data in the WDS database. See text and Fig. 3 for a description of symbols used in this and the following figure.



Fig. 6.— New orbits (continued).

REFERENCES

Africano, J. L., Evans, D., Fekel, F., Smith, B., & Morgan, C. 1978, AJ, 83, 1100

Albacete Colombo, J. F., Morrell, N. I., Rauw, G., Corcoran, M. F., Niemela, V. S., & Sana, H. 2002, MNRAS, 336, 1099

Alzner, A. 2000, IAU Comm. 26 Inf. Circ., 141

Alzner, A. 2005, IAU Comm. 26 Inf. Circ., 155

Alzner, A. 2007, IAU Comm. 26 Inf. Circ., 163

Bagnuolo, W. G., Jr., Mason, B. D., Barry, D. J., Hartkopf, W. I., & McAlister, H. A. 1992, AJ, 103, 1399

Baize, P. 1976, A&AS, 26, 177

Baize, P. 1980, IAU Comm. 26 Inf. Circ., 80

Baize, P. 1988, A&AS, 74, 507

Baize, P. 1994, A&AS, 106, 267

Balega, I. I., Balega, Y. Y., Hofmann, K.-H., Maksimov, A. F., Pluzhnik, E. A., Schertl, D., Shkhagosheva, Z. U., & Weigelt, G. 2002, A&A, 385, 87

Balega, I. I., Balega, Y. Y., Hoffmann, K.-H., Malogolovets, E. V., Schertl, D., Shkhagosheva, Z. U., & Weigelt, G. 2006, A&A, 448, 703

Barnaby, D., Spillar, E., Christou, J. C., & Drummond, J. D. 2000, AJ, 119, 378

Barstow, M. A., Bond, H. E., Burleigh, M. R., & Holberg, J. B. 2001, MNRAS, 322, 891

Bate, M. R., Bonnell, I. A., & Bromm, V. 2002, MNRAS, 336, 705

Bedding, T. 1993, AJ, 106, 768

Brendley, M. & Hartkopf, W. I. 2007, IAU Comm. 26 Inf. Circ., 163

Brendley, M. & Mason, B. D. 2006, IAU Comm. 26 Inf. Circ., 160

Clarke, C. J. & Pringle, J. E. 1992, MNRAS, 255, 423

Cole, W. A., Fekel, F. C., Hartkopf, W. I., McAlister, H. A., & Tomkin, J. 1992, AJ, 103, 1357

Couteau, P. 1984, A&AS, 57, 171

Couteau, P. 1997, IAU Comm. 26 Inf. Circ., 131

Couteau, P. 1999, Cat. de 2700 Etoiles Doubles “COU” (Nice: Obs. de la Côte d’Azur)

Cvetkovic, Z. 2006, IAU Comm. 26 Inf. Circ., 160

Cvetkovic, Z. 2008, IAU Comm. 26 Inf. Circ., 164

Cvetkovic, Z., & Novakovic, B. 2006, Serbian AJ, 173, 73

de Wit, W. J., Testi, L., Palla, F., & Zinnecker, H. 2005, A&A, 437, 247

Docobo, J. A. 1991, IAU Comm. 26 Inf. Circ., 115

Docobo, J. A. 1996, IAU Comm. 26 Inf. Circ., 129

Docobo, J. A., & Andrade, M. 2005, IAU Comm. 26 Inf. Circ., 156

Docobo, J. A., & Costa, J. M. 1986, IAU Comm. 26 Inf. Circ., 99

Docobo, J. A., & Costa, J. M. 1990, PASP, 102, 1400

Docobo, J. A., & Ling, J. F. 1997, IAU Comm. 26 Inf. Circ., 131

Docobo, J. A., & Ling, J. F. 1998, IAU Comm. 26 Inf. Circ., 135

Docobo, J. A., & Ling, J. F. 2001a, IAU Comm. 26 Inf. Circ., 143

Docobo, J. A., & Ling, J. F. 2001b, IAU Comm. 26 Inf. Circ., 145

Docobo, J. A., & Ling, J. F. 2002, IAU Comm. 26 Inf. Circ., 148

Docobo, J. A., & Ling, J. F. 2004, IAU Comm. 26 Inf. Circ., 153

Docobo, J. A., & Ling, J. F. 2005a, IAU Comm. 26 Inf. Circ., 156

Docobo, J. A., & Ling, J. F. 2005b, IAU Comm. 26 Inf. Circ., 157

Docobo, J. A., & Ling, J. F. 2007a, AJ, 133, 1209

Docobo, J. A., & Ling, J. F. 2007b, IAU Comm. 26 Inf. Circ., 163

Docobo, J. A., & Ling, J. F. 2008, IAU Comm. 26 Inf. Circ., 164

Docobo, J. A., & Prieto, C. 1996, IAU Comm. 26 Inf. Circ., 130

Docobo, J. A., Tamazian, V. S., Balega, Y. Y., Blanco, J., Maximov, A. F., & Vasyuk, V. A. 2001, A&A, 366, 868

Drissen, L., Moffat, A. F. J., Walborn, N. R., & Shara, M. M. 1995, AJ, 110, 2235

Duchêne, G., Simon, T., Eislöffel, J., & Bouvier, J. 2001, A&A, 379, 147

ESA 1997, The Hipparcos and Tycho Catalogues (ESA SP-1200) (Noordwijk: ESA)

Espin, T. E. 1918, MNRAS, 78, 189

Fabricius, C., Høg, E., Makarov, V. V., Mason, B. D., Wycoff, G. L., & Urban, S. E. 2002, A&A, 384, 180

Fekel, F. C. Scarfe, C. D., Barlow, D. J., Duquennoy, A., & McAlister, H. A. 1997, AJ, 113, 1095

Fekel, F. C. Scarfe, C. D., Barlow, D. J., Hartkopf, W. I., Mason, B. D., & McAlister, H. A. 2002, AJ, 133, 1723

Finsen, W. S. 1934, Union Obs. Circ., 4, 31

Finsen, W. S. 1951, Union Obs. Circ., 6, 104

Finsen, W. S. 1953, Union Obs. Circ., 6, 170

Finsen, W. S. 1954, Union Obs. Circ., 6, 240

Finsen, W. S. 1960, Union Obs. Circ., 6, 333

Finsen, W. S. 1963, Republic Obs. Circ., 7, 41

Finsen, W. S. 1964, Republic Obs. Circ., 7, 59

Finsen, W. S. 1968, Republic Obs. Circ., 7, 170

Forveille, T., et al. 1999, A&A, 351, 619

Gies, D. R. 2007, in Massive Star Formation: Observations Confront Theory (ASP Conf. Ser., Vol. 387), ed. H. Beuther, H. Linz, & T. Henning (San Francisco: ASP), 93

Gies, D. R., & Bolton, C. T. 1986, ApJS, 61, 419

Gies, D. R., et al. 1993, AJ, 106, 2072

Gies, D. R., et al. 1997, ApJ, 475, L49

Gualandris, A., Portegies Zwart, S., & Eggleton, P. P. 2004, MNRAS, 350, 615

Hartkopf, W. I. 2000, IAU Comm. 26 Inf. Circ., 141

Hartkopf, W. I., Gies, D. R., Mason, B. D., Bagnuolo, W. G., & McAlister, H. A. 1993, BAAS 25, 872

Hartkopf, W. I. & Mason, B. D. 2000, IAU Comm. 26 Inf. Circ., 142

Hartkopf, W. I. & Mason, B. D. 2001a, IAU Comm. 26 Inf. Circ., 143

Hartkopf, W. I. & Mason, B. D. 2001b, IAU Comm. 26 Inf. Circ., 145

Hartkopf, W. I., Mason, B. D., Gies, D. R., ten Brummelaar, T., McAlister, H. A., Moffat, A. F. J., Shara, M. M., & Wallace, D. J. 1999, AJ, 118, 509

Hartkopf, W. I., Mason, B. D., & McAlister, H. A. 1996, AJ, 111, 370

Hartkopf, W. I., Mason, B. D., & Rafferty, T. J. 2008, AJ, 135, 1334

Hartkopf, W. I., Mason, B. D., & Worley, C. E. 2001b, AJ, 122, 3472[4]

---

[4] see current version at `http://ad.usno.navy.mil/wds/orb6.html`.

Hartkopf, W. I., McAlister, H. A., & Franz, O. G. 1989, AJ, 98, 1014

Hartkopf, W. I., McAlister, H. A., & Mason, B. D. 2001a, AJ, 122, 3480[5]

Hartkopf, W. I., et al. 2000, AJ, 119, 3084

Harvey, A. S., Stickland, D. J., Howarth, I. D., & Zuiderwijk, E. J. 1987, Observatory, 107, 205

Harvin, J. A., Gies, D. R., Bagnuolo, Jr., W. G., Penny, L. R., & Thaller, M. L. 2002, ApJ, 565, 1216

Heintz, W. D. 1976, ApJ, 208, 474

Heintz, W. D. 1978a, Double Stars (Boston: Reidel)

Heintz, W. D. 1978b, ApJS, 37, 71

Heintz, W. D. 1981, ApJS, 45, 559

Heintz, W. D. 1984, A&AS, 56, 5

Heintz, W. D. 1986, A&AS, 65, 411

Heintz, W. D. 1988, A&AS, 72, 543

Heintz, W. D. 1990, A&AS, 82, 65

Heintz, W. D. 1991, A&AS, 90, 311

Heintz, W. D. 1996a, AJ, 111, 412

Heintz, W. D. 1996b, AJ, 111, 408

Heintz, W. D. 1996c, ApJS, 105, 475

Heintz, W. D. 1997, ApJS, 111, 335

Heintz, W. D. 1998, ApJS, 117, 587

Heintz, W. D., & Strom, C. 1993, PASP, 105, 293

Holden, F. 1972, Publ. Univ. Michigan Obs., 12, 1

Hoogerwerf, R., de Bruijne, J. H. J., & de Zeeuw, P. T. 2000, ApJ, 544, L133

Honig, S. F., & Tscharnuter, W. M. 2005, AJ, 129, 1663

Horch, E. P., Ninkov, Z., van Altena, W. F., Meyer, R. D., Girard, T. M., & Timothy, J. G. 1999, AJ, 117, 548

Hough, G. W. 1890, AN, 125, 1

---

[5] see current version at `http://ad.usno.navy.mil/wds/int4.html`.

Hummel, C. A., Mozurkewich, D., Armstrong, J. T., Hajian, A. R., Elias, N. M., II, & Hutter, D. J. 1998, AJ, 116, 2536

Hummel, C. A., White, N. Elias, N., Hajian, A. R., & Nordgren, T. 2000, ApJ, 540, L91

Isobe, S. 1991, Publ. Astron. Soc. Australia, 9, 270

Isobe, S., Norimoto, Y., Noguchi, M., Ohtsubo, J., Baba, N., Miura, N., Yanaka, H. & Tanaka, T. 1990, Publ. Nat. Astron. Obs. Japan, 1, 217

Jasinta, D. M. D. 1996, A&AS, 118, 381

Kraus, S., et al. 2007, A&A, 466, 649

Lane, B. F., et al. 2007, ApJ, 669, 1209

Leonard, P. J. T. 1995, MNRAS, 277, 1080

Leonard, P. J. T., & Duncan, M. J. 1990, AJ, 90, 608

Ling, J. F. 2007, IAU Comm. 26 Inf. Circ., 161

Ling, J. F., & Prieto, C. 1990, IAU Comm. 26 Inf. Circ., 111

Ling, J. F., & Prieto, C. 1998, IAU Comm. 26 Inf. Circ., 135

Ling, J. F., Prieto, C., & Magdalena, P. 2005, IAU Comm. 26 Inf. Circ., 155

Maíz-Apellániz, J., & Walborn, N. R. 2004, ApJS, 151, 103

Maíz-Apellániz, J., Walborn, N. R., Morrell, N. I., Niemela, V. S., & Nelan, E. P. 2007, ApJ, 660, 1480

Malogolovets, E. V., Balega, Y. Y., & Rastegaev, D. A. 2007, Astrophysical Bulletin, 62, 111

Mante, R. 2002, IAU Comm. 26 Inf. Circ., 147

Mante, R. 2003a, IAU Comm. 26 Inf. Circ., 150

Mante, R. 2003b, IAU Comm. 26 Inf. Circ., 151

Mante, R. 2003c, IAU Comm. 26 Inf. Circ., 149

Mante, R. 2004a, IAU Comm. 26 Inf. Circ., 154

Mante, R. 2004b, IAU Comm. 26 Inf. Circ., 153

Mante, R. 2005, IAU Comm. 26 Inf. Circ., 155

Marchenko, S. V., et al. 2000, MNRAS, 317, 333

Mason, B. D. 1996, AJ, 112, 2260

Mason, B. D. 1997, AJ, 114, 808

Mason, B. D., Douglass, G. G., & Hartkopf, W. I. 1999, AJ, 117, 1023

Mason, B. D., Gies, D. R., Hartkopf, W. I., Bagnuolo, Jr., W. G., ten Brummelaar, T., & McAlister, H. A. 1998, AJ, 115, 821

Mason, B. D., & Hartkopf, W. I. 1998, IAU Comm. 26 Inf. Circ., 134

Mason, B. D., & Hartkopf, W. I. 1999, IAU Comm. 26 Inf. Circ., 138

Mason, B. D., & Hartkopf, W. I. 2001a, IAU Comm. 26 Inf. Circ., 144

Mason, B. D., & Hartkopf, W. I. 2001b, IAU Comm. 26 Inf. Circ., 143

Mason, B. D., Hartkopf, W. I., McAlister, H. A., & Sowell, J. R. 1993b, AJ, 106, 637

Mason, B. D., Hartkopf, W. I., Wycoff, G. L., & Holdenried, E. 2006, AJ, 132, 2219

Mason, B. D., McAlister, H. A., & Hartkopf, W. I. 1996, AJ, 112, 276

Mason, B. D., McAlister, H. A., Hartkopf, W. I., & Bagnuolo, Jr., W. G. 1993a, AJ, 105, 220

Mason, B. D., McAlister, H. A., Hartkopf, W. I., Griffin, R. F., & Griffin, R. E. M. 1997b, AJ, 114, 1607

Mason, B. D., ten Brummelaar, T., Gies, D. R., Hartkopf, W. I., & Thaller, M. L. 1997a, AJ, 114, 2112

Mason, B. D., Wycoff, G. L., Hartkopf, W. I., Douglass, G. G., Worley, C. E. 2001, AJ, 122, 3466[6]

McAlister, H. A. 1980, ApJ, 236, 522

McAlister, H. A., Hartkopf, W. I., Hutter, D. J., Shara, M. M., & Franz, O. G. 1987, AJ, 93, 183

McAlister, H. A., & Hendry, E. M. 1982, ApJS, 48, 273

McAlister, H. A., Hendry, E. M., Hartkopf, W. I., Campbell, B. G., & Fekel, F. C. 1983, ApJS, 51, 309

McKibben, W. P., et al. 1998, PASP, 110, 900

Mdzinarishvili, T. G. 2004, Astrophysics, 47, 155

Menten, K. M., Reid, M. J., Forbrich, J., & Brunthaler, A. 2007, A&A, 474, 515

Miroshnichenko, A. S., et al. 2001, A&A, 377, 485

Monet, D. G. 1980, ApJ, 237, 513

---

[6] see current version at `http://ad.usno.navy.mil/wds/wds.html`.

Mourao, R. R. F. 1966, Bull. R. Astron. Obs. Belgium, 6, 108

Muller, P. 1978, A&AS, 32, 173

Nelan, E. P., Walborn, N. R., Wallace, D. J., Moffat, A. F. J., Makidon, R. B., Gies, D. R., & Panagia, N. 2004, AJ, 128, 323

Niemela, V. S., & Gamen, R. C. 2005, MNRAS, 356, 974

Niemela, V. S., Shara, M., Wallace, D., Zurek, D., & Moffat, A. F. J. 1998, AJ, 115, 2047

North, J. R., Tuthill, P. G., Tango, W. J., & Davis, J. 2007, MNRAS, 377, 415

Nys, O. 1982, IAU Comm. 26 Inf. Circ., 86

Olevic, D. 2002a, IAU Comm. 26 Inf. Circ., 148

Olevic, D. 2002b, IAU Comm. 26 Inf. Circ., 146

Olevic, D., & Cvetkovic, Z. 2003, IAU Comm. 26 Inf. Circ., 149

Olevic, D., & Cvetkovic, Z. 2004, A&A, 415, 259

Olevic, D., & Cvetkovic, Z. 2005a, Serbian AJ, 170, 65

Olevic, D., & Cvetkovic, Z. 2005b, IAU Comm. 26 Inf. Circ., 155

Olevic, D., & Cvetkovic, Z. 2006, AJ, 131, 1721

Olevic, D., & Jovanovic, P. 1997, Bull. Obs. Astron. Belgrade, 155, 103

Olevic, D., & Jovanovic, P. 1998, IAU Comm. 26 Inf. Circ., 136

Öpik, E. 1924, Publ. Obs. Tartu, 25, Pt. 6

Pan, X.-P., Shao, M., & Colavita, M. M. 1993, ApJ, 413, L129

Patience, J., Ghez, A. M., Reid, I. N., Weinberger, A. J., & Matthews, K. 1998, AJ, 115, 1972

Penny, L. R., Seyle, D., Gies, D. R., Harvin, J. A., Bagnuolo, W. G., Jr., Thaller, M. L., Fullerton, A. W., & Kaper, L. 2001, ApJ, 548, 889

Petr, M. G., Coudé du Foresto, V., Beckwith, S. V. W., Richichi, A., & McCaughrean, M. J. 1998, ApJ, 500, 825

Popovic, G. M. & Pavlovic, R. 1995, IAU Comm. 26 Inf. Circ., 125

Pourbaix, D. 2000, A&AS, 145, 215

Rabe, W. 1948, AN, 276, 262

Romero, F. M. R. 2006a, IAU Comm. 26 Inf. Circ., 158

Romero, F. M. R. 2006b, IAU Comm. 26 Inf. Circ., 160

Romero, F. M. R. 2006c, IAU Comm. 26 Inf. Circ., 159

Romero, F. M. R. 2007, IAU Comm. 26 Inf. Circ., 161

Rossiter, R. A. 1955, Publ. Univ. Michigan Obs., 11, 1

Scardia, M. 1991, IAU Comm. 26 Inf. Circ., 114

Scardia, M., Argyle, R. W., Prieur, J.-L., Pansecchi, L., Basso, S., Law, N. M., & Mackay, C. D. 2007a, AN, 328, 146

Scardia, M., Prieur, J.-L., Aristidi, E., & Koechlin, L. 2000, AN, 321, 255

Scardia, M., Prieur, J.-L., Koechlin, L., & Aristidi, E. 2001, IAU Comm. 26 Inf. Circ., 145

Scardia, M., Prieur, J.-L., Pansecchi, L., & Argyle, R. W. 2007b, IAU Comm. 26 Inf. Circ., 163

Schertl, D., Balega, Y. Y., Preibisch, Th., & Weigelt, G. 2003, A&A, 402, 267

Seymour, D. S., & Hartkopf, W. I. 1999, IAU Comm. 26 Inf. Circ., 139

Seymour, D. S., & Mason, B. D. 1999, IAU Comm. 26 Inf. Circ., 139

Seymour, D. S., & Mason, B. D. 2000a, IAU Comm. 26 Inf. Circ., 140

Seymour, D. S., & Mason, B. D. 2000b, IAU Comm. 26 Inf. Circ., 141

Seymour, D. S., Mason, B. D., Hartkopf, W. I., & Wycoff, G. L. 2002, AJ, 123, 1023

Shatsky, N., & Tokovinin, A. 2002, A&A, 382, 92

Simon, M., Close, L. M., & Beck, T. L. 1999, AJ, 117, 1375

Söderhjelm, S. 1999 A&A, 341, 121

Starikova, G. A. 1978, Astron. Tsirk., 1002, 3

Starikova, G. A. 1980, SvAL, 6, 130

Starikova, G. A. 1981, SvAL, 7, 130

Tamazian, V. S., & Docobo, J. A. 2006, AJ, 131, 2681

Tokovinin, A. A. 1986, SvAL, 12, 201

Tokovinin, A. A. 1997, A&AS, 124, 75[7]

Tokovinin, A. A. 1999, SvAL, 25, 669

Tokovinin, A. A., Kiyaeva, O., Sterzik, M., Orlov, V., Rubinov, A., & Zhuchkov, R. 2005, A&A, 441, 695

---

[7] see current version at `http://www.ctio.noao.edu/~atokovin/stars/index.php`.

Turner, N. H., ten Brummelaar, T. A., & Mason, B. D. 2008a, BAAS, 212, 1406

Turner, N. H., ten Brummelaar, T. A., Roberts, L. C., Jr., Mason, B. D., Hartkopf, W. I., & Gies, D. R. 2008b, AJ, 136, 554

Vanbeveren, D., De Loore, C., & Van Rensbergen, W. 1998, A&ARv, 9, 63

van den Bos, W. H. 1956, Union Obs. Circ., 6, 266

Walborn, N. R., et al. 2002, AJ, 123, 2754

Weigelt, G. P., Balega, Y., Preibisch, T., Schertl, D., Schoeller, M., & Zinnecker, H. 1999, A&A, 347, L15

Wilson, R. H. 1952, AJ, 57, 248

Zaera, J. A. 1985, IAU Comm. 26 Inf. Circ., 96

Zinnecker, H., & Yorke, H. W. 2007, ARA&A, 45, 481

Zirm, H. 2002, IAU Comm. 26 Inf. Circ., 147

Zirm, H. 2007, IAU Comm. 26 Inf. Circ., 161

Zulevic, D. J. 1991, IAU Comm. 26 Inf. Circ., 114

Zulevic, D. J. 1997, Bull. Obs. Astron. Belgrade, 155, 109

This preprint was prepared with the AAS LaTeX macros v5.2.

Table 1. Newly Resolved Pairs

Coordinates α, δ (2000)	Discoverer Designation	Other Designation	Spectral Classification	V_{AB} (mag)	Notes
03 19 59.27 +65 39 08.3	WSI 51	HD 20336	B2.5 Vne	4.73	
03 47 16.57 +24 07 42.3	WSI 52 Da,Db	HD 23608	F3 V	8.72	1
04 28 37.00 +19 10 49.6	WSI 53 Aa,Ab	ϵ Tau	G9.5 III	3.54	2
07 52 20.28 −26 25 46.7	WSI 54	HD 64315	O6 Vn	9.23	
08 09 29.33 −47 20 43.0	WSI 55 Ba,Ab	HD 68243	B1 IV	4.20	§5.4
10 45 12.87 −59 44 19.2	WSI 56	CPD−59 2636	O8 V	9.29	
13 13 45.52 −63 35 11.8	WSI 57	HD 114737	O9 III	8.00	§5.4
13 14 44.39 −63 34 51.8	WSI 58 Aa,Ab	HD 114886	O9 II-III	6.86	§5.4
14 15 01.61 −61 42 24.4	WSI 59 Ba,Ab	HD 124314B	···	8.66	3,§5.4
14 18 12.18 −27 31 16.2	WSI 60 Ba,Ab	HD 125131B	···	9.96	3
17 19 05.50 −38 48 51.2	WSI 61	CD−38 11748	O4 If+	11.17	
17 19 46.16 −36 05 52.3	WSI 62 Ba,Ab	HD 319703B	O6.5 V	11.34	§5.4
17 24 44.34 −34 11 56.6	WSI 63 CD	HD 319718C	···	···	§5.4
17 24 44.34 −34 11 56.6	WSI 63 CE	HD 319718C	···	···	§5.4
17 51 36.72 −16 32 36.3	WSI 64 AB	TYC 6249-233	···	11.75	4
17 51 36.72 −16 32 36.3	WSI 64 AC	TYC 6249-233	···	11.75	4
17 53 31.95 −16 22 47.0	WSI 65	GSC S81N021274	···	13.28	4
18 00 15.80 +04 22 07.0	WSI 66	66 Oph	B2 Ve	4.78	
20 33 08.78 +41 13 18.1	WSI 67	Cyg OB2-22	O3 If* + O6 V((f))	11.68	§5.4
20 33 23.46 +41 09 12.9	WSI 68	Cyg OB2-841	O5.5 V	11.89	

[1] Spectroscopic triple noted by G. Torres (private communication). Not examined in the earlier speckle survey of the Pleiades (Mason et al. 1993b).

[2] Companion not detected in the earlier speckle survey of the Hyades (Mason et al. 1993a).

[3] A new close pair associated with the B component of this multiple system. The precise coordinates above are for the A component.

[4] This was a possible occultation target for the New Horizons mission.

Table 2. Speckle Interferometric Measurements of Double Stars

WDS Desig. $\alpha\delta$ (2000)	Discoverer Designation	Other Identifier	Epoch (BY)	θ (deg)	ρ ($''$)	Δm (mag)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
			Original Sample O Stars								
02407+6117	CHR 208 Aa,Ab	HD 16429	2005.8628	270.7	0.277	2.7	1				3
05297+3523	HU 217	HD 35921	2005.8634	252.9	0.608	1.2	1				
05320−0018	HEI 42 Aa,Ab	δ Ori	2001.0822	133.9	0.297	1.4	1	2.6	−0.021	§5.2	
			2005.8662	133.3	0.318		1	0.1	0.006	§5.2	
			2006.1909	132.6	0.310		1	−0.5	−0.002	§5.2	
05354−0525	CHR 249 Aa,Ab	HD 37041	2005.8662	278.9	0.392	3.2	1				
			2006.1910	293.3	0.380		1				
05354−0555	CHR 250 Aa,Ab	ι Ori	2005.8662	111.7:	0.131:	2.4	1	1.4	0.003	§5.1	3
			2006.1936	109.7	0.127		1	−0.3	−0.001	§5.1	
05387−0236	BU 1032 AB	σ Ori	2005.8662	96.9	0.254	1.2	1	−1.3	0.004	Turner et al. (2008b)	
			2006.1910	96.8	0.247		1	−0.6	−0.003	Turner et al. (2008b)	
06410+0954	CHR 168 Aa,Ab	15 Mon	2001.0197	231.1	0.061	1.2	1	−110.1	0.022	Gies et al. (1997)	1,§5.5
			2005.8635	242.2	0.104		1	−117.6	0.047	Gies et al. (1997)	1
			2006.1909	251.9	0.089		1	−108.8	0.032	Gies et al. (1997)	1
07187−2457	FIN 313 Aa,Ab	τ CMa	2006.1937	125.2	0.128	0.4	1				
08095−4720	WSI 55 Ba,Bb	HD 68243	2006.1882	273.6:	0.085:	1.5	1				2,3,§5.4
08392−4025	B 1623	HD 73882	2006.1884	254.4	0.662	1.3	1				
10440−5933	NEL 1 Aa,Ab	HD 93129A	2006.1886	10.1	0.043	0.9	1				
10441−5935	HJ 4360 AB	HD 93161	2006.1886	115.3	1.982	0.1	1				
11383−6322	I 422 AB	HD 101205	2006.1967	113.8	0.357	0.3	2				
11406−6234	CPO 11	HD 101545	2006.1888	219.2	2.543	0.6	1				
13138−6335	WSI 57	HD 114737	2006.1888	235.4	0.188	1.5	1				2,3,§5.4
13147−6335	WSI 58 Aa,Ab	HD 114886	2006.1888	276.9	0.243	1.6	1				2,3,§5.4
14150−6142	WSI 59 Ba,Bb	HD 124314B	2006.1891	245.8	0.208	1.3	1				2,3,§5.4
16466−4705	B 1825 AB	HD 150958	2006.1919	245.1	0.297	1.7	1				
16540−4148	B 1833 AB	HD 152234	2006.1945	75.3	0.513	2.3	1				
16542−4150	CHR 252 Aa,Ab	HD 152248	2006.1945	236.5:	0.052:	2.0	1				
16563−4040	HDS 2394	HD 152623	2006.2000	307.4	0.238	1.3	1				
16569−4031	CHR 254 Aa,Ab	HD 152723	2006.2000	125.6	0.098	1.7	1				3,4
17158−3344	SEE 322	HD 155889	2006.1945	282.2	0.189	0.6	1	−0.7	0.005	Turner et al. (2008b)	
18152−2023	CHR 255 Aa,Ab	HD 167263	2006.1946	149.7	0.069	2.0	1				3

Table 2—Continued

WDS Desig. $\alpha\delta$ (2000)	Discoverer Designation	Other Identifier	Epoch (BY)	θ (deg)	ρ ($''$)	Δm (mag)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
20074+3543	STT 398 AB	HD 191201	2005.8679	82.4	0.971	1.8	1				
20181+4044	CHR 96 Aa,Ab	HD 193322	2005.8652	100.4	0.086	1.2	1	−5.6	0.019	Hartkopf et al. (1993)	1,3,§5.5
			2007.6042	100.8	0.067		1	−14.3	0.005	Hartkopf et al. (1993)	1
			2008.4508	116.7	0.066		1	−3.2	0.005	Hartkopf et al. (1993)	1
	STF 2666 AB		2001.4991	245.7	2.713	1.3	1				
20189+3817	A 1425 AB	HD 193443	2005.8652	258.7	0.126	0.3	1				
21390+5729	MIU 2 Aa,Ab	HD 206267	2005.8654	247.9	0.118	1.1	1				3
New Sample O Stars											
02512+6023	BU 1316 AB	HD 17520	2005.8620	297.8	0.309	0.5	2				
05228+3325	BU 887 AB	BD+33 1026	2005.8635	195.1	1.089	0.8	1				
07523−2626	WSI 54	HD 64315	2006.1937	231.8	0.091	0.2	1				2,3
10452−5944	WSI 56	CPD−59 2636	2006.1886	59.8	0.269	0.6	1				2,3
11151−6116	B 1184 AB-F	HD 97950	2006.1967	293.7	5.005	2.8	1				
15557−5439	HDS 2241	CPD−54 6791	2006.1970	284.9	1.132	0.4	1				
17191−3849	WSI 61	CD−38 11748	2006.1971	333.1	1.325	1.2	1				2,3
17198−3606	WSI 62 Ba,Bb	HD 319703B	2006.1971	15.8	0.188	1.5	1				2,3,§5.4
17247−3412	DAW 216 BC	HD 319718B	2006.1971	319.8	4.722	1.4	1				
	WSI 63 CD	HD 319718C	2006.1971	204.1:	3.400:	2.0	1				2,3,§5.4
	CE	HD 319718C	2006.1971	182.0	3.628	2.8	1				2,3,§5.4
18186−1348	DCH 26	HD 168076	2006.2001	314.0	0.144	0.7	1				3
20316+4113	ES 1679	BD+40 4212	2005.8680	214.1	3.518	2.6	2				§5.5
20331+4113	WSI 67	Schulte 22	2005.8680	147.0	1.380	0.4	1				2,3,§5.4
			2007.6018	144.1	1.502		1				2
			2008.4587	145.7	1.509		1				2
20334+4109	WSI 68	Schulte 841	2005.8680	323.3	0.669	0.4	1				2,3
			2007.6018	322.8	0.716		1				2
			2008.4589	323.9	0.713		1				2
Wolf-Rayet Pairs											
04566−6629	DON 89 AB	HD 32228	2006.1963	189.9	1.080	0.1	2				

Table 2—Continued

WDS Desig. $\alpha\delta$ (2000)	Discoverer Designation	Other Identifier	Epoch (BY)	θ (deg)	ρ ($''$)	Δm (mag)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
	AC		2006.1963	11.4	2.355	1.8	1				
	AD		2006.1963	233.7	2.271	1.3	2				
	HJ 3716 AE		2006.1963	291.3	4.651	0.7	1				
	DON 90 EF		2006.1963	340.1	1.272	1.0	1				
15150−5951	HDS 2142	WR 66	2006.1970	14.2:	0.398:	1.1	1				4
20358+4123	NML 1	WR 146	2001.4993	16.8	0.157	0.4	1				§5.5
			2008.4587	14.5	0.136		1				
20367+4021	NML 2	WR 147	2001.4991	350.7	0.627	2.2	1				§5.5
			2008.4589	349.4	0.631		1				
			B Stars								
00165+6308	TDS 1374	BD+62 37	2007.6074	257.6	0.549	0.2	1				4
00186+6351	TDS 1392	BD+63 24	2007.6074	359.0:	0.185:	0.1	1				4
00221+6211	HDS 49	HD 1743	2007.6074	238.2	0.319	2.2	1				4
00243+5201	HU 506	HD 1976	2005.4315	90.0	0.112	0.9	2	1.2	0.002	Docobo & Andrade (2005)	
			2007.6021	94.3	0.110		1	−2.2	0.004	Docobo & Andrade (2005)	
00318+5431	STT 12	HD 2772	2007.6021	203.2	0.286	0.3	1	−3.7	0.077	Ling et al. (2005)	
00507+6415	MCA 2	HD 4775	2007.6021	174.5	0.053	1.1	1	8.5	0.008	Mason et al. (1997b)	
00529+6053	TDS 1655	TYC 4017-325-1	2007.6075	78.1	0.414	0.1	1				4
00568+6022	BU 1099 AB	HD 5408	2005.8614	357.4	0.273	0.4	2	−1.8	−0.014	Cole et al. (1992)	a
			2007.6035	0.1	0.265		2	−2.2	−0.015	Cole et al. (1992)	
02039+4220	STT 38 BC	HD 12534	2005.8615	100.3	0.351	1.2	2	−2.2	−0.007	Docobo & Ling (2007a)	
			2007.6021	99.3	0.299		1	−2.2	−0.015	Docobo & Ling (2007a)	
02145+6631	MCA 6	HD 13474	2007.6021	295.4	0.109	1.2	1	−32.7	0.020	Hartkopf et al. (2000)	
02257+6133	STF 257	HD 14817	2007.6021	71.0	0.416	0.7	1	2.8	−0.027	Zaera (1985)	
02529+5300	A 2906 AB	HD 17743	2005.8601	120.0	0.237	1.5	3				
	STF 314 AB-C		2005.8610	313.3	1.554	0.3	2				
03082+4057	LAB 2 Aa,Ab	β Per	2007.6022	143.3:	0.049:	2.5	1	1.0	0.006	Pan et al. (1993)	
03200+6539	WSI 51	HD 20336	2007.6022	43.7	0.132	1.2	1				3
03272+0944	HDS 433	HD 21364	2005.8616	53.8	0.224	3.8	2	−6.9	−0.012	Romero (2007)	
03284+6015	A 980 AB	HD 21203	2007.6022	337.9	0.364	1.6	1	−2.9	0.003	Baize (1994)	
04422+2257	MCA 16 Aa,Ab	τ Tau	2005.8690	39.2	0.314	2.4	1	1.2	0.023	Olevic & Cvetkovic (2005b)	

Table 2—Continued

WDS Desig. $\alpha\delta$ (2000)	Discoverer Designation	Other Identifier	Epoch (BY)	θ (deg)	ρ ($''$)	Δm (mag)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
05145−0812	BU 555 BC	HD 34085	2005.8662	29.8:	0.124:	0.1	1				
05245−0224	MCA 18 Aa,Ab	η Ori	2006.1908	302.8	0.066	1.3	1	−2.1	0.005	Olevic & Jovanovic (1998)	3
05245−0224	DA 5 AB		2005.8662	77.4	1.715	1.3	1				
			2006.1908	78.1:	1.768:		1				
05272+1758	MCA 19 Aa,Ab	HD 35671	2005.8635	88.5	0.104	1.0	1	−20.1	0.030	Olevic & Jovanovic (1997)	
								−1.5	0.000	Mason (1997)	5
05308+0557	STF 728	HD 36267	2001.0197	46.3	1.146	1.3	1	0.4	−0.036	Seymour & Hartkopf (1999)	
			2001.0767	45.7	1.140		1	−0.2	−0.043	Seymour & Hartkopf (1999)	
			2001.0823	46.8	1.150		1	0.9	−0.033	Seymour & Hartkopf (1999)	
05354−0425	FIN 345	HD 37016	2006.1910	95.8	0.394	2.3	1				
07003−2207	FIN 334 Aa,Ab	HD 52437	2006.1938	342.4	0.096	0.0	1	12.6	−0.012	Mante (2002)	6
								12.1	−0.014	Olevic (2002a)	6
								7.5	−0.024	Olevic (2002a)	6
07143−2621	FIN 323	HD 56014	2006.1937	153.4	0.115	0.5	1	2.1	−0.089	Olevic & Cvetkovic (2004)	1
07374−3458	FIN 324 AB	HD 61330	2006.1884	174.5	0.271	0.5	1				
08144−4550	FIN 113 AB	HD 69302	2006.1992	73.2	0.122	1.6	1				
08250−4246	CHR 226 Aa,Ab	HD 71302	2006.1884	277.1	0.044	1.1	1				
	RST 4888 AB		2006.1884	104.9	0.514	0.2	1				
08280−3507	FIN 314 Aa,Ab	HD 71801	2006.1992	213.8	0.083	0.8	1				
08291−4756	FIN 315 Aa,Ab	HD 72108	2006.1938	187.2	0.095	0.5	2				
08328−4153	HDS 1222	HD 72731	2006.1992	302.1	0.557	0.9	2				4
09125−4337	FIN 317 Aa,Ab	HD 79416	2006.1884	102.3	0.123	0.5	1				
09128−6055	HDO 207 AB	HD 79699	2006.1939	79.7	0.164	0.3	2	−16.7	0.031	Heintz (1996a)	1
09569−6323	FIN 151	HD 86557	2006.1993	347.0	0.865	1.6	1				
10050−5119	HU 1594	HD 87652	2006.1940	311.7	0.163	0.4	1	2.9	−0.039	Seymour et al. (2002)	
10465−6416	FIN 364	HD 93549	2006.1940	138.8	0.069	0.1	1	17.1	−0.095	Mante (2003b)	1
11210−5429	I 879	π Cen	2006.1887	158.7	0.215	1.6	1	−1.8	0.001	Mason et al. (1999)	a
11248−6708	HDS 1623	HD 99317	2006.1995	112.1	0.168	0.8	1				4
11286−4508	I 885	HD 99804	2006.1887	152.8	0.647	0.4	2	5.0	0.086	Seymour et al. (2002)	1
11309−6019	HDS 1631	HD 100135	2006.1995	3.0	0.181	0.5	1				4
11325−6137	B 1700	CPD−60 3034	2006.1995	257.6	0.554	1.4	1				
11327−6552	NZO 23	HD 100431	2006.1995	234.8	0.964	0.5	1				
11389−7053	B 1703	HD 101317	2006.1995	323.1	0.525	0.2	1				

Table 2—Continued

WDS Desig. $\alpha\delta$ (2000)	Discoverer Designation	Other Identifier	Epoch (BY)	θ (deg)	ρ ($''$)	Δm (mag)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
12068−7304	HDS 1709	HD 105196	2006.1996	80.8	0.117	1.0	1				4
12093−6606	HDS 1715	HD 105545	2006.1996	90.1	0.132	1.9	1				4
12325−5954	JSP 539	HD 109091	2006.1996	201.2	0.179	0.7	1				
12332−6057	B 802	HD 109164	2006.1996	175.2	0.464	1.4	1				
12450−6519	HDS 1785	HD 110737	2006.1996	236.7	0.231	0.9	1				4
12499−6437	HDS 1800	HD 111409	2006.1996	46.5	0.103	0.7	1				4
13032−5607	FIN 64	HD 113237	2006.1998	259.3	0.499	1.2	1				
13123−5955	SEE 170 AB	HD 114529	2006.1942	104.3	0.267	0.7	1	1.4	0.054	Finsen (1964)	1
13134−5042	I 1227	HD 114772	2006.1998	336.6	0.320	0.2	1				
13218−5525	I 924	HD 115990	2006.1998	96.4	0.716	0.6	1				
13345−4816	RST 4985	HD 117919	2006.1997	150.3	0.287	1.9	1				
13437−4204	FIN 353 AB	HD 119361	2006.1997	50.0	0.096	1.2	1				
14567−6247	FIN 372	θ Cir	2006.1917	22.8	0.098	0.0	2	10.2	−0.093	Mante (2003c)	1
15088−4517	SEE 219 AB	λ Lup	2006.1998	51.1	0.130	0.8	1	13.4	−0.030	Docobo & Ling (2007a)	a
15122−1948	B 2351 Aa,Ab	ι Lib	2006.1918	11.9	0.154	0.4	1	−0.9	−0.006	Mason et al. (1999)	a
			2008.4556	352.4	0.155		1	−0.7	−0.003	Mason et al. (1999)	
15234−5919	HJ 4757	γ Cir	2006.1892	5.2	0.808	0.8	2	13.6	0.001	Nys (1982)	6
								1.3	0.043	Ling et al. (2005)	6
15246−4835	B 1288 AB	HD 136807	2006.1998	347.1	0.071	0.1	1	3.0	−0.024	Seymour et al. (2002)	
15329+3122	COU 610	θ CrB	2008.4489	198.8	0.809	2.0	2				
15351−4110	HJ 4786	γ Lup	2006.1927	275.7	0.789	1.5	3	−1.7	−0.028	Heintz (1990)	1
15416+1940	HU 580 AB	ι Ser	2006.2000	262.3	0.092	0.1	1	−0.1	−0.003	Docobo & Ling (2007a)	a
16003−2237	LAB 3	δ Sco	1988.2528	7.9:	0.115:	2.2	1	−0.5	−0.009	§5.3	7
			1990.2705				2	322.5	0.040	§5.3	8
			1990.3439				2	326.2	0.048	§5.3	8
			1993.0988	349.0	0.170		1	−0.6	−0.003	§5.3	7
			2001.5667	337.0	0.080		1	−0.6	−0.004	§5.3	
			2004.2017	348.9	0.183		1	−2.0	0.003	§5.3	9
			2006.1918	354.4	0.187		1	−1.8	−0.005	§5.3	
			2006.5554	357.5	0.176		1	0.2	−0.014	§5.3	10
			2007.3173	359.8	0.194		1	0.5	0.012	§5.3	
16120−1928	BU 120 AB	HD 145502	2006.1945	1.6	1.330	1.0	1				
	MTL 2 CD	HD 145502C	2006.1971	54.4	2.293	0.6	1				

Table 2—Continued

WDS Desig. $\alpha\delta$ (2000)	Discoverer Designation	Other Identifier	Epoch (BY)	θ (deg)	ρ ($''$)	Δm (mag)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
16341+4226	LAB 4	σ Her	2007.6068	17.3	0.102	3.5	1	0.3	−0.008	Brendley & Hartkopf (2007)	
			2008.4612	14.9	0.113		1	2.1	0.001	Brendley & Hartkopf (2007)	
17237+3709	MCA 48 Aa,Ab	ρ Her	2007.6041	32.0:	0.248:	1.0	1				3
			2008.4613	31.9	0.252		1				
17400−0038	BU 631	HD 160438	2006.2000	89.0	0.246	0.2	1	1.8	−0.019	Heintz (1996c)	a
18003+0422	WSI 66	HD 164284	2007.5879	155.4	0.121	1.5	1				
18262−1832	CHR 236	HD 169602	2007.5880	113.1:	0.143:	1.5	1				4
18280+0612	CHR 71	HD 170200	2007.5879	290.1	0.080	0.1	1	3.7	0.002	Mason & Hartkopf (2001b)	3
18454+3634	HDS 2659	HD 173761	2007.6069	21.9	0.245	2.4	1				4
18520+1358	CHR 80	HD 174853	2007.5878	36.4	0.126	2.3	1				3
19070+1104	HEI 568	HD 178125	2008.4508	272.4	0.308	1.0	1				
19411+1349	KUI 93	HD 185936	2005.8680	318.0	0.189	0.1	1	3.1	0.009	Docobo & Ling (2007a)	
20393−1457	HU 200 AB	τ Cap	2005.8680	123.0	0.336	1.9	1	3.9	0.007	Heintz (1998)	
20474+3629	STT 413 AB	HD 198193	2005.8572	4.0	0.881	1.5	2	0.1	−0.020	Rabe (1948)	
			2007.6018	4.1	0.869		1	0.9	−0.035	Rabe (1948)	
20598+4731	MCA 65 Aa,Ab	HD 200120	2007.6018	2.3	0.169	2.8	1				
			2008.4509	1.8	0.164		1				
21028+4551	BU 1138 AB	HD 200595	2001.5018	175.6	0.073	0.2	1	−19.1	0.015	Hartkopf & Mason (2001)	
21100+4901	HDS 3016	BD+48 3298	2007.6072	23.4	0.329	1.4	1				4
21118+5959	MCA 67 Aa,Ab	HD 202214	2005.8654	124.5	0.045	0.6	1	4.0	−0.001	Mante (2002)	
	STF 2780 AB		2005.8654	212.4	1.021	0.3	1				
			2007.5990	212.5	1.013		2				
21126+3846	COU 2136	BD+38 4391	2007.6072	292.8	0.422	0.9	1				4
21157+4832	HDS 3024	BD+47 3349	2007.6072	329.6	0.283	1.9	1				4
21191+6152	HDS 3035 Aa,Ab	HD 203374	2007.6073	296.5	0.294	2.3	1				4
21287+7034	LAB 6 Aa,Ab	β Cep	2007.5990	226.0	0.172	3.4	1				
21323+5934	HDS 3062	HD 205329	2007.6073	285.2	0.110	1.7	1				4
21340+6029	HDS 3071	HD 239700	2007.6073	291.1	0.143	1.7	1				4
21428+6018	HDS 3093	HD 239743	2007.6073	267.3	0.140	1.6	1				4
21536−1019	FIN 358	HD 208008	2007.5992	308.3	0.130	2.0	1	1.2	−0.011	Mason & Hartkopf (2001a)	
23019+4220	WRH 37 AB	HD 217675	2005.8625	217.8	0.109	2.3	1	−12.7	0.009	Hartkopf et al. (1996)	
								5.4	0.008	Olevic & Cvetkovic (2006)	5
			2007.5884	204.9	0.128		1	−13.7	0.008	Hartkopf et al. (1996)	

Table 2—Continued

WDS Desig. $\alpha\delta$ (2000)	Discoverer Designation	Other Identifier	Epoch (BY)	θ (deg)	ρ ($''$)	Δm (mag)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
								3.7	0.005	Olevic & Cvetkovic (2006)	
23078+6338	HU 994	HD 218537	2005.8625	136.1	0.207	0.3	1	3.9	−0.045	Docobo (1991)	
23165+6158	HDS 3314	HD 219634	2007.5884	320.3	0.176	2.6	1				

[a] System used in characterizing errors or investigating detection space.

[1] Orbit in obvious need of correction.

[2] Not measured before (Table 1).

[3] Δm is an estimate, not a catalog value.

[4] Confirming observation.

[5] While the 6th Orbit Catalog lists two possible solutions for this pair, it fits the second orbit listed here better.

[6] Multiple possible orbits for this pair, none of which fits well. While correction may be necessary, the data coverage may be insufficient.

[7] Unpublished CHARA speckle measure. See Hartkopf et al. (2000) for a description of the CHARA speckle camera and a discussion of re-reduced observations.

[8] Unpublished CHARA non-detection. See Hartkopf et al. (2000). The $O-C$ columns here provide the position predicted by the new orbit.

[9] Measure obtained with the NOFS 61-in reflector. Inadvertently omitted from Hartkopf et al. (2008).

[10] Measure obtained with the Mt. Wilson 100-in reflector (W. Hartkopf & B. Mason, in preparation).

Table 3. Null Companion Detection[a]

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
000357.50+610613.0	BD+60 2663		HD 225146	O2	2005.8625	K	
000403.79+621319.0	BD+61 2585		HD 225160	O2	2005.8625	K	
000603.38+634046.7	EM* MWC 1	V* NSV 25	HD 108	O1	2005.8626	K	
001743.06+512559.1	BD+50 46A	V* AO Cas	HD 1337	O1	2005.8626	K	
004443.51+481703.7	EM* MWC 8	V* omi Cas	HD 4180	B*	2007.6021	K	
005249.21+563739.4	BD+55 191	** BU 1A	HD 5005	O1	2005.8626	K	1
013113.41+604659.9	BD+60 252		TYC 4031 00248 1	B*	2005.8625	K	
013232.72+610745.8	BD+60 261		TYC 4031 01953 1	O2	2005.8626	K	
014052.75+641023.1	BD+63 218		HD 10125	O2	2005.8626	K	
020230.12+553726.3	BD+54 441	V* NSV 702	HD 12323	O2	2005.8626	K	
020902.47+575555.9	BD+57 498	V* NSV 727	HD 12993	O2	2005.8628	K	
020930.07+584701.5	BD+58 383		HD 13022	O2	2005.8628	K	
021545.93+555946.7	BD+55 554	V* V354 Per	HD 13745	O1	2005.8628	K	
022152.41+565418.0	NGC 884 2172		HD 14434	O2	2005.8628	K	
022210.69+593258.8	IC 1805 +59 142	V* NSV 801	HD 14442	O2	2005.8628	K	
022254.29+412847.7	BD+40 501		HD 14633	O1	2005.8627	K	
022646.98+585233.1	BD+58 467	EM* AS 58	HD 14947	O1	2005.8628	K	
022759.81+523257.5	BD+51 579		HD 15137	O1	2005.8628	K	
023157.08+613643.9	IC 1805 104		BD+60 497	O2	2005.8629	K	
023216.75+613315.0	IC 1805 118	BD+60 499	HIP 11807	O2	2005.8628	K	
023236.26+612825.5	IC 1805 138		BD+60 501	O2	2005.8628	K	
023242.53+612721.5	IC 1805 148	** STI 368A	HD 15558	O1	2005.8628	K	1
023249.41+612242.0	IC 1805 HOAG 2	EM* AS 62	HD 15570	O2	2005.8628	K	
023256.38+551939.0	BD+54 569		HD 15642	O2	2005.8628	K	
023320.58+613118.1	IC 1805 HOAG 3		HD 15629	O2	2005.8628	K	
023402.52+612310.8	IC 1805 232		BD+60 513	O2	2005.8628	K	
023618.21+625653.3	IC 1805 +62 160		BD+62 424	O2	2005.8629	K	
024252.02+565416.4	EM* CDS 298	V* NSV 897	HD 16691	O2	2005.8628	K	
024412.71+563927.2	TYC 3708 01000 1		HD 16832	O2	2005.8628	K	
025107.97+602503.8	BD+59 552	** STF 306A	HD 17505	O1	2005.8628	K	1
025147.79+570254.4	EM* CDS 318	** SCA 6A	HD 17603	O2	2005.8628	K	1
025410.66+603903.4	BD+60 586	** ES 1815A	TYC 4048 00991 1	O2	2005.8628	K	1
025923.17+603359.5	BD+59 578	V* NSV 997	HD 18326	O1	2005.8628	K	
030029.71+624319.0	BD+62 504		HD 18409	O2	2005.8629	K	
031405.33+593348.4	BD+59 609	V* CC Cas	HD 19820	O1	2005.8629	K	
034448.21+241722.0	Melotte 22 447	16 Tau	HD 23288	B*	2005.8630	K	p
034452.53+240648.0	Melotte 22 468	17 Tau	HD 23302	B*	2005.8630	K	p,1
034509.73+245021.3	Melotte 22 541	18 Tau	HD 23324	B*	2005.8630	K	p
034512.49+242802.1	Melotte 22 563	19 Tau	HD 23338	B*	2005.8630	K	p
034549.60+242203.8	Melotte 22 785	20 Tau	HD 23408	B*	2005.8631	K	p
034554.47+243316.2	Melotte 22 817	21 Tau	HD 23432	B*	2005.8632	K	p
034619.57+235654.0	Melotte 22 980	V* V971 Tau	HD 23480	B*	2005.8657	K	p
034729.07+240618.4	Melotte 22 1432	25 Tau	HD 23630	B*	2005.8657	K	p
034820.81+232516.4	Melotte 22 1823	V* NSV 1321	HD 23753	B*	2005.8657	K	p
034909.74+240312.2	Melotte 22 2168	27 Tau	HD 23850	B*	2005.8657	K	p

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
034911.21+240812.1	Melotte 22 2181	V* BU Tau	HD 23862	B*	2005.8657	K	p
034921.74+242251.4	Melotte 22 2263	** STTA 40A	HD 23873	B*	2005.8631	K	p,1
034943.53+234242.6	Melotte 22 2425		HD 23923	B*	2005.8633	K	p
035523.07+310245.0	EM* MWC 78	V* X Per	HD 24534	O2	2005.8632	K	
035538.42+523828.7	BD+52 726	** HDS 494	HD 24431	O1	2005.8632	K	3
035857.90+354727.7	EM* CDS 401	xi Per	HD 24912	O1	2005.8632	K	
040315.64+563224.8	BD+56 873		HD 237211	O2	2005.8632	K	
040749.28+621958.5	V* SZ Cam	** CHR 209Ea,Eb	HD 25638	O1	2005.8632	K	2
040751.39+621948.3	V* NSV 1458	** STF 485A	HD 25639	O1	2005.8632	K	1
042948.12+174039.3	BD+17 735	** COU 567A	HD 28436	B*	2005.8688	K	1
045403.01+662033.6	EM* MWC 92	alf Cam	HD 30614	O1	2005.8661	K	
051255.90−161219.6	BD−16 1072	V* mu Lep	HD 33904	B*	2006.1908	C	2
051618.14+341844.3	V* AE Aur	** SEI 136A	HD 34078	O1	2005.8635	K	1
052043.08+372619.1	EM* CDS 487	** SEI 201A	HD 34656	O1	2005.8634	K	1
052229.30+333050.4	NGC 1893 HOAG 1		HD 242908	O2	2005.8635	K	
052240.09+331909.3	NGC 1893 HOAG 3		HD 242926	O2	2005.8635	K	
052736.14+344518.9	TYC 2411 01292 1	** L 6A	HD 35619	O2	2005.8634	K	1
052752.40+344658.2	V* IU Aur	** HDS 721	HD 35652	O1	2005.8634	K	2
053200.40−001704.4	BD−00 982	del Ori C	HD 36485	O1	2005.8662	K	1
053213.84+400357.8	BD+39 1328		HIP 25947	O2	2005.8634	K	
053341.15+362734.9	BD+36 1177	** SEI 323A	HD 36483	O2	2005.8634	K	1
053508.27+095602.9	lam Ori	** STF 738A	HD 36861J	O1	2005.8661	K	1
053515.82−052314.3	the 1 Ori A	** PTR 1Aa,Ab	HD 37020	O1	2005.8662	K	3
053516.46−052323.1	the 1 Ori C	** WGT 1Ca,Cb	HD 37022	O1	2005.8662	K	2
053517.19−052315.6	the 1 Ori D	** KSS 1Da,Db	HD 37023	O1	2005.8662	K	2
053522.90−052457.8	the 2 Ori A	** STF 16A	HD 37041	O1	2005.8662	K	1
053531.43−052516.4	the 2 Ori C	V* V361 Ori	HD 37062	O1	2005.8662	K	1
053540.52+212411.7	BD+21 899		HD 36879	O1	2005.8635	K	
053845.62−023558.8	sig Ori D	** STF 762D	HD 37468D	B*	2005.8662	K	1
053924.80+305326.7	BD+30 968	** HDS 754	HD 37366	O1	2005.8635	K	3
054045.52−015633.2	zet Ori	** NOI 1Aa,Ab	HD 37742J	O1	2005.8662	K	2
054231.16+361200.5	BD+36 1233		HD 37737	O2	2005.8634	K	
054559.89−321823.1	V* NSV 2630	mu Col	HD 38666	O1	2006.1936	C	
055444.73+135117.0	V* V1382 Ori	** S 502A	HD 39680	O1	2005.8661	K	1
					2006.1909	C	1
060552.45+481457.4	BD+48 1339	** ES 1234A	HD 41161	O1	2005.8634	K	1
060855.82+154218.1	BD+15 1079		HD 41997	O2	2005.8635	K	
060939.57+202915.4	BD+20 1284		HD 42088	O1	2005.8635	K	
062438.35+194215.8	BD+19 1335	** COU 913A	HD 44811	O2	2005.8635	K	1
062715.77+145321.2	V* PZ Gem	** CHR 251	HD 45314	O1	2005.8635	K	2
					2006.1909	C	2
063120.87+045003.3	NGC 2244 VS 5	EM* MWC 808	HD 46056	O2	2005.8663	K	1
063152.53+050159.1	BD+05 1282	NGC 2244 VS 23	HD 46149	O1	2005.8663	K	
063155.52+045634.2	EM* CDS 611	** GAN 3A	HD 46150	O1	2005.8663	K	1
063209.30+044924.7	NGC 2244 VS 47	EM* CDS 612	HD 46223	O1	2005.8663	K	

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
063210.47+045759.8	NGC 2244 VS 50		HD 46202	O2	2005.8663	K	
063350.95+043131.5	NGC 2244 VS 150		HD 46485	O2	2005.8663	K	
063423.56+023202.9	BD+02 1295		HD 46573	O1	2005.8663	K	
063625.88+060459.4	BD+06 1303		HD 46966	O1	2005.8663	K	
063724.04+060807.3	EM* CDS 623	V* V640 Mon	HD 47129	O1	2006.1910	C	
063838.18+013648.6	BD+01 1443	V* V689 Mon	HD 47432	O1	2005.8663	K	
064159.23+062043.5	BD+06 1351	EM* CDS 629	HD 48099	O1	2005.8635	K	
064240.54+014258.2	V* NSV 3177	** STF 956A	HD 48279	O1	2005.8663	K	1
065413.04−235542.0	WR 6	V* EZ CMa	HD 50896	W1	2006.1936	C	
070021.07−054935.9	BD−05 1912		HD 52266	O1	2005.8663	K	
070127.04−030703.2	BD−02 1885	** A 518AB	HD 52533	O1	2005.8663	K	3
070635.96−122338.2	BD−12 1788		HD 53975	O1	2005.8663	K	
070920.25−102047.6	BD−10 1892		HD 54662	O1	2005.8663	K	
071008.14−114809.8	BD−11 1822		HD 54879	O1	2005.8663	K	
071428.25−101858.4	NGC 2353 FHR 56		HD 55879	O1	2005.8663	K	
071828.18−171123.7	BD−16 1885		HD 56952	B*	2006.1938	C	
071840.37−243331.3	EM* CDS 678	V* UW CMa	HD 57060	O1	2006.1937	C	
071930.10−220017.2	BD−21 1874	** HDS1026A	HD 57236	O2	2006.1938	C	1
072202.05−085845.7	BD−08 1872		HD 57682	O1	2005.8663	K	
073301.84−281932.9	CD−28 4502	** B 2631A	HD 60369	O1	2006.1937	C	1
073705.73+165415.3	EM* MWC 184	V* BN Gem	HD 60848	O1	2005.8636	K	
073949.33−323442.1	Bochum 15 4		HD 61827	O1	2006.1883	C	
075301.00−270657.7	CD−26 5136		CPD−26 2716	O2	2006.1937	C	
075338.20−261402.6	NGC 2467 77		HD 64568	O2	2006.1937	C	
075552.85−283746.7	CD−28 5104	CPD−28 2561	HIP 38741	O2	2006.1964	C	4
080335.04−400011.3	EM* CDS 710	zet Pup	HD 66811	O1	2006.1883	C	
080931.95−472011.7	WR 11	gam 2 Vel	HD 68273	O1/W1	2006.1884	C	1
081101.68−371732.5	NGC 2546 682	** DAW 43A	HD 68450	O1	2006.1883	C	1
081548.56−353752.8	CD−35 4396	EM* CDS 719	HD 69464	O2	2006.1883	C	
082455.78−441803.0	CD−43 4259	** DAW 194A	HD 71304	O1	2006.1884	C	1
082617.73−390332.2	CD−38 4462A	V* NO Pup	HD 71487	B*	2006.1884	C	1
084047.79−450330.2	CD−44 4683	V* LM Vel	HD 74194	O1	2006.1884	C	
084701.59−440428.8	CD−43 4635		HD 75211	O1	2006.1884	C	
084725.13−364502.6	CD−36 5030		HD 75222	O1	2006.1883	C	
085021.01−420523.2	CD−41 4560		HD 75759	O1	2006.1884	C	
085033.46−463145.0	V* KX Vel	** HDO 205A	HD 75821	O1	2006.1884	C	1
085400.61−422908.7	CD−42 4762	EM* CDS 738	HD 76341	O1	2006.1884	C	
085459.16−473532.6	WR 14	V* NSV 18087	HD 76536	W1	2006.1884	C	
085507.14−473627.1	CD−47 4505		HD 76556	O1	2006.1884	C	
085728.85−504458.2	CD−50 3710	V* NSV 4330	HD 76968	O1	2006.1884	C	
085754.61−474415.7	CD−47 4551		CPD−47 2963	O2	2006.1884	C	
093037.25−513934.6	CD−51 3884		HD 298429	O2	2006.1886	C	
095452.90−574338.2	WR 16	V* V396 Car	HD 86161	W1	2006.1885	C	
101540.08−511524.0	CD−50 4966		HD 89137	O1	2006.1886	C	
102220.87−594519.6	CD−59 3041		HD 90087	O1	2006.1885	C	

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
103150.59−635625.6	CD−63 553		HD 91452	O1	2006.1885	C	
103312.26−581013.6	CD−57 3306		HD 91572	O1	2006.1885	C	
103330.29−600740.0	CD−59 3157		HD 91651	O2	2006.1885	C	
103446.63−580922.0	NGC 3293 FM 1		HD 91824	O2	2006.1885	C	
103722.71−583723.1	NGC 3324 MV 1	** HJ 4338A	HD 92206A	O2	2006.1885	C	1
103722.96−583723.0	NGC 3324 5	** HJ 4338B	HD 92206B	O2	2006.1885	C	1
103718.63−583741.7	IDS 10336−5806 C		HD 92206C	O2	2006.1885	C	1
103936.86−572740.6	CD−56 3484	** FIN 410A	HD 92504	O2	2006.1886	C	1
104117.51−594036.8	WR 22	V* V429 Car	HD 92740	W1	2006.1885	C	
104315.34−601204.2	Collinder 228 27		HD 93028	O2	2006.1885	C	
104317.95−600803.2	Collinder 228 14		HD 93027	O2	2006.1885	C	
104346.68−593254.9	Trumpler 14 20		CPD−58 2611	O1	2006.1886	C	
104352.25−600704.0	Collinder 228 3	WR 24	HD 93131	W1	2006.1938	C	
104354.37−593257.3	Trumpler 14 2	** COO 112A	HD 93128	O1	2006.1886	C	1
104355.43−593249.8	Trumpler 14 9	** HJ 4356A	TYC 8626 02805 1	O1	2006.1886	C	1
104357.45−593251.4	CPD−58 2618B	** HJ 4356B	HD 93129B	O2	2006.1886	C	1
104359.91−593225.3	Trumpler 14 8A	** SEE 123A	CPD−58 2620A	O1	2006.1886	C	1
104400.15−600509.8	Collinder 228 65	** HJ 4358A	HD 93146	O2	2006.1938	C	1
104400.35−595227.9	Trumpler 16 87	** HJ 4357A	HD 93130	O1	2006.1938	C	1
104407.26−593430.7	Trumpler 14 VBF 2	** HJ 4360C	HD 93160	O1	2006.1886	C	1
104408.84−593434.4	Trumpler 14 VBF 3	** HJ 4360A	HD 93161A	O1	2006.1886	C	1
104409.08−593435.4	Trumpler 14 VBF 3	** HJ 4360B	HD 93161B	O1	2006.1886	C	1
104410.33−594311.4	Trumpler 16 177	WR 25	HD 93162	W1	2006.1887	C	
104422.91−595935.9	Collinder 228 33	V* QZ Car	HD 93206	O1	2001.0825	C	3
					2006.1938	C	3
104429.42−595718.3	Trumpler 14 MJ 336		HD 305523	O2	2006.1938	C	
104432.33−594431.0	Trumpler 16 178	** BSO 4B	HD 93204	O1	2006.1887	C	1
104433.74−594415.4	Trumpler 16 179	V* V560 Car	HD 93205	O1	2006.1887	C	1
104436.24−600528.9	Collinder 228 6		HD 93222	O1	2006.1938	C	
104438.27−593255.8	Trumpler 14 MJ 351	Trumpler 16 98	HD 303311	O2	2006.1886	C	
104441.78−594656.7	Trumpler 16 100		CPD−59 2600	O2	2006.1887	C	
104443.80−592124.2	Trumpler 15 1	** HJ 4364A	HD 93249	O2	2006.1886	C	1
104445.02−593354.6	Trumpler 14 101	Trumpler 16 180	HD 93250	O1	2006.1886	C	
104447.30−594353.2	Trumpler 16 104	V* V572 Car	CPD−59 2603	O2	2006.1887	C	
104505.84−594006.3	Trumpler 16 7	** DUN 98H	HD 303308	O1	2006.1887	C	1
104512.21−594500.4	Trumpler 16 182	** COO 113B	HD 93343	O2	2006.1887	C	1
104512.71−594446.1	Trumpler 16 CRV 3	** COO 113A	CPD−59 2635	O2	2006.1887	C	1
104516.51−594336.9	Trumpler 16 112		CPD−59 2641	O2	2006.1887	C	
104534.05−595726.6	Trumpler 14 MJ 593		HD 305532	O2	2006.1938	C	
104622.46−595320.5	LS 1892	Feinstein 97	CPD−59 2673	O2	2006.1967	C	4
104633.06−600412.6	Bochum 11 10		HD 305539	O2	2006.1967	C	4
104712.48−600549.8	Bochum 11 1	** COO 115A	HD 93632	O2	2006.1938	C	1
104815.52−601556.6	CD−59 3341		HD 305619	O2	2006.1938	C	
104823.51+373413.0	BD+38 2179		HD 93521	O1	2005.8637	K	
104837.77−601325.4	CD−59 3344	EM* CDS 818	HD 93843	O1	2006.1938	C	

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
105001.50−575226.2	CD−57 3522		HD 94024	O2	2006.1886	C	
105152.75−585835.2	CD−58 3605	Hen 3−506	HD 303492	O2	2006.1886	C	
105223.19−584448.4	TYC 8626 00724 1	** HRG 53A	HD 94370A	O1	2006.1886	C	1
105344.81−593046.7	WR 31	V* V428 Car	HD 94546	W2	2006.1966	C	4
105635.79−614232.2	CD−61 2864	EM* CDS 837	HD 94963	O1	2006.1938	C	
105845.41−611042.9	Hen 3−537	LSS 2063	TYC 8958 04232 1	O2	2006.1967	C	4
110050.44−622434.2	CD−61 2898		HD 95589	O2	2006.1938	C	
110455.50−610305.7	CD−60 3340A	** DUN 105A	HD 96264	O1	2006.1994	C	1
110617.20−653035.2	WR 40	V* V385 Car	HD 96548	W1	2006.1938	C	
110659.77−594004.3	CD−58 3834		HD 96622	O2	2006.1887	C	
110713.93−595223.1	CD−59 3554		HD 96670	O1	2006.1887	C	
110732.81−595748.6	CD−59 3557		HD 96715	O2	2006.1887	C	
110842.61−570356.9	CD−56 3764	V* NSV 5104	HD 96917	O1	2006.1887	C	
110851.77−604533.8	CD−60 3382		HD 96946	O2	2006.1994	C	
111004.07−605844.9	WR 42	V* V431 Car	HD 97152	W1	2006.1994	C	
111005.99−601456.8	NGC 3572 MV 1		HD 97166	O1	2006.1995	C	
111042.04−602304.2	Hogg 10 1		HD 97253	O1	2006.1995	C	
111149.57−604158.2	Trumpler 18 VF 12	** B 1182A	HD 97434	O1	2006.1995	C	1
111431.90−590128.8	CD−58 3931		HD 97848	O2	2006.1887	C	
112854.18−623909.8	CD−61 3068	Gum 39	HD 99897	O2	2006.1939	C	
113024.30−634902.0	IC 2944 THA 63		HD 100099	O1	2006.1939	C	
113110.92−654432.1	CD−65 1101	V* TU Mus	HD 100213	O2	2006.1938	C	
113144.05−715542.8	CPD−71 1258		HD 100326	B*	2006.1995	C	
113748.43−631923.5	IC 2944 THA 34	V* V1051 Cen	HD 101131	O1	2006.1939	C	
113809.91−631148.6	IC 2944 THA 41	** COO 126A	HD 101190	O1	2006.1939	C	1
113812.15−632326.7	IC 2944 THA 42		HD 101191	O2	2006.1939	C	
113822.76−631202.8	IC 2944 THA 49		HD 101223	O1	2006.1939	C	
113903.27−632547.0	IC 2944 THA 53		HD 101298	O1	2006.1888	C	
113945.84−632840.1	IC 2944 THA 60	** BSO 7B	HD 101413	O1	2006.1888	C	1
113949.95−632843.5	IC 2944 THA 61	** BSO 7A	HD 101436	O1	2006.1888	C	1
114037.00−623405.1	CD−61 3143A	IC 2944 THA 21	HD 101545A	O1	2006.1888	C	
114037.00−623405.1	CD−61 3143B	IC 2944 THA 21	HD 101545B	O1	2006.1888	C	
114654.40−612746.9	CD−60 3746		HD 102415	O2	2006.1888	C	
115118.83−614820.5	CD−61 3225	** TDS8073	HD 103006	B*	2006.1995	C	§5.6
120227.80−581434.3	CD−57 4256		HD 104565	O2	2006.1888	C	
120258.46−624019.2	CD−61 3317	V* NSV 5435	HD 104649	O2	2006.1888	C	
120549.87−693422.9	V* NSV 5454	V* GS Mus	HD 105056	O1	2006.1888	C	
120944.58−623454.6	CD−61 3356	** HDS1717A	HD 105627	O1	2006.1888	C	1
121544.66−804704.8	CPD−80 646	** FIN 195	HD 106508	B*	2006.1996	C	§5.6
123328.94+694717.7	5 Dra	V* kap Dra	HD 109837	B*	2008.4554	K	
125557.13−565008.9	EM* CDS 870	** HDO 221A	HD 112244	O1	2006.1888	C	1
130632.34−650449.5	CD−64 694		HD 113659	O1	2006.1888	C	
130807.15−651821.6	WR 48	** CHR 247Aa,Ab	HD 113904	O1/W1	2006.1888	C	2
131604.80−623501.4	Hogg 16 15	V* V961 Cen	HD 115071	O1	2006.1889	C	
131835.35−622928.3	Stock 16 VBF 1		HD 115455	O1	2006.1889	C	

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
132356.25−594834.7	CD−59 4710		HD 116282	O2	2006.1890	C	
133023.52−785120.5	CD−78 545		HD 116852	O1	2006.1889	C	
133208.60−604855.4	CD−60 4729		HD 117490	O2	2006.1890	C	
133411.98−622501.7	CD−61 3851		HD 117797	O2	2006.1889	C	
133443.40−632007.6	CD−62 739	** HDS1907	HD 117856	O1	2006.1889	C	3
133659.49−633845.6	CD−63 868		HD 118198	O2	2006.1889	C	
135133.98−583222.2	CD−57 5260		HD 120521	O2	2006.1890	C	
135256.41−624314.2	Hen 3−939	V* NSV 6472	HD 120678	O1	2006.1889	C	
135532.38−471718.1	CD−46 8949	zet Cen	HD 121263	B*	2001.5691	C	
140625.15−594257.2	CD−59 5081	V* NSV 6544	HD 122879	O1	2006.1890	C	
140725.63−602814.1	CD−59 5090		HD 123056	O1	2006.1890	C	
140730.64−642808.7	CD−63 929		HD 123008	O2	2006.1969	C	4
141043.96−622844.4	CD−61 4257		HD 123590	O2	2006.1891	C	
141501.60−614224.3	EM* CDS 880	** COO 167A	HD 124314	O1	2006.1891	C	1
141811.93−513013.8	CD−50 8427		HD 124979	O1	2006.1891	C	
142009.04−610454.6	CD−60 5146		HD 125206	O1	2006.1891	C	
142022.78−605322.2	CD−60 5148		HD 125241	O2	2006.1891	C	
143237.05−502725.7	CD−49 8831	V* sig Lup	HD 127381	B*	2001.5691	C	
143454.43−602539.7	CD−59 5309		CPD−59 5634	O2	2006.1891	C	
143753.22−492532.9	V* NSV 6733	rho Lup	HD 128345	B*	2001.5691	C	
144155.75−472317.5	CD−46 9501	V* alf Lup	HD 129056	B*	2001.5691	C	
144933.76−562538.4	CD−55 5846	EM* CDS 882	HD 130298	O2	2006.1891	C	
145831.92−430802.2	CD−42 9853	V* bet Lup	HD 132058	B*	2001.5692	C	
151457.71−595030.3	WR 66	V* CC Cir	HD 134877	W2	2001.0802	C	6
151656.89−605726.1	V* NSV 6998	del Cir	HD 135240	O1	2006.1892	C	1
151849.14−602946.8	CD−60 5559	** I 370A	HD 135591	O1	2006.1892	C	1
152411.30−624037.5	WR 69	Hen 3−1067	HD 136488	O1/W1	2006.1892	C	
152944.69−583451.2	WR 70	Hen 3−1073	HD 137603	W2	2001.0802	C	
153611.36−330534.1	SV* ZI 1138	** FIN 231	HD 138923	B*	2006.1998	C	§5.6
155530.59+423358.3	4 Her	V* V839 Her	HD 142926	B*	2008.4504	K	
155811.37141645.7	48 Lib	V* FX Lib	HD 142983	B*	2008.4556	K	
160349.34−624135.9	WR 71	V* LT TrA	HD 143414	W2	2001.5666	C	
162701.43182722.5	BD−18 4282	V* chi Oph	HD 148184	B*	2008.4559	K	
162748.18−082218.2	ups Oph	** RST 3949	HD 148367	B*	2006.1944	C	3
163023.31−375821.1	CD−3710817		HD 148546	O1	2006.1959	C	
163352.38−480640.4	V* NSV 7808	** I 1588A	HD 148937	O1	2006.1919	C	1
163405.02−440243.1	NGC 6169 1	V* mu Nor	HD 149038	O1	2006.1919	C	
163622.56−425131.9	Hen 3−1222	V* V918 Sco	HD 149404	O1	2006.1919	C	
163709.53−103401.5	BD−10 4350	V* zet Oph	HD 149757	O1	2006.1944	C	
					2008.4559	K	
163710.51−470749.9	CD−4610884		HD 149452	O2	2006.1919	C	
164119.45−484547.5	NGC 6193 2	** DUN 206C	HD 150135	O1	2006.1919	C	1
164120.41−484546.6	NGC 6193 1	** MLO 8A	HD 150136	O1	2006.1919	C	1
164407.21−460829.8	CD−4510875		HD 150574	O2	2006.1919	C	
164634.19−413638.5	CD−4110856		HD 151003	O1	2006.1919	C	

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
164656.11−455314.3	CD−4510927		HD 151018	O2	2006.1919	C	
164948.25−420006.1	NGC 6231 301		HD 151515	O1	2006.1944	C	
165001.44−413716.4	NGC 6231 302	V* NSV 20782	HD 151564	O1	2006.1945	C	
165133.72−411349.9	NGC 6231 303	V* V973 Sco	HD 151804	O1	2006.1945	C	
165219.24−415116.2	NGC 6231 305	WR 78	HD 151932	O1	2006.1944	C	
165247.36−414708.9	NGC 6231 306	V* NSV 8004	HD 152003	O1/W1	2006.1945	C	
165328.61−420717.0	NGC 6231 311		HD 152147	O1	2006.1944	C	
165355.56−415251.2	NGC 6231 254	V* NSV 8017	HD 152219	O1	2006.1945	C	
165359.98−414252.8	NGC 6231 2	V* NSV 8020	HD 152218	O1	2006.1945	C	
165403.50−414729.4	NGC 6231 SS 50	V* NSV 8021	HD 152233	O1	2006.1945	C	1
165405.29−410446.1	NGC 6231 320		HD 152246	O1	2006.1999	C	
165411.51−413830.9	NGC 6231 321		HD 152247	O1	2006.1945	C	
165411.63−415057.2	NGC 6231 293		HD 152249	O1	2006.1944	C	
165413.20−415032.5	NGC 6231 297		CPD−41 7733	O1	2006.1944	C	
165419.69−414911.5	NGC 6231 220	WR 79	HD 152270	O1/W1	2006.1944	C	1
165419.82−415009.3	NGC 6231 224	V* V1034 Sco	CPD−41 7742	O2	2006.1944	C	1
165426.08−414954.8	NGC 6231 338	** HJ 4893A	HD 326331	O1	2006.1944	C	1
165431.99−414818.8	NGC 6231 161	V* NSV 8027	HD 152314	O1	2006.1944	C	
165435.79−412522.8	NGC 6231 325	V* NSV 20827	HD 152333	O1	2006.1945	C	
165455.36−403129.3	NGC 6231 326		HD 152405	O1	2006.1999	C	
165458.50−410903.0	NGC 6231 327	WR 79a	HD 152408	O1	2006.1999	C	
165503.32−420526.9	NGC 6231 328		HD 152424	O1	2006.1944	C	
165506.44−445921.3	WR 79b	** CHR 253	HD 152386	O1	2006.1944	C	§5.6
165605.21−402057.5	NGC 6231 331		HD 152590	O2	2006.1999	C	
165617.10−402944.4	NGC 6231 333		HD 152622	O1	2006.1999	C	
165855.39−401433.3	Trumpler 24 430	V* NSV 20870	HD 322417	O2	2006.1972	C	4
170113.00−381211.8	CD−3811431	Gum 57a	HD 153426	O1	2006.2000	C	
170356.77−375038.9	V* V884 Sco	Gum 57b	HD 153919	O1	2006.2000	C	
170628.36−352703.7	V* V1074 Sco	** B 894A	HD 154368	O1	2006.2000	C	1
170813.98−350015.6	CD−3411503		HD 154643	O1	2006.2000	C	
170847.20+654252.9	zet Dra	** STA 1	HD 155763	B*	2008.4612	K	
170953.08−470153.1	CD−4611250		HD 154811	O1	2006.1944	C	
171519.24−333254.3	EM* MWC 252	V* V1075 Sco	HD 155806	O1	2006.2000	C	
171550.15−455438.7	CD−4511330		HD 155756	O2	2006.1946	C	
171626.33−424004.1	CD−4211986		HD 155913	O2	2006.1945	C	
171720.91−353255.2	Bochum 13 2		HD 156134	O1	2006.1945	C	
171727.00−353211.9	Bochum 13 1		HD 156154	O1	2006.1945	C	
171727.59−274600.8	CD−2711554		HD 156212	O1	2006.2000	C	
171845.81−425329.9	NGC 6322 27		HD 156292	O1	2006.1945	C	
171905.56−384849.9	HM 1 2	LSS 4067	CD−3811748	O2	2006.1972	C	4
171929.90−453823.8	WR 90	Hen 3−1373	HD 156385	W1	2006.1946	C	
171930.41−354236.1	CD−3511470	Gum 63	HD 319699	O2	2006.1945	C	
172050.60−355146.0	CD−3511486		HD 319702	O2	2006.1973	C	4
172052.65−360420.5	CD−3511487		HD 156738	O2	2006.1945	C	
172617.33−105934.7	BD−10 4493	EM* CDS 913	HD 157857	O1	2006.2000	C	

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
172912.92−313203.4	CD−3114091	V* V1081 Sco	HD 158186	O1	2006.1945	C	
173150.49−495234.1	EM* MWC 261	V* alf Ara	HD 158427	B*	2001.5695	C	
173442.49−323453.9	NGC 6383 1	V* V1036 Sco	HD 159176	O1	2006.1945	C	3
173750.71−080707.5	BD−08 4472	mu Oph	HD 159975	B*	2001.5694	C	
174229.27−390147.9	CD−3812137	V* kap Sco	HD 160578	B*	2001.5695	C	
174910.47−314211.5	CD−3114609		HD 161840	B*	2001.5695	C	
174916.55−311518.1	CD−3114612		HD 161853	O1	2006.1945	C	
175454.04−245313.5	CD−2413615	63 Oph	HD 162978	O1	2006.2000	C	
175857.25−223103.1	CD−2212386		HD 163800	O1	2006.1946	C	
175926.30−222800.8	CD−2212392		HD 163892	O1	2006.1946	C	
175928.36−360115.5	CD−3612072	EM* CDS 928	HD 163758	O1	2006.1946	C	
180019.95−283714.6	CD−2813994		HD 164019	O2	2006.1946	C	
180143.14−324255.1	WR 103	V* V4072 Sgr	HD 164270	W1	2006.1946	C	
180204.07−233741.2	WR 104	V* V5097 Sgr	UCAC2 22296214	W2	2001.5641	C	
180223.05+205001.1	96 Her	V* V820 Her	HD 164852	B*	2007.5878	K	
180223.46−233437.7	WR 105	V* V4578 Sgr	UCAC2 22296422	W2	2001.5641	C	
180223.54−230150.9	NGC 6514 145	** H N 40A	HD 164492	O1	2006.1946	C	1
180340.33−242242.7	NGC 6530 177		HD 164740	O2	2006.1946	C	
180352.44−242138.6	NGC 6530 7	EM* CDS 940	HD 164794	O1	2006.1946	C	
180356.86−241845.2	NGC 6530 9		HD 164816	O1	2006.1946	C	
180510.55−242354.8	NGC 6530 118		HD 165052	O1	2006.1946	C	
180525.73−230020.3	WR 108	** LYS 33B	HD 313846	O2	2006.1946	C	
180558.83−141153.0	BD−14 4880		HD 165319	O1	2006.2001	C	
180604.68−241143.8	NGC 6530 ZCW 343	** B 376A	HD 165246	O1	2006.1946	C	1
180732.55+284545.0	BD+28 2925	V* omi Her	HD 166014	B*	2008.4504	K	
					2008.4561	K	
180828.46−211511.1	WR 111	Hen 3−1599	HD 165763	W1	2006.1946	C	
180917.69−235918.2	CD−2413962	V* V3903 Sgr	HD 165921	O1	2006.1946	C	
181157.09−202524.1	BD−20 5027	V* NSV 10342	HD 166546	O1	2006.1946	C	
181224.65−104353.0	Hen 3−1629	EM* MWC 286	HD 166734	O2	2006.2001	C	
181512.90−204341.7	BD−20 5054	15 Sgr	HD 167264	O1	2006.1946	C	
181649.65−163104.3	BD−16 4786		HD 167633	O1	2006.2000	C	
181658.56−185805.2	BD−19 4944		HD 167659	O1	2006.1946	C	
181728.55−182748.4	BD−18 4886	** RST3170A	HD 167771	O1	2006.2000	C	1
181803.34−111738.8	BD−11 4586		TYC 5685 00430 1	O2	2006.2001	C	
181805.89−121433.3	NGC 6604 1	V* MY Ser	HD 167971	O1	2006.2001	C	
181836.06−134736.5	NGC 6611 197		HD 168075	O2	2006.2001	C	
181840.09−134518.5	NGC 6611 246		BD−13 4927	O2	2006.2001	C	
181840.86−120623.3	BD−12 4988	V* NSV 10553	HD 168112	O2	2006.2001	C	
182247.17−184308.4	BD−18 4938	** CHR 235	HD 168878	B*	2007.5880	K	§5.6
182325.55−265710.8	CD−2712783		HD 168941	O2	2006.1946	C	
182531.47−124124.1	EM* MWC 295	V* RY Sct	HD 169515	O1	2006.2001	C	
182543.14−094511.0	BD−09 4729	EM* CDS 989	HD 169582	O2	2006.2001	C	
182658.41−455806.4	CD−4612379	alf Tel	HD 169467	B*	2001.5695	C	
183323.03+305331.5	EM* CDS 1006	V* V532 Lyr	HD 171406	B*	2007.5878	K	

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
183612.63−140655.8	BD−14 5131	EM* CDS 1008	HD 171589	O2	2006.2000	C	
183903.77−075135.4	EM* MWC 605	V* V442 Sct	HD 172175	O2	2006.2001	C	
184237.95+553222.0	46 Dra	** ISO 7Aa,Ab	HD 173524	B*	2007.6069	K	§5.6
184329.71−091912.5	EM* MWC 952	V* NSV 11252	HD 173010	O2	2006.2001	C	
184724.18−091829.5	BD−09 4835		HD 173783	O2	2006.2001	C	
185735.70−190911.2	BD−19 5242	EM* MWC 611	HD 175754	O1	2006.1947	C	
185810.76−202525.5	ADS 11872	** HO 271A	HD 175876	O1	2006.1947	C	1
190306.87−420542.3	CD−4213855	zet CrA	HD 176638	B*	2001.5695	C	
190718.12+360600.5	BD+35 3485	iot Lyr	HD 178475	B*	2005.8651	K	
193643.27−011711.7	iot Aql	** J 118A	HD 184930	B*	2001.5696	C	1
193653.44−070138.9	BD−07 5006	kap Aql	HD 184915	B*	2001.5696	C	
194229.45+311940.1	SV* SVS 1034	V* V541 Cyg	HD 331102	B*	2007.6042	K	
194310.92+231745.6	NGC 6823 HOAG 2		HD 344784	O2	2005.8679	K	
194615.90+320658.1	BD+31 3765		HD 186980	O1	2005.8679	K	
195159.06+470138.4	BD+46 2793		HD 188209	O1	2005.8653	K	
195221.76+184018.7	EM* CDS 1102	V* QZ Sge	HD 188001	O1	2005.8679	K	
195821.67+351205.7	SV* SVS 1808	V* V1357 Sge	HD 226868	O1	2005.8679	K	
200100.00+420030.8	BD+41 3569		HD 189957	O1	2005.8652	K	
200329.39+360130.5	EM* CDS 1125	** MCA 59Aa,Ab	HD 190429	O1	2005.8679	K	2
					2007.6042	K	2
200539.80+353627.9	NGC 6871 4	EM* CDS 1130	HD 190864	O1	2005.8679	K	1
200557.32+354718.1	WR 133	V* V1676 Cyg	HD 190918	O1/W1	2005.8679	K	1
200807.11+423621.9	BD+42 3599		HD 191423	O2	2005.8652	K	
200925.26+365022.6	28 Cyg	V* V1624 Cyg	HD 191610	B*	2008.4508	K	
200928.61+354401.2	BD+35 3995		HD 191612	O1	2005.8679	K	
200950.58+452410.4	BD+44 3365		HD 191781	O2	2005.8652	K	
201014.19+361035.0	WR 134	V* V1769 Cyg	HD 191765	W1	2005.8679	K	
201058.28+412109.9	BD+40 4050		HD 191978	O2	2005.8652	K	
201101.70+420736.4	BD+41 3642		HD 192001	O2	2005.8652	K	
201153.52+361150.5	WR 135	V* V1042 Cyg	HD 192103	W1	2005.8679	K	
201206.54+382117.7	WR 136	V* V1770 Cyg	HD 192163	W1	2005.8652	K	
201233.12+401605.4	EM* CDS 1138	V* V2011 Cyg	HD 192281	O1	2005.8652	K	
201430.42+372113.8	BD+36 3958		HD 192639	O1	2005.8652	K	
201431.76+363939.6	WR 137	V* V1679 Cyg	HD 192641	W1	2005.8652	K	
201700.02+372523.7	WR 138	** HDS2891Aa,Ab	HD 193077	W1	2005.8652	K	3
201729.70+371831.1	EM* MWC 1010	Hen 3−1869	HD 228766	O2	2005.8652	K	
201747.20+380158.5	34 Cyg	V* P Cyg	HD 193273	B*	2008.4508	K	
201829.69+385239.8	EM* CDS 1147		HD 228841	O2	2005.8652	K	
201908.49+391624.2	BD+38 4006	EM* CDS 1150	HD 193514	O1	2005.8652	K	
201932.42+384353.9	WR 139	V* V444 Cyg	HD 193576	W1	2005.8652	K	
202027.97+435116.2	WR 140	V* V1687 Cyg	HD 193793	O1/W1	2005.8652	K	1
202203.43+242646.0	25 Vul	EM* MWC 341	HD 193911	B*	2008.4614	K	
202310.78+405229.8	NGC 6910 4	V* V2245 Cyg	HD 229196	O2	2005.8652	K	
203034.96+441854.8	BD+43 3630	EM* MWC 347	HD 195592	O1	2005.8653	K	
203137.50+411321.0	NGC 6910 RLP 3	Cyg OB2 920	BD+40 4212	O2	2005.8681	K	4

Table 3—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	V*, **, Other Designation	HD, HIP, Other Designation	List Code	Date (BY)	Tel. Code	Notes
203213.82+412712.0	RLP 32	Cyg OB2 4	BD+40 4219	O2	2005.8653	K	
203222.42+411818.9	NGC 6910 RLP 5	V* V729 Cyg	HIP 101341	O2	2005.8681	K	4
203240.95+411429.2	NGC 6910 RLP 10	Cyg OB2 12	HIP 101364	O2	2005.8681	K	4
203314.10+412021.9	NGC 6910 RLP 6	Cyg OB2 7	TYC 3161 01335 1	O2	2005.8653	K	
203315.07+411850.4	Cyg OB2 8A	** HER 4Aa,Ab	HIP 101425	O2	2005.8653	K	3
203317.97+411831.1	MCW 932	Cyg OB2 8C	TYC 3161 01340 1	O2	2005.8653	K	
203346.11+413301.0	NGC 6910 RLP 8	Cyg OB2 10	BD+41 3804	O2	2005.8653	K	
203408.51+413659.3	EM* CDS 1175	Cyg OB2 11	BD+41 3807	O2	2005.8653	K	
204121.54+523515.1	WR 148	V* V1696 Cyg	HD 197406	W2	2001.4993	K	
204313.68+570650.3	BD+56 2477	V* V379 Cep	HD 197770	B*	2007.6018	K	
204724.53+362926.5	V* lam Cyg	** MCA 63Aa,Ab	HD 198183	B*	2007.6018	K	2
205203.57+343927.4	BD+34 4184	V* Y Cyg	HD 198846	O1	2005.8681	K	
205634.77+445528.9	BD+44 3639	EM* CDS 1201	HD 199579	O1	2005.8653	K	
210248.61+455056.0	ADS 14585	** BU 1138	HD 200595	B*	2005.8653	K	§5.6
210755.41+332349.2	BD+32 4060		HD 201345	O1	2005.8681	K	
211228.38+443154.1	BD+43 3842	V* NSV 13600	HD 202124	O1	2005.8653	K	
211755.08+345348.8	ups Cyg	EM* MWC 364	HD 202904	B*	2008.4615	K	
211827.18+435645.4	EM* CDS 1232	V* V1809 Cyg	HD 203064	O1	2005.8653	K	
211922.22+645218.7	6 Cep	V* V382 Cep	HD 203467	B*	2008.4509	K	
212857.76+584423.2	Trumpler 37 1240	V* NSV 13748	HD 204827	O1	2005.8654	K	2
213826.28+565825.4	Trumpler 37 171	** LEE 1A	HD 206183	O1	2005.8654	K	1
214224.18+574409.8	Trumpler 37 750	EM* MWC 376	HD 206773	B*	2008.4509	K	
214453.27+622738.0	BD+61 2193	** MLR 16A	HD 207198	O1	2005.8654	K	1
214739.78+594201.3	Trumpler 37 1588		HD 207538	O1	2005.8654	K	
220204.57+580001.3	BD+57 2441	V* LZ Cep	HD 209481	O1	2005.8654	K	
220508.78+621647.3	19 Cep	** BU 697A	HD 209975	O1	2005.8654	K	1
220626.22−135210.8	BD−14 6209	iot Aqr	HD 209819	B*	2001.5699	C	
221130.57+592452.1	EM* CDS 1308	lam Cep	HD 210839	O1	2005.8654	K	
221138.60+522547.9	BD+51 3281		HD 210809	O1	2005.8654	K	
221845.60+560733.9	WR 153	V* GP Cep	HD 211853	W1	2005.8654	K	
223552.09+393741.3	BD+38 4808	** CHR 112Aa,Ab	HD 214168	B*	2007.5991	K	
223653.95+565420.9	WR 154	V* CQ Cep	HD 214419	W2	2005.8654	K	
223915.67+390300.9	10 Lac	** S 813A	HD 214680	O1	2005.8681	K	1
224654.11+580503.5	NGC 7380 MOF 2	V* DH Cep	HD 215835	O1	2005.8654	K	1
225230.55+622625.9	V* NSV 14344	Cep OB 3−10	HD 216532	O2	2005.8654	K	
225542.45+621822.8	BD+61 2370	Cep OB 3−31	HD 216989	O2	2005.8654	K	
225647.18+624337.6	Cep OB 3−41	** MLR 266A	HD 217086	O1	2005.8625	K	1
230512.93+581429.3	EM* CDS 1444	** A 636	HD 218195	O2	2005.8625	K	5
231106.94+530329.6	BD+52 3383		HD 218915	O1	2005.8625	K	
231754.21−091057.0	BD−09 6160	V* psi 2 Aqr	HD 219688	B*	2001.5701	C	

Note. — Observing list code: B* = B star sample, O1 = Mason et al. (1998) O star sample, O2 = new O star sample, W1 = Hartkopf et al. (1999) WR sample, W2 = additional WR stars observed. Telescope code: C = CTIO 4 m, K = KPNO 4 m.

[a] $\rho < 0.''03$ except as noted.

[1] Observed one component of a wide double/multiple.

[2] The known close companion may have closed such that $\rho < 0\farcs03$.

[3] The known companion has too large a magnitude difference for detection here.

[4] Observed with a Johnson V filter and and usually a lower magnification microscope objective due to the character of the target. The resolution limit for this observation is estimated at $\rho < 0\farcs05$.

[5] The known companion is too faint for detection here.

[6] Observed with the USNO g filter ($\lambda_{\rm eff}$ = 560 nm, FWHM = 45 nm). This filter has the same color as the Strömgren y filter and is still fairly narrow, so the resolution limit is essentially the same ($\sim 0\farcs03$).

[p] Pleiades cluster member (Mason et al. 1993b).

Table 4. Binary Properties of Galactic O-Stars

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
HD 164019	C	1	Field:	no:	1957MmRAS..68....1F
HD 162978	C	1	Sgr OB1	no	1980ApJ...242.1063G
HD 168941	C	1	Field:	yes	1957MmRAS..68....1F
Herschel 36	U	1	NGC 6530,Sgr OB1	no	1997AJ....113..823R
9 Sgr	SB2?	1	Sgr OB1	no	2002A&A...394..993R
HD 164816	SB2?	1	Sgr OB1	no	1996ApJ...463..737P
HD 165052	SB2O	1	Sgr OB1	no	2007A&A...474..193L
ζ Oph	C	1	Sco OB2	yes	2005ApJ...623L.145W
HD 165246	SBE	2	Sgr OB1	no	2007OEJV...72....1O
HD 165921	SB2OE	1	Sgr OB1	no	1998A&AS..128..251V
HD 164492	SB1?	8	Sgr OB1	no	1977ApJ...214..759C
HD 163800	U	1	Sgr OB1	no	1977ApJ...214..759C
HD 163892	SB1?	1	Sgr OB1	no	1977ApJ...214..759C
HD 313846	U	2	Sgr OB1:	no	...
HD 164438	U	1	Sgr OB1	no	1977ApJ...214..759C
HD 166546	C	1	Sgr OB1	no	1996A&A...315..384R
HD 167264	C	1	Sgr OB7	no	1977ApJ...214..759C
HD 167263	SB1?	3	Sgr OB7	no	2001Obs...121....1S
HD 167659	C	2	Sgr OB4	no	1996A&A...315..384R
HD 167771	SB2O	2	Sgr OB4	no	1997Obs...117..143S
HD 157857	C	1	Field:	yes	1977ApJ...214..759C
HD 167633	SB1?	1	Sgr OB1	no	1972AJ.....77..138A
HD 175876	C	2	Field	yes	1996ApJS..103..475F
HD 175754	C	1	Field	yes	1996ApJS..103..475F
HD 168075	SB1?	1	NGC 6611,Ser OB1	no	1999RMxAA..35...85B
HD 168076	C	2	NGC 6611,Ser OB1	no	1999RMxAA..35...85B
BD -13 4927	C	1	NGC 6611,Ser OB1	no	1999RMxAA..35...85B
HD 167971	SB2OE	2	NGC 6604,Ser OB2	no	2007A&A...464..701B
HD 168112	SB1?	1	Ser OB2	no	2005A&A...436.1033B
HD 171589	C	1	Field:	no:	1977ApJ...214..759C
HD 169515	SB2OE	1	Field	no	2007ApJ...667..505G
HD 166734	SB2O	1	Field:	no:	1980ApJ...238..184C
BD -11 4586	U	1	Ser OB2	no	...
HD 169582	C	1	Field:	no:	1977ApJ...214..759C
HD 173010	U	1	Field:	no:	1964ApJ...140..162M
HD 173783	U	1	Field:	no:	1960ApJ...131..253M
HD 172175	U	1	Field:	no:	1960ApJ...131..253M
9 Sge	C	1	Field:	yes	2007ApJ...655..473M
BD +22 3782	U	4	NGC 6823,Vul OB1	no	1977ApJ...214..759C
HD 186980	C	1	Cyg OB5:	no	1977ApJ...214..759C
HD 226868	SB1OE	1	Cyg OB3	no	1982ApJ...260..240G
HD 190864	SB1?	4	NGC 6871,Cyg OB3	no	1995ApJS..100..433U
HD 190429 A	C	5	Cyg OB3	no	1996ApJS..103..475F
HD 191201	SB2O	3	NGC 6871,Cyg OB3	no	1997ApJ...490..328B
HD 191612	SB2O	1	Cyg OB3	no	2007MNRAS.381..433H

Table 4—Continued

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
HD 192639	C	1	Cyg OB1	no	2001A&A...366..585R
HD 228766	SB2O	1	Cyg OB1:	no	2002A&A...392..563R
HD 193443 AB	SB1?	3	Cyg OB1	no	1977ApJ...214..759C
BD +36 4063	U	1:	Cyg OB1	no	...
HD 228841	U	1	Cyg OB1	no	...
HD 193514	C	3	Cyg OB1	no	1995ApJS..100..433U
HD 192281	C	1	Cyg OB8	yes	2004A&A...427..995D
HD 194280	C	1:	Cyg OB1	no	1978ApJ...222..234B
Y Cyg	SB2OE	1	Field:	yes	1995A&A...297..127H
HD 229232	U	1:	Cyg OB1	no	...
HD 189957	C	1	Field:	yes	1986ApJS...61..419G
HD 191978	C	1	Cyg OB8	no	1972AJ.....77..138A
HD 193322 AB	SB1O	5	Cyg OB9	no	1998PASP..110..900M
HD 201345	C	2	Field	yes	1986ApJS...61..419G
HD 192001	SB1?	1	Cyg OB8:	no	1961PDAO...12....1P
HD 191423	C	1	Cyg OB8	yes	1961PDAO...12....1P
HD 229196	C	1	Cyg OB9	no	1953GCRV..C......0W
Cyg OB2-5	SB2OE	2	Cyg OB2	no	2008ApJ...679.1478K
Cyg OB2-22 A	U	2	Cyg OB2	no	...
Cyg OB2-22 B	U	”	Cyg OB2	no	...
Cyg OB2-9	SB2?	1:	Cyg OB2	no	2008A&A...483..543N
Cyg OB2-8 A	SB2O	6	Cyg OB2	no	2004A&A...424L..39D
Cyg OB2-4	C	1	Cyg OB2	no	2007ApJ...664.1102K
Cyg OB2-8 C	SB1?	”	Cyg OB2	no	2007ApJ...664.1102K
Cyg OB2-7	C	1	Cyg OB2	no	2007ApJ...664.1102K
Cyg OB2-11	SB1?	1	Cyg OB2	no	2007ApJ...664.1102K
HD 188209	C	1	Field	yes	2000MNRAS.316..407I
HD 191781	C	1	Field:	no:	1978ApJ...222..234B
HD 195592	SB1?	1	Cluster	no	2007ApJ...655..473M
HD 199579	SB2O	2	Cyg OB7	no	2001ApJ...548..425W
HD 202124	C	1	Field	no	1977ApJ...214..759C
68 Cyg	SB1O	2	Field:	yes	1982SvAL....8..386A
10 Lac	C	2	Lac OB1	no	1998AJ....116..941B
HD 206267	SB2O	6	Tr 37,Cep OB2	no	1995Obs...115..180S
HD 210809	C	1	Cep OB1	no	1977ApJ...214..759C
HD 209481	SB3OE	2	Cep OB2	no	1998MNRAS.295..386H
HD 207198	C	3	Cep OB2	no	1980ApJ...242.1063G
λ Cep	C	1	Cep OB2	yes	1999A&A...345..172D
19 Cep	C	5	Cep OB2	no	2007AN....328.1170K
HD 215835	SB2OE	2	NGC 7380,Cep OB1	no	1997ApJ...490..328B
HD 218915	C	1	Field:	yes	1982ApJ...261..208S
HD 218195	C	2	Cep OB1	no	1992ApJS...78..205G
HD 216532	C	1	Cep OB3	no	1977ApJ...214..759C
HD 216898	C	1	Cep OB3	no	1977ApJ...214..759C
HD 217086	C	3	Cep OB3	no	1977ApJ...214..759C

Table 4—Continued

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
BD +60 2522	C	1:	Cas OB2	no	2003A&A...399..287R
HD 225146	C	1	Cas OB5	no	1972A&A....17..253M
HD 225160	C	1	Cas OB5	no	1977ApJ...214..759C
HD 001337	SB2OE	2	Field	yes	1997Obs...117...37S
HD 000108	C	2	Cas OB5	no	2006IBVS.5693....1N
HD 005005 A	C	10	IC 1590	no	1977ApJ...214..759C
HD 005005 C	C	”:	IC 1590	no	1977ApJ...214..759C
BD +60 261	U	1	Cas OB8	no	1974AJ.....79..597M
HD 010125	U	2	Field:	no:	1961PDAO...12....1P
HD 013022	C	1	more dist. than Per OB1	no	1996BICDS..48...11F
HD 012323	SB1O	1	more dist. than Per OB1	no	2001Obs...121....1S
HD 012993	SB1?	1	more dist. than Per OB1	yes	1977ApJ...214..759C
HD 014442	C	1	more dist. than Per OB1	no	2004A&A...427..995D
BD +62 424	C	1	Cas OB6	no	2006ApJ...639.1069H
BD +60 497	SB2O	1	IC 1805,Cas OB6	no	2006ApJ...639.1069H
HD 013745	SB2?	2	more dist. than Per OB1	no	1996ApJ...463..737P
BD +60 499	U	1	IC 1805,Cas OB6	no	2006A&A...456.1121D
BD +60 501	C	1	IC 1805,Cas OB6	no	2006ApJ...639.1069H
HD 015558	SB2O	8	IC 1805,Cas OB6	no	2006A&A...456.1121D
HD 015570	C	1	IC 1805,Cas OB6	no	2006ApJ...639.1069H
HD 015629	C	1	IC 1805,Cas OB6	no	2006ApJ...639.1069H
BD +60 513	C	1	IC 1805,Cas OB6	no	2006ApJ...639.1069H
HD 014947	C	1	more dist. than Per OB1	no	1990ApJ...364..626U
HD 014434	C	1	more dist. than Per OB1	no	2004A&A...427..995D
HD 016429	SB3O	5	Cas OB6	no	2003ApJ...595.1124M
HD 015642	C	1	more dist. than Per OB1	no	1961PDAO...12....1P
HD 018409	C	1	Cas OB6	no	1965ApJ...142..934R
HD 017505	SB3O	9	Cas OB6	no	2006ApJ...639.1069H
HD 017520 AB	SB2?	14	Cas OB6	no	2006ApJ...639.1069H
BD +60 586	C	3	Cas OB6	no	2006ApJ...639.1069H
HD 015137	SB1O	1	Field	yes	2007ApJ...655..473M
HD 016691	SB1?	1	more dist. than Per OB1	no	1977ApJ...214..759C
HD 016832	U	1	more dist. than Per OB1	no	···
HD 018326	SB1?	2	Cam OB1	no	1977ApJ...214..759C
HD 017603	C	2	more dist. than Per OB1	no	1995ApJS..100..433U
HD 019820	SB2OE	2	Cam OB1	no	1994A&A...282..455H
HD 014633	SB1O	2	Field:	yes	2007ApJ...655..473M
SZ Cam	SB30E	19	NGC 1502:	no	2002IBVS.5345....1G
α Cam	C	1	Field:	yes	2007ApJ...655..473M
HD 237211	U	1	Cam OB3	no	···
HD 024431	C	2	Cam OB1	no	1980ApJ...242.1063G
ξ Per	C	2	Per OB2	yes	1986ApJS...61..419G
X Per	SB1O	2	Per OB2	yes	2007ApJ...660.1398G
HD 041161	C	2	Field	yes	1996ApJS..103..475F
BD +39 1328	C	1	Aur OB1	no	1965ApJ...142..934R

Table 4—Continued

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
HD 034656	C	6	Aur OB1	no	1991ApJ...368L..35F
AE Aur	C	3	Trapezium,Ori OB1	yes	1986ApJS...61..419G
HD 036483	U	2	Aur OB2:	no	1961PDAO...12....1P
HD 035921	SB2OE	2	Aur OB1	no	1994Obs...114..107S
HD 035619	C	2	Aur OB2	no	1972AJ.....77..138
HD 037737	SB1O	1	Aur OB2:	no	2007ApJ...655..473M
HD 242908	SB2?	1	NGC 1893,Aur OB2	no	1996ApJ...463..737P
HD 242935	SB1?	7:	NGC 1893,Aur OB2	no	1965ApJ...142..934R
HD 242926	C	1	NGC 1893,Aur OB2	no	1972PASP...84..459J
HD 037366	SB2O	2	Aur OB1	no	2007ApJ...664.1121B
HD 093521	C	1	Field:	yes	2008ARep...52..237R
HD 036879	C	1	Field	yes	1977ApJ...217..127C
HD 042088	C	1	Gem OB1	no	1977ApJ...214..759C
HD 044811	C	2	Field:	no:	1953GCRV..C......0W
HD 039680	C	2	Field	no	1986ApJS...61..419G
HD 041997	C	1	Field:	yes	1974RMxAA...1..211C
λ Ori A	C	5	Ori OB1	no	1996ApJS..103..475F
HD 045314	C	2	Mon OB1	no	2007PASP..119..742B
HD 060848	C	1	Field	yes	2007PASP..119..742B
15 Mon	SB1?	17	NGC 2264,Mon OB1	no	1993AJ....106.2072G
δ Ori A	SB2OE	4	Ori OB1	no	2002ApJ...565.1216H
HD 046966	C	2	Mon OB2	no	1980ApJ...242.1063G
HD 047129	SB2O	3	Mon OB2	no	1996ApJ...469..347B
HD 048099	SB2O	1	Mon OB2	no	1996Obs...116..294S
HD 046149	SB1?	1	NGC 2244,Mon OB2	no	1990ApJ...364..626U
HD 046202	C	1	NGC 2244,Mon OB2	no	1990ApJ...364..626U
HD 046150	C	11	NGC 2244,Mon OB2	no	2007PASP..119..742B
HD 046056	SB2?	4	NGC 2244,Mon OB2	no	1990ApJ...364..626U
HD 046223	C	2	NGC 2244,Mon OB2	no	1990ApJ...364..626U
ζ Ori	C	4	Ori OB1	no	1989MNRAS.238.1085J
σ Ori ABC	SB2?	6	Ori OB1	no	1974ApJ...192L...7B
HD 046485	C	1	Mon OB2	no	1977ApJ...214..759C
HD 046573	SB1?	1	Mon OB2	no	1977ApJ...214..759C
θ^1 Ori C	SB1?	14	Trapezium,Ori OB1	no	2008A&A...487..323S
θ^2 Ori A	SB1O	5	Ori OB1	no	2001Obs...121....1S
ι Ori A	SB2O	4	Trapezium,Ori OB1	yes	2000MNRAS.317..333M
HD 047432	C	2	Mon OB2	no	1996ApJS..103..475F
HD 048279	C	4	Field	no	1988ApJS...68..319L
HD 052533	SB1O	4	Cluster	no	2007ApJ...655..473M
HD 052266	SB1?	1	Field	no	2007ApJ...655..473M
HD 054662	SB2O	1	CMa OB1	no	2007ApJ...664.1121B
HD 057682	C	1	Field	yes	1980ApJ...242.1063G
HD 055879	C	1	CMa OB1	no	1943ApJ....97..300N
HD 054879	C	1	CMa OB1	no	2007PASP..119..742B
HD 053975	SB2O	1	CMa OB1	no	1994ApJ...422..823G

Table 4—Continued

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
HD 057236	C	2	Field:	no:	1943ApJ....97..300N
μ Col	C	1	Trapezium,Ori OB1	yes	1980ApJ...242.1063G
UW CMa	SB2OE	1	NGC 2362:,Cr 121	no	1999ApJ...527..353B
τ CMa	SB1O	5	NGC 2362	no	1998Obs...118....7S
HD 064568	SB1?	1	NGC 2467,Pup OB1	no	1986RMxAA..12..188S
HD 064315	SB1OE	2	NGC 2467,Pup OB1	no	1986RMxAA..12..188S
CPD -26 2716	U	1	Pup OB1:	no	···
CPD -28 2561	SB1?	1	Pup OB1:	no	1988ApJS...68..319L
HD 069464	U	1	Field:	no:	1972MNRAS.158...85C
HD 068450	C	3	NGC 2546:	no	1980ApJ...242.1063G
ζ Pup	C	1	Field	yes	1996A&A...311..616R
HD 075222	C	1	Field	yes	1977ApJ...214..759C
HD 073882	SBE	2	IC 2395	no	2003IBVS.5480....1O
HD 071304	U	3	Vel OB1	no	1963MmRAS..68..173F
HD 075759	SB2O	1	IC 2395	no	1966MNRAS.134...97T
HD 076341	C	1	Vel OB1	no	1973MmRAS..77..199T
HD 075211	C	1	Vel OB1	no	1977ApJ...214..759C
HD 074194	SB1O	1	Vel OB1	no	2007ApJ...655L.101G
HD 076556	SB1?	1	Vel OB1	no	1972MNRAS.158...85C
CPD -47 2963	C	1	Vel OB1:	no	1987A&AS...70..373D
HD 076968	SB1?	1	Field:	no	1955MmRAS..67...51F
HD 298429	C	1	Field:	no:	1987A&AS...70..373D
HD 089137	SB1?	1	Field	yes	1988ApJS...68..319L
HD 090087	C	1	Car OB1	no	1957MmRAS..68....1F
HD 091572	U	1	Car OB1	no	···
HD 091824	SB1?	1	Car OB1	no	1958MNRAS.118..618F
HD 092504	SB1?	2	Car OB1:	no	1957MmRAS..68....1F
HD 092206 AB	C	3	NGC 3324	no	1957MmRAS..68....1F
HD 092206 C	SB2O	”	NGC 3324	no	2007soch.conf...63C
HD 091651	SB2?	1	Field:	no:	1988ApJS...68..319L
HD 094024	U	1	Field:	no:	···
CPD -58 2611	SB1?	1:	Tr 14,Carina Nebula As.	no	1998PASP..110...53G
HD 093128	C	1	Tr 14,Carina Nebula As.	no	1998PASP..110...53G
HD 093249	U	3	Tr 15	no	···
CPD -58 2620	C	2	Tr 14,Carina Nebula As.	no	1998PASP..110...53G
HD 093129 A	C	5	Tr 14,Carina Nebula As.	no	1998PASP..110...53G
HD 093129 B	C	”	Tr 14,Carina Nebula As.	no	1998PASP..110...53G
HD 093160	C	”	Tr 16,Carina Nebula As.	no	1991ApJS...75..869L
HD 093161 AB	SB3O	5	Tr 16,Carina Nebula As.	no	2005MNRAS.359..688N
HD 303311	C	2	Tr 16,Carina Nebula As.	no	1991ApJS...75..869L
HD 093250	C	1	Tr 16,Carina Nebula As.	no	1991ApJS...75..869L
HD 093403	SB2O	1	Tr 16,Carina Nebula As.	no	2000A&A...360.1003R
HD 093204	C	”	Tr 16,Carina Nebula As.	no	1991ApJS...75..869L
HD 093205	SB2O	2	Tr 16,Carina Nebula As.	no	2001MNRAS.326...85M
HD 093130	SBE	2	Cr 228,Carina Nebula As.	no	2006OEJV...45....1O

Table 4—Continued

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
HD 303308	SB1?	16	Tr 16,Carina Nebula As.	no	1991ApJS...75..869L
CPD -59 2603	SB3OE	1	Tr 16,Carina Nebula As.	no	2001MNRAS.326.1149R
CPD -59 2600	C	1	Tr 16,Carina Nebula As.	no	1991ApJS...75..869L
HD 093027	C	1	Cr 228,Carina Nebula As.	no	1990ApJS...72..323L
CPD -59 2641	SB1O	1	Tr 16,Carina Nebula As.	no	2003IBVS.5375....1L
CPD -59 2636	SB30	2	Tr 16,Carina Nebula As.	no	2002MNRAS.336.1099A
HD 093343	SB1?	”	Tr 16,Carina Nebula As.	no	1991ApJS...75..869L
CPD -59 2635	SB2OE	2	Tr 16,Carina Nebula As.	no	2006OEJV...45....1O
HD 093028	SB1O	1	Cr 228,Carina Nebula As.	no	1990ApJS...72..323L
HD 305523	C	1	more dist. than Cr 228	no	1990ApJS...72..323L
HD 093206	SB3OE	4	Cr 228,Carina Nebula As.	no	2001Obs...121....1S
HD 093146	SB1?	4	Cr 228,Carina Nebula As.	no	1990ApJS...72..323L
HD 093222	C	1	Cr 228,Carina Nebula As.	no	1990ApJS...72..323L
HD 305532	SB1?	1	more dist. than Cr 228	no	1990ApJS...72..323L
Feinstein 97	U	1	Carina Nebula As.	no	···
HD 305539	C	1	more dist. than Cr 228	no	1990ApJS...72..323L
HD 094370	U	2	Field:	no	···
HD 093632	C	2	Bochum 11, p. more dist.	no	1990ApJS...72..323L
HD 303492	U	1	Field:	no:	1973A&AS....9...85H
HD 305619	U	1	Carina Nebula As.	no	1973A&AS....9...85H
HD 093843	C	1	Carina Nebula As.	no	1977ApJ...214..759C
HD 096917	SB1?	1	Field	no	1977ApJ...214..759C
HD 094963	C	1	Field:	no	1973MmRAS..77..199T
LSS 2063	C	1	Field:	no:	1987MNRAS.224..641G
HD 096622	U	1	Car OB2	no	···
HD 096670	SB1O	1	Car OB2	no	2001Obs...121....1S
HD 096715	U	1	Car OB2:	no	···
HD 096264	C	2	Car OB2	no	1973MmRAS..77..199T
HD 095589	U	1	Field:	no:	···
HD 097166	U	1	Car OB2	no	1977ApJ...214..759C
HD 096946	C	1	Field:	no:	1964POHP....7...33M
HD 097848	C	1	Field:	no:	1957MmRAS..68....1F
HD 097253	SB1?	1	Car OB2	no	1973MmRAS..77..199T
HD 097434	SB1?	2	Tr 18B	no	1965MNRAS.130..281B
NGC 3603/HST-16	U	”	NGC 3603	no	···
NGC 3603/HST-33	U	”	NGC 3603	no	···
NGC 3603/HST-36	U	”	NGC 3603	no	···
NGC 3603/HST-37	U	”	NGC 3603	no	···
NGC 3603/HST-38	U	”	NGC 3603	no	···
NGC 3603/HST-40	U	”	NGC 3603	no	···
NGC 3603/HST-41	U	”	NGC 3603	no	···
NGC 3603/HST-42	U	”	NGC 3603	no	···
NGC 3603/HST-45	U	”	NGC 3603	no	···
NGC 3603/HST-A2	U	”	NGC 3603	no	···
NGC 3603/HST-A3	U	8	NGC 3603	no	···

Table 4—Continued

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
HD 099897	C	1	Cen OB2:	no	1963MmRAS..68..173F
HD 101190	C	3	IC 2944,Cen OB2	no	1977ApJ...214..759C
HD 101131	SB2OE	1	IC 2944,Cen OB2	no	2002ApJ...574..957G
HD 101223	C	1	IC 2944,Cen OB2	no	1977A&AS...28..153A
HD 100213	SB2OE	1	Cen OB2:	no	2008ApJ...681..554P
HD 101191	C	1	IC 2944,Cen OB2	no	1965MNRAS.131..121T
HD 101205	SBE	4	IC 2944,Cen OB2	no	1992IBVS.3765....1M
HD 101545 A	U	2	Cen OB2	no	1965MNRAS.131..121T
HD 101298	C	2	IC 2944,Cen OB2	no	1977A&AS...28..153A
HD 101413	SB1?	”	IC 2944,Cen OB2	no	1977A&AS...28..153A
HD 101436	SB2?	2	IC 2944,Cen OB2	no	1996ApJ...463..737P
HD 102415	U	1	Field:	no:	· · ·
HD 104565	C	1	Field:	no:	1988ApJS...68..319L
HD 104649	SBE	1	Field:	no:	2005IBVS.5644....1O
HD 105627	C	2	Field	yes	1957MmRAS..68....1F
HD 105056	SB1?	1	Field:	yes	1987BAICz..38..283H
HD 112244	SB1?	2	Field	no	1965MNRAS.130..281B
θ Mus B	U	3	Cen OB1	no	1999AJ....118..509H
HD 116852	C	1	Field:	yes	1957MmRAS..68....1F
HD 114737	U	2	Cen OB1	no	· · ·
HD 114886	SB1?	3	Cen OB1	no	1977ApJ...214..759C
V961 Cen	SB2OE	1	Stock 16	no	2002ApJ...575.1050P
HD 115455	SB1?	1	Cen OB1	no	1972MNRAS.158...85C
HD 116282	SB1?	1	Cen OB1:	no	1957MmRAS..68....1F
HD 117856	SB2?	2	Field	no	1963MmRAS..68..173F
HD 117797	SB1?	1	Cen OB1:	no	1957MmRAS..68....1F
HD 117490	U	1	Cen OB1:	no	· · ·
HD 118198	U	1	Cen OB1:	no	· · ·
HD 120678	U	1	Field	no	· · ·
HD 120521	C	1	Field:	no:	1957MmRAS..68....1F
HD 123008	C	1	Field:	no:	1988ApJS...68..319L
HD 123590	U	1	Field:	no:	· · ·
HD 123056	C	1	Field	no	1957MmRAS..68....1F
HD 124314	SB1?	3	Field	no	1955MmRAS..67...51F
HD 125206	SB2?	1	Field	no	1972MNRAS.158...85C
HD 125241	C	1	Field:	no:	1972MNRAS.158...85C
CPD -59 5634	U	1	Field:	no:	· · ·
HD 124979	SB2?	1	Field:	yes	1996ApJ...463..737P
HD 130298	SB1?	1	Field:	no:	1957MmRAS..68....1F
δ Cir	SB2OE	2	Field	no	2001ApJ...548..889P
HD 135591	C	3	Field	no	1977ApJ...214..759C
Muzzio 116	U	2	Field:	no:	1972MNRAS.158...85C
HD 148937	C	3	Ara OB1a	no	2008AJ....135.1946N
HD 150135	SB1?	”	Ara OB1a	no	1980ApJ...242.1063G
HD 150136	SB2O	6	Ara OB1a	no	2005MNRAS.356..974N

Table 4—Continued

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
HD 149452	U	1	Ara OB1	no	· · ·
HD 150958	SB1?	4	NGC 6204,Ara OB1	no	1978ApJ...225..165L
HD 150574	SB2?	1	Ara OB1:	no	1988ApJS...68..319L
μ Nor	C	1	Ara OB1a	no	1980ApJ...242.1063G
HD 151018	U	1	Ara OB1:	no	1944ApJ...100...94P
HD 149404	SB2O	1	Ara OB1a	no	2001A&A...368..212R
HD 154811	C	1	Field	no	1988ApJS...68..319L
HD 152386	C	2	Sco OB1	no	1978ApJ...225..165L
HD 155756	U	1	Field:	no:	· · ·
HD 151003	SB1?	1	Sco OB1	no	1977ApJ...214..759C
HD 151515	C	1	Sco OB1	no	1996ApJS..103..475F
HD 152147	SB1?	1	Sco OB1	no	1988ApJS...68..319L
HD 152003	C	1	Sco OB1	no	1996A&A...315..384R
HD 152424	SB1?	1	Sco OB1	no	1996ApJS..103..475F
HD 148546	C	1	Field:	yes	1996A&A...315..384R
HD 152219	SB2OE	1	NGC 6231,Sco OB1	no	2008A&A...481..183M
HD 152249	C	2	NGC 6231,Sco OB1	no	2008MNRAS.386..447S
CPD -41 7733	SB2O	”	NGC 6231,Sco OB1	no	2007ApJ...659.1582S
HD 152248	SB2OE	4	NGC 6231,Sco OB1	no	2008A&A...481..183M
CPD -41 7742	SB2OE	2	NGC 6231,Sco OB1	no	2005A&A...441..213S
HD 152233	SB2?	8	NGC 6231,Sco OB1	no	2008MNRAS.386..447S
HD 326331	C	2	NGC 6231,Sco OB1	no	2008MNRAS.386..447S
HD 152314	SB2?	1	NGC 6231,Sco OB1	no	2008MNRAS.386..447S
HD 152218	SB2OE	1	NGC 6231:,Sco OB1	no	2008A&A...481..183M
HD 152247	SB2?	1	Sco OB1	no	2008MNRAS.386..447S
HD 151804	C	1	Sco OB1	no	1996ApJS..103..475F
HD 152246	SB2?	1	Sco OB1	no	1996ApJ...463..737P
HD 152408	C	2	Sco OB1	no	2001A&A...367..891P
HD 152405	SB2?	1	Sco OB1	no	1955MmRAS..67...51F
HD 152623	SB2O	2	Sco OB1	no	1992MsT..........1W
HD 152723	SB1?	5	Sco OB1	no	1996ApJS..103..475F
HD 152590	SB1OE	1	Sco OB1	no	1982A&AS...49..673G
HD 322417	U	1	Sco OB1:	no	· · ·
HD 155913	U	1	Field:	no:	· · ·
HD 156292	SB1?	1	NGC 6322	no	1973MmRAS..77..199T
HD 153426	SB2?	1	Field	no	1972MNRAS.158...85C
HD 153919	SB1OE	1	Field	yes	2003A&A...407..685H
LSS 4067	U	2	Field:	no:	· · ·
HD 154368	SBE	2	Field	no	1997ESASP1200.....P
HD 154643	SB1?	1	Field	no	1973MmRAS..77..199T
HD 319703 A	U	3:	NGC 6334	no	1972MNRAS.158...85C
HD 319703 B	U	”	NGC 6334	no	· · ·
HD 156738	SB1?	1	NGC 6334	no	1972MNRAS.158...85C
HD 156154	SB1?	1	Bochum 13	no	1963MmRAS..68..173F
HD 319699	U	1	NGC 6334	no	· · ·

Table 4—Continued

Star Name	Spectro. .Status	No. Vis. Comp.	Environment	Runaway?	Spectroscopic Reference
HD 319702	U	1	NGC 6334	no	...
HD 155889	C	2	Sco OB4	no	1980ApJ...242.1063G
HD 155806	C	1	Sco OB4	no	1980ApJ...242.1063G
Pismis 24-1	SBE	6:	Pismis 24	no	2007ApJ...660.1480M
Pismis 24-17	U	”	Pismis 24	no	...
HD 163758	C	1	Field	yes	1996A&A...315..384R
HD 159176	SB2OE	5	NGC 6383	no	1993Obs...113..204S
HD 158186	SBE	1	Field	no	2005IBVS.5631....1O
HD 156212	C	1	Field:	yes	1988ApJS...68..319L
HD 161853	SB1?	1	Field	no	1972MNRAS.158...85C

Table 5. Binary Frequency of Galactic O-stars

Category	Cluster/Association	Field	Runaway
A. Visual Multiplicity			
No. systems	249	56	42
$n = 2$	50	11	9
$n > 2$	58	3	2
Total	43%	25%	26%
$n = 1$	141	42	31
Total	57%	75%	74%
B. Spectroscopic Properties			
No. stars	272	56	42
SB3O	7	0	0
SB2O	40	3	3
SB1O	14	0	5
SBE	5	3	0
SB2?	15	4	1
SB1?	45	8	3
Less SB? .	30%	15%	19%
Total	57%	46%	29%
C	97	21	30
Total	43%	54%	71%
U	49	17	0
C. Fraction with Any Companion			
Less SB? ..	66%	41%	37%
Total	75%	59%	43%

Table 6. Orbital Elements for δ Ori = HEI 42

Element	Value
P (y)	201
a ($''$)	0.26
i (deg)	108
Ω (deg)	139
T (BY)	1957
e	0.56
ω (deg)	236

Table 7. Orbital Elements for δ Sco = LAB 3

Element	Bedding (1993)	Hartkopf et al. (1996)	Miroshnichenko et al. (2001)	This work
P (y)	10.5	10.583 ± 0.075	10.58^{a}	10.68 ± 0.05
a ($''$)	0.11	0.1067 ± 0.0067	0.107^{a}	0.104 ± 0.006
i (deg)	70	48.5 ± 6.6	38 ± 5	39 ± 8
Ω (deg)	0	159.3 ± 7.6	175	153 ± 9
T (BY)	1979.3	1979.41 ± 0.14	2000.693 ± 0.008	2000.693^{b}
e	0.82	0.92 ± 0.02	0.94 ± 0.01	0.94^{b}
ω (deg)	170	24 ± 13	-1 ± 5	29 ± 12

[a] Parameter adopted from Hartkopf et al. (1996) solution.

[b] Parameter adopted from Miroshnichenko et al. (2001) solution.

Table A1. Speckle Interferometric Measurements of Double Stars

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ ($''$)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
00121+5337	BU 1026 AB	5.8625	308.1	0.319	1	−0.1	−0.005	Hartkopf et al. (1996)	a
		7.5885	308.5	0.326	1	−2.0	−0.005	Hartkopf et al. (1996)	a
00167+3629	STT 4	5.8615	110.1	0.247	2	−5.8	−0.010	Alzner (2000)	
00206+1219	BU 1015	5.8601	98.7	0.465	2	−4.3	0.015	Scardia et al. (2000)	a
		7.6019	100.8	0.473	1	−4.1	0.016	Scardia et al. (2000)	a
00550+2338	STF 73 AB	5.8616	316.6	0.983	2	−1.2	−0.016	Docobo & Costa (1990)	a
		7.6021	318.4	1.010	1	−1.8	−0.016	Docobo & Costa (1990)	a
01017+2518	HDS 134	5.8627	339.7	0.106	1	−0.3	0.012	Balega et al. (2006)	
01024+0504	HDS 135	5.8574	119.5	0.379	1	0.0	0.002	Balega et al. (2006)	
01072+3839	A 1516 AB	5.8615	318.8	0.128	2	4.7	−0.007	Hartkopf et al. (2000)	a
		7.6049	334.4	0.130	1	5.2	−0.009	Hartkopf et al. (2000)	a
01108+6747	HDS 155	5.8625	167.9	0.122	1	−1.9	−0.010	Balega et al. (2006)	a
		7.6049	184.4	0.114	1	−2.1	0.003	Balega et al. (2006)	a
01198−0031	STF 113 AB	5.8656	16.7	1.650	1				
	FIN 337 BC	5.8656	3.3	0.127	1	15.9	0.002	Mason & Hartkopf (1999)	1
01243−0655	BU 1163	5.8656	232.1	0.114	1	0.8	0.003	Söderhjelm (1999)	a
01297+2250	A 1910 AB	5.8616	194.7	0.158	2	1.2	−0.003	Hartkopf et al. (1996)	a
02022+3643	A 1813 AB	5.8618	268.1	0.114	2	14.3	0.034	Hartkopf et al. (2000)	a,1
		7.6021	315.6	0.096	1	2.0	0.003	Hartkopf et al. (2000)	a,1
02140+4729	STF 228	5.8602	287.0	0.913	2	−0.9	−0.005	Söderhjelm (1999)	a
		7.6021	288.2	0.880	1	−1.7	−0.005	Söderhjelm (1999)	a
02396−1152	FIN 312	5.8656	343.2	0.103	1	20.5	−0.019	Söderhjelm (1999)	1
02399+0009	A 1928	5.8656	275.8	0.113	1	−7.3	−0.003	Docobo & Ling (2001b)	
02537+3820	BU 524 AB	5.8601	331.7	0.208	2	−2.0	0.001	Docobo et al. (2001)	a
		7.6075	324.8	0.204	1	−1.2	−0.004	Docobo et al. (2001)	a
03006+4753	A 1529	5.8602	162.8	0.249	2	0.0	−0.003	Tamazian & Docobo (2006)	
03337+5752	CHR 117	5.8629	194.6	0.101	1	12.4	0.031	Balega et al. (2002)	a,1
03463+2411	BU 536 AB	5.8632	178.7	0.956	1	3.5	0.359	Popovic & Pavlovic (1995)	1
03475+2406	WSI 52 Da,Db	5.8632	267.4	0.197	1				2,3,4
03481+2409	COU 80	5.8641	89.6	0.560	2				3
03503+2535	STT 65	5.8633	182.8	0.088	1	1.2	0.006	Docobo & Ling (2007a)	
04002+0818	A 1936 BC	5.8687	314.8	0.337	1	63.5	0.202	Heintz (1998)	1,5
04049−3527	I 152 AB	6.1935	76.7	0.944	1				5
	CHR 224 AC	6.1935	78.2	1.147	1				5
04089+2911	BU 1232	5.8632	352.2	0.294	1	7.4	−0.082	Muller (1978)	1,6
04136+0743	A 1938	5.8633	151.9	0.114	2	−2.7	0.009	Hartkopf et al. (1996)	a
		6.1909	162.4	0.092	1	−2.5	−0.007	Hartkopf et al. (1996)	a
04184+2135	MCA 14 Aa,Ab	5.8634	189.6	0.155	1	2.6	0.011	Pourbaix (2000)	a,6
04215−2544	BU 744 AB	6.1908	145.2	0.193	1	8.6	0.005	Scardia (1991)	a
04239+0928	HU 304	5.8633	12.0	0.233	2	−1.4	−0.005	Hartkopf (2000)	
04286+1911	WSI 53 Aa,Ab	5.8687	108.3	0.237	1				2,6,7
04357+1010	CHR 18 Aa,Ab	5.8619	278.6	0.118	2	−6.9	0.002	Lane et al. (2007)	
		6.1909	289.6	0.106	1	−4.3	−0.027	Lane et al. (2007)	
04400+5328	BU 1295 AB	5.8690	151.6	0.249	1	3.1	−0.010	Heintz (1996b)	a
	STF 566 AB-C	5.8690	180.6	0.770	1	−3.5	0.011	Cvetcovic (2006)	a

Table A1—Continued

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ (″)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ (″)	Reference	Notes
						−3.2	−0.007	Mason et al. (2006)	8
04536+2522	CHR 127 AB	5.8690	341.3	0.241	1				5
05098+2802	BU 1047 BC	5.8690	104.1	0.185	1	9.9	−0.055	Heintz (1976)	1,6
05386+3030	BU 1240 AB	5.8635	334.0	0.202	1	−0.1	−0.005	Romero (2006a)	
05429−0648	A 494 AB	5.8662	130.6	0.146	1	2.1	0.002	Mason & Hartkopf (1999)	a
						3.5	0.001	Table B1	
		6.1936	128.6	0.135	1	−3.6	−0.001	Mason & Hartkopf (1999)	a
						−2.2	−0.002	Table B1	
05474−1032	MCA 22	5.8662	299.2:	0.243:	1				5
05508−3945	I 1494 AB	6.1936	270.9	0.377	1				5
	AB-C	6.1964	194.7	3.609	1				5
06003−3102	HU 1399 AB	6.1950	121.9	0.745	2	−0.5	0.006	Tokovinin et al. (2005)	
	HJ 3823 AC	6.1964	4.9	2.636	1	14.7	−0.026	Baize (1980)	1
06024+0939	A 2715 AB	1.0197	0.5	0.075	1	−2.4	−0.004	Fekel et al. (2002)	a
		5.8661	25.3	0.240	1	−0.5	−0.003	Fekel et al. (2002)	a
		6.1909	25.2	0.268	1	−0.2	0.000	Fekel et al. (2002)	a
06098−2246	RST 3442	6.1936	23.5	0.200	1	−1.8	−0.004	Hartkopf et al. (1996)	a
06159+0110	RST 5225	5.8662	176.2	0.215	1	−4.4	−0.004	Hartkopf & Mason (2001a)	a,9
						−1.7	−0.001	Table B1	
		6.1910	180.0	0.212	1	−2.7	−0.009	Hartkopf & Mason (2001a)	a,9
						0.0	−0.006	Table B1	
06171+0957	FIN 331 Aa,Ab	5.8635	209.6	0.108	1	−4.0	0.050	Hartkopf et al. (1996)	1
06200+2826	BU 895 AB	5.8636	152.7	0.243	1	−6.6	0.042	Hartkopf & Mason (2000)	1
06214+0216	A 2667	1.0197	236.3	0.281	1	4.3	−0.001	Seymour & Mason (2000a)	a
						1.0	0.003	Table B1	
		1.0767	236.2	0.273	1	4.0	−0.009	Seymour & Mason (2000a)	a
						0.7	−0.005	Table B1	
		5.8623	252.2	0.304	2	5.3	−0.001	Seymour & Mason (2000a)	a
						1.0	0.003	Table B1	
		6.1910	251.1	0.308	1	3.2	0.002	Seymour & Mason (2000a)	a
						−1.1	0.005	Table B1	
06573−3530	I 65	6.1936	261.5	0.174	1	2.8	−0.013	Docobo & Ling (2002)	a
07168+0059	A 2855	6.1910	204.1	0.353	1	−6.5	−0.006	Seymour & Mason (1999)	a
						0.1	0.009	Table B1	
07238+1831	WSI 4	6.1991	139.5	0.574	1				
07417+0942	STF 1130	6.1992	37.5	0.423	2	−2.1	0.008	Mason et al. (1999)	
07430−1704	HU 710	6.1992	67.9	0.460	1	3.6	0.017	Heintz (1981)	
07508+0317	A 2880	5.8624	132.3	0.133	2	−3.2	0.001	Hartkopf et al. (2000)	
		6.1910	132.6	0.131	1	−4.1	−0.001	Hartkopf et al. (2000)	a
07528−0526	FIN 325	5.8634	344.6	0.300	2	−3.9	−0.025	Hartkopf et al. (1996)	a
		6.1910	347.6	0.323	1	−1.6	−0.008	Hartkopf et al. (1996)	a
07573+0108	STT 185	5.8634	2.9	0.186	2	−8.5	−0.109	Hartkopf & Mason (2001b)	a,1
						0.3	−0.006	Table B1	
		6.1910	4.7	0.211	1	−7.2	−0.095	Hartkopf & Mason (2001b)	a,1
						0.8	0.004	Table B1	

Table A1—Continued

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ ($''$)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
08017−0836	A 1580	6.1992	286.4	0.281	1	−0.9	0.022	Docobo & Ling (2008)	
08173−0522	A 337	6.1992	68.4	0.507	1	2.0	0.083	Heintz (1978b)	1
08267+2432	A 1746 BC	5.8636	334.5	0.154	1	−0.2	−0.002	Docobo & Ling (2004)	a
08270−5242	B 1606	6.1992	114.5	0.172	1	−19.6	0.015	Finsen (1963)	1
08275−5501	FIN 116	6.1992	243.6	0.195	1	22.7	0.026	Mante (2003a)	1
08277−0425	A 550	5.8560	10.7	0.127	2	−5.5	0.025	Hartkopf & Mason (2000)	
						−6.2	0.018	Cvetkovic & Novakovic (2006)	10
		6.1910	14.1	0.111	1	0.2	0.003	Hartkopf & Mason (2000)	
						−0.8	−0.003	Cvetkovic & Novakovic (2006)	10
08285−0231	A 551 AB	6.1910	35.5	0.046	1	5.5	0.006	Docobo & Ling (2007a)	a
08315−1935	I 489	1.0200	310.8	0.293	1	2.1	0.010	Zulevic (1997)	
						1.1	0.002	Table B1	
		1.0742	310.1	0.288	1	1.5	0.005	Zulevic (1997)	
						0.5	−0.003	Table B1	
		6.1992	300.0	0.323	1	2.2	0.022	Zulevic (1997)	
						0.2	−0.002	Table B1	
08345−3236	FIN 335	6.1992	133.7	0.198	1	−4.4	0.004	Söderhjelm (1999)	
08403+1921	CHR 130	6.1993	338.7	0.106	1	14.0	0.050	Olevic (2002b)	1
08431−1225	RST 3603	6.1993	334.5	0.353	1	14.8	−0.062	Heintz (1996a)	1
08474−1703	BU 586	6.1993	28.3	0.166	1	−2.7	−0.021	Mante (2003b)	10
						−0.7	0.001	Table B1	
08487+0057	A 2552	5.8665	51.4	0.278	1	−0.1	0.003	Hartkopf & Mason (2000)	a
		6.1910	48.9	0.290	1	−1.9	0.014	Hartkopf & Mason (2000)	a
08507+1800	A 2473	1.0199	68.0	0.282	1	−0.5	0.009	Hartkopf & Mason (2000)	
		1.0767	56.2	0.273	1	−12.4	0.001	Hartkopf & Mason (2000)	
		6.1993	76.0	0.270	1	−2.9	0.029	Hartkopf & Mason (2000)	
08526−3633	FIN 296	6.1993	307.5	0.063	1				
08531+5457	A 1584	5.8636	78.9	0.622	1	−2.5	0.004	Heintz (1991)	
08538−4731	FIN 316	6.1884	113.9	0.074	1	9.8	−0.018	Söderhjelm (1999)	a
08539+1958	COU 773	6.1993	57.5	0.145	1	2.9	−0.050	Couteau (1999)	
09001−1228	HU 225 AB	6.1993	253.1	0.448	1	−2.1	−0.008	Docobo & Prieto (1996)	
09006+4147	KUI 37 AB	1.0201	32.4	0.682	1	−0.9	−0.014	Hartkopf et al. (1996)	a
		1.0284	33.2	0.678	1	−0.1	−0.018	Hartkopf et al. (1996)	a
		5.8636	347.1	0.612	1	−1.1	−0.002	Hartkopf et al. (1996)	a
09036+4709	A 1585	5.8636	300.4	0.184	1	0.0	0.002	Barnaby et al. (2000)	a
09099−3022	B 1113 BC	6.1965	94.9	0.322	1				5
09173−6841	FIN 363 AB	6.1940	292.9	0.053	1	67.9	−0.047	Söderhjelm (1999)	1
09228−0950	A 1342 AB	6.1938	182.0	0.126	1	−15.7	−0.020	Romero (2006b)	1
09243−3926	FIN 348	6.1938	286.2	0.174	1	−25.1	−0.044	Mason & Hartkopf (2001a)	1
09245+1808	A 2477	6.1993	355.6	0.424	1	0.8	−0.041	Mason & Hartkopf (1998)	1
09264−4215	B 1122	6.1940	225.1	0.154	1	−6.7	0.032	Seymour et al. (2002)	1
09307−4028	COP 1	6.1885	46.4	0.298	1	−9.7	−0.064	Mason & Hartkopf (2001a)	a,1
09327+0152	FIN 349	6.1938	116.8	0.125	1	0.6	−0.012	Hartkopf (2000)	
09337−6328	FIN 141	6.1993	118.1	0.764	1				
09364+1856	CHR 248 Aa,Ab	6.1993	242.0	0.110	1				

Table A1—Continued

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ ($''$)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
09366−2442	FIN 383	6.1993	135.8	0.103	1				
09371+1614	STF 1372	6.1993	244.4	0.274	1	−1.7	−0.003	Alzner (2005)	
09407−5759	B 780	6.1940	58.0	0.065	1	7.3	−0.007	Söderhjelm (1999)	
09442−2746	FIN 326	6.1912	89.6	0.067	1	−5.6	−0.008	Mason & Hartkopf (1999)	a
09474+1134	MCA 34	6.1913	348.8	0.038	1	1.9	−0.001	Mason (1997)	a
09480−6101	FIN 147	6.1993	187.2	0.308	1				
09521+5404	STT 208	5.8636	280.8	0.320	1	−2.5	−0.019	Heintz (1996a)	a
09525−0806	AC 5 AB	5.8665	55.3	0.577	1	1.0	−0.011	Brendley & Hartkopf (2007)	
		6.1913	54.3	0.569	1	0.3	−0.018	Brendley & Hartkopf (2007)	a
09537−3206	FIN 77	6.1993	330.8	0.399	1				
09538−6500	FIN 149	6.1993	175.6	1.045	1				
09551−2632	I 843 AB	6.1938	133.9	0.950	1	−3.4	0.006	Seymour et al. (2002)	1
09567−5505	FIN 150	6.1993	232.5	0.094	1				
09579−6045	FIN 152	6.1993	251.1	0.420	2				
10043−2823	I 292	6.1940	307.7	0.661	1	−4.0	−0.077	Seymour & Mason (2000a)	1
10116+1321	HU 874	6.1913	277.4	0.088	1	−16.2	0.043	Hartkopf et al. (1996)	a,1
10120−2836	B 194	6.1940	175.6	0.050	1	−32.5	−0.085	Seymour et al. (2002)	1
10161−5954	HU 1597	6.1940	127.8	0.298	1	12.7	−0.064	Ling & Prieto (1990)	1
						−0.5	−0.005	Table B1	
10269+1931	COU 292	1.0283	357.6:	0.143:	1	23.3	0.039	Couteau (1997)	1
		6.1940	233.5	0.068	1	75.9	0.015	Couteau (1997)	1
10292+1009	STT 220	6.1940	96.4	0.594	2	−14.3	0.113	Seymour et al. (2002)	1
10373−4814	SEE 119	6.1885	326.7	0.276	1	6.4	−0.042	Docobo & Ling (2005a)	a,1
10388−4245	FIN 338	6.1993	19.7	0.068	1				
10397+0851	STT 224	6.1940	145.3	0.516	1	−6.3	−0.064	Heintz (1984)	1
10426+0335	A 2768	6.1913	255.1	0.561	1	−0.4	0.020	Hartkopf et al. (1989)	a
10431−5414	FIN 41	6.1993	49.0	0.641	2				
10520+1606	A 2373	6.1940	229.4	0.193	1	0.7	0.008	Brendley & Hartkopf (2007)	
11047−5842	FIN 176	6.1993	5.5	0.456	1				
11053−2718	FIN 47 AB	6.1913	227.5	0.074	1	2.1	−0.016	Mason et al. (1999)	a,1
11068−7050	B 2006	6.1941	263.9	0.105	1	1.0	−0.008	Heintz (1997)	
11113−7428	I 874	6.1995	76.2	0.430	1				
11170−5537	FIN 181	6.1993	135.0	0.348	1				
11221−2447	I 507 AB	6.1913	3.7	0.745	1	−0.7	−0.106	Tokovinin (1999)	
11230+0408	A 2776 AB	6.1941	230.1	0.131	1	11.1	0.034	Zulevic (1991)	1
11268−5310	I 883	6.1941	221.6	0.209	1	13.6	−0.102	Honig & Tscharnuter (2005)	1
11279−0142	RST 4944	6.1941	251.7	0.158	1	1.6	0.020	Seymour et al. (2002)	
11308−5849	FIN 187	6.1993	284.0	0.247	1				
11357−7012	DON 490	6.1995	46.3	0.745	1				
11395−6524	B 1705 AB	6.1995	232.3	0.114	1				
11412−6108	HDO 212	6.1995	322.4	0.951	1				
11441−0448	RST 5524	6.1941	167.4	0.188	1	1.1	0.004	Zirm (2002)	
						0.2	0.002	Table B1	
11495−4604	FIN 366	6.1993	32.5	0.104	1	3.0	−0.037	Cvetkovic (2008)	
11510−0520	MCA 36	6.1914	99.9	0.085	1				5

Table A1—Continued

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ ($''$)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
12018−3439	I 215	6.1941	72.6	0.454	1	9.2	0.138	Heintz (1997)	1
12040−1018	HDS 1696	6.1997	223.0:	0.410:	1				11
12064−6543	FIN 367 Aa,Ab	6.1941	321.8	0.099	1	−37.7	−0.075	Olevic & Cvetkovic (2004)	1
12111−0633	A 77	6.1997	19.2	0.326	1				
12117−1034	HDS 1720	6.1997	225.9	0.341	1				11
12159−0610	RST 4495	6.1997	267.3	0.420	1				
12169+0258	LDS 935	6.1968	178.1	2.736	1				
12199−0040	MCA 37	6.1914	268.1	0.083	1	1.1	−0.003	Söderhjelm (1999)	a,9
		8.4500	333.0	0.132	1	−0.3	−0.001	Söderhjelm (1999)	a,9
12260−1457	BU 606	6.1997	292.1	0.456	2				
12268−0536	A 78	6.1941	65.3	0.187	1	−8.5	−0.065	Seymour et al. (2002)	1
12274−2843	B 228	1.0801	69.8	0.067	1	−2.2	0.005	Romero (2006c)	
		6.1941	105.9	0.149	1	−6.8	−0.014	Romero (2006c)	
12327−7339	HEI 511	6.1996	274.1	0.329	1				
12340−5732	RST 4963	6.1997	244.0	0.172	1				
12357−1650	FIN 368 Aa,Ab	6.1915	108.1	0.089	1				5
12415−4858	HJ 4539 AB	6.1915	335.1	0.529	1	−3.7	−0.119	Starikova (1981)	a,1
12417−0127	STF 1670 AB	6.1914	92.0	0.439	1	1.8	−0.015	Scardia et al. (2007a)	a
12419−6444	HDS 1779	6.1996	222.4	0.162	1				11
12446−5717	FIN 65	6.1941	94.4	0.238	1	−6.4	0.009	Olevic & Cvetkovic (2004)	1
12463−6050	B 1722	6.1996	6.6	0.140	1				
12477−5826	RST 2815	6.1996	241.8	0.428	1				
12541−6310	FIN 46	6.1996	113.3	1.005	1				
12550−8507	RST 2819	6.1996	239.7	0.696	1				
12574−6713	HDS 1816	6.1996	225.0	0.132	1				11
12597−0349	CHR 39 Aa,Ab	6.1942	344.3	0.093	1	6.4	−0.002	Mante (2005)	
13271−4909	FIN 351	6.1998	158.9	0.218	1				
13056−2204	I 915	6.1997	66.3	0.265	1				
13099−0532	MCA 38 Aa,Ab	6.1914	344.1	0.427	1				5
13100+1732	STF 1728 AB	6.1917	11.8	0.500	1	−0.6	−0.001	Mason et al. (2006)	a
		8.4501	12.1	0.610	1	−0.3	−0.008	Mason et al. (2006)	a
13117−2633	FIN 305	6.1942	105.1	0.135	1	−0.7	−0.043	Finsen (1968)	1
13145−2417	FIN 297 AB	6.1890	353.5	0.251	1	1.6	−0.011	Baize (1988)	12
						2.3	0.011	Mante (2004a)	12
13175−0041	FIN 350	6.1915	32.1	0.092	1	−3.2	0.000	Hartkopf et al. (1996)	a
13191−5239	I 516	6.1998	199.1	0.081	1				
13203+1746	A 2166	6.1917	197.8	0.077	1	−0.3	0.005	Hartkopf et al. (1996)	a
13310−3924	SEE 179	6.1942	70.2	0.195	1	9.7	−0.007	Finsen (1964)	1
13320−1844	B 2542	6.1997	178.5:	0.127:	1				
13320−6519	FIN 369	6.1942	221.8	0.120	1	55.5	−0.021	Olevic & Cvetkovic (2004)	1
13347−1313	BU 932 AB	6.1942	60.5	0.398	1	0.5	−0.009	Starikova (1980)	
13372−6142	I 365 AB	6.1890	222.4	0.281	1	0.0	−0.013	Söderhjelm (1999)	a
13396+1045	BU 612 AB	1.0203	167.8	0.158	1	−0.3	−0.010	Mason et al. (1999)	a
		1.0284	167.5	0.162	1	−0.7	−0.006	Mason et al. (1999)	a
		1.0774	167.4	0.162	1	−1.5	−0.008	Mason et al. (1999)	a

Table A1—Continued

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ ($''$)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
		6.1917	204.3	0.288	1	−0.7	−0.008	Mason et al. (1999)	a
		8.4500	214.5	0.302	1	0.0	−0.007	Mason et al. (1999)	a
13402−4543	B 2018 AB	6.1997	169.1	0.878	1				
13414−6152	JSP 591	6.1998	133.3	0.794	1				
13415−2327	FIN 352 AB	6.1997	313.2	0.240	1				
13461+0507	STF 1781	6.1941	185.3	0.861	1	−1.1	0.007	Alzner (2007)	
13461−5218	I 1235	6.1998	42.1	0.654	1				
13472−0943	KUI 65	6.1997	209.4	0.132	1				
13479−4910	I 933	6.1997	195.4	0.592	2				
13535−3540	HWE 28 AB	6.1942	310.6	0.993	1	−3.3	0.035	Ling & Prieto (1998)	
13539−1440	RST 3852	6.1943	357.6	0.197	1	46.5	−0.085	Heintz (1986)	1
		8.4609	352.0	0.212	1	45.8	−0.062	Heintz (1986)	1
13571−2731	I 234	6.1943	222.5	0.572	1	−8.8	−0.077	Mourao (1966)	1
13574−6229	FIN 370	6.1942	260.5	0.102	1	−12.7	0.005	Mante (2004b)	1
13598−0333	HDS 1962	6.1943	163.7	0.052	1				
14037+0829	BU 1270	6.1917	318.9	0.254	1	−2.5	−0.015	Brendley & Mason (2006)	a
14063−2635	BU 938	6.1943	125.0	0.350	1				
14182−2731	SEE 502 AB	6.1945	288.9	0.625	3				5
	HWE 33 AB-C	6.1970	112.6	3.435	2				5
	HDS 3407 AD	6.1970	109.0	2.964	2				5,11
	WSI 60 Ba,Bb	6.1931	208.2	0.420	2				2,5,13
14234+0827	BU 1111 BC	6.1917	270.4	0.087	1	−11.8	−0.104	Söderhjelm (1999)	a,1
		8.4554	305.6	0.188	1	0.3	−0.005	Söderhjelm (1999)	a,1
14262−4523	I 402	6.1942	178.1	0.208	1	−2.2	−0.027	Heintz (1986)	1
14267+1625	A 2069	6.1917	192.8	0.206	1	3.3	0.023	Scardia et al. (2001)	a
14373−4608	FIN 318 Aa,Ab	6.1891	315.3	0.178	1	2.5	0.023	Olevic & Cvetkovic (2003)	14
						−4.3	−0.006	Olevic & Cvetkovic (2004)	14
14375+0217	CHR 42 Aa,Ab	6.1943	340.9	0.216	1	−1.8	0.001	Hartkopf et al. (2000)	
14383−4954	FIN 371	6.1943	250.4	0.060	1				
14411+1344	STF 1865 AB	6.1917	296.5	0.641	1	−0.2	0.012	Alzner (2007)	a,12
						−0.9	−0.027	Scardia et al. (2007b)	a,12
14411−2237	RST 2917	6.1943	162.4	0.357	1	−3.4	−0.015	Seymour et al. (2002)	
14426+1929	HU 575 AB	6.1917	170.7	0.671	1	0.0	−0.010	Söderhjelm (1999)	a
		8.4489	163.7	0.637	2	0.3	−0.002	Söderhjelm (1999)	a
14455−2657	B 278	6.1943	88.9:	0.165:	1				
14489+0557	STF 1883	6.1917	279.8	0.894	1	0.3	−0.005	Seymour & Mason (2000b)	a
		8.4556	280.1	0.935	1	1.2	0.009	Seymour & Mason (2000b)	a
14565+0255	A 2172	6.1943	135.8	0.154	1	7.1	0.014	Seymour et al. (2002)	1
14575−2125	H N 28 BC	6.1943	218.3	0.156	1	−2.0	−0.004	Forveille et al. (1999)	
15262−2819	RST 769	6.1970	184.7	0.314	1	2.4	−0.123	Docobo (1996)	1
15273+1738	A 2074	6.2000	260.2	0.296	1	1.8	0.038	Baize (1976)	1
15273+0942	A 1120	6.2000	324.8	0.272	1	−1.2	0.051	Starikova (1978)	1
15282+0251	A 2175	6.2000	206.2	0.240	1	2.0	−0.019	Brendley & Mason (2006)	
15313−3349	B 2036 AB	6.1917	1.0	0.299	2				5
15328+1945	HU 577	6.2000	13.7	0.306	1	0.2	0.003	Couteau (1984)	

Table A1—Continued

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ ($''$)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
15332−2429	CHR 232 Aa,Ab	6.1998	195.9	0.121	1				11
15420+0027	A 2176	1.4985	171.2	0.185	1	2.5	−0.003	Brendley & Mason (2006)	a,9
		1.5638	173.1	0.178	1	4.2	−0.010	Brendley & Mason (2006)	a
		6.1943	181.5	0.205	1	1.1	−0.003	Brendley & Mason (2006)	a
		7.5876	184.1	0.209	1	0.6	−0.003	Brendley & Mason (2006)	a
		8.4557	187.5	0.206	1	2.1	−0.008	Brendley & Mason (2006)	a
15462−2804	CHR 50 Aa,Ab	6.1918	286.8	0.131	1				5
15462−2804	BU 620 AB	6.1917	172.5	0.607	1				5
16003+1140	A 1639 AB	6.2000	81.1	0.232	1				5
	STF 1992 AB-C	6.1971	324.5	5.804	1				5
16035−5747	SEE 258 AB	6.1919	251.4	0.477	1	−2.8	0.010	Söderhjelm (1999)	a
16044−1122	STF 1998 AB	1.4987	320.0	0.446	1	0.3	0.005	Docobo & Ling (2007b)	a
		1.5665	320.8	0.450	1	0.5	−0.001	Docobo & Ling (2007b)	a
		6.1945	344.2	0.756	1	−0.6	0.004	Docobo & Ling (2007b)	a
		7.5876	347.0	0.820	1	−1.9	−0.002	Docobo & Ling (2007b)	a
		8.4556	350.8	0.866	2	−0.4	0.004	Docobo & Ling (2007b)	a
16309+0159	STF 2055 AB	6.2000	33.1	1.403	1	−1.0	−0.048	Heintz & Strom (1993)	a
		8.4525	35.9	1.394	4	0.1	−0.056	Heintz & Strom (1993)	a
16589−3737	SEE 315	6.2000	187.9	0.174	1	−12.2	−0.002	Starikova (1981)	a,1
17104−1544	BU 1118 AB	6.2000	236.8	0.570	1	−0.9	−0.001	Docobo & Ling (2007a)	a
		7.6013	236.1	0.577	1	−0.7	0.000	Docobo & Ling (2007a)	a
		8.4559	239.9	0.579	2	3.8	0.000	Docobo & Ling (2007a)	a
17199−1745	BU 126 AB	6.1974	262.6:	2.342:	1				5
17278−1211	HU 234 AB	6.2000	200.6	0.468	1				5
17283−2058	A 2244	6.2000	147.1	0.151	1	0.4	−0.050	Mason & Hartkopf (1999)	a,1
17516−1633	WSI 64 AB	6.1973	50.5:	5.149:	1				2,15
17516−1633	WSI 64 AC	6.1973	7.6:	2.973:	1				2,16
17535−1623	WSI 65	6.1973	98.5	2.148	1				2,17
18272+0012	STF 2316 AB	6.1974	317.9:	3.426:	1				5
18338+1744	STF 2339 AB-C	7.5878	275.4	1.614	1				5
18338+1744	STF 2339 AB-D	7.5878	272.1	2.041	1				5
18338+1744	WAK 21 CD	5.8651	262.5:	0.409:	2				5
		7.5878	260.2	0.454	2				5
19026−2953	HDO 150 AB	1.5614	172.2	0.165	1	1.9	−0.008	Mason et al. (1999)	a
		1.5696	171.5	0.166	1	1.6	−0.007	Mason et al. (1999)	a
		6.1947	68.1	0.373	1	−1.7	−0.009	Mason et al. (1999)	a
19155−2515	B 430	6.1947	107.9	0.183	1	−0.2	−0.004	Hartkopf & Mason (2001b)	a,9
19531−1436	CHR 90	6.1947	215.8	0.182	1	−41.3	−0.009	Cvetkovic (2006)	1,5
20396+0458	BAG 14 Aa,Ab	5.8680	25.7:	0.131:	1	8.1	0.028	Malogolovets et al. (2007)	5
		7.5881	122.6	0.135	1	−0.5	0.000	Malogolovets et al. (2007)	5
	KUI 99 AB	5.8644	308.7	0.510	2	4.7	−0.090	Söderhjelm (1999)	5
						4.3	0.017	Malogolovets et al. (2007)	8
		7.5881	304.0	0.599	1	−2.3	−0.128	Söderhjelm (1999)	5
						−2.3	−0.044	Malogolovets et al. (2007)	8
20449+1219	B 2910 Aa,Ab	5.8571	51.6:	0.113:	2				

Table A1—Continued

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ ($''$)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
	STF 2723 AB	5.8571	132.9	1.038	2				5
		8.4481	135.1	1.041	2				5
21041−0549	MCA 66 Aa,Ab	5.8571	244.6:	0.240:	1				5
		7.5880	245.4	0.242	1				5
21047+0332	SE 3 BC	5.8680	298.9	0.560	1	42.1	0.354	Heintz (1988)	1,5
		7.5881	302.0	0.577	1	32.1	0.314	Heintz (1988)	1,5
		8.4481	304.6	0.587	1	30.0	0.296	Heintz (1988)	1,5
21147−0050	A 883 AB	5.8626	321.5	0.156	1	2.8	−0.016	Heintz (1998)	9
21186+1134	BU 163 AB	5.8680	79.5	0.714	1	0.0	−0.005	Fekel et al. (1997)	9
		8.4536	79.3	0.781	2	0.3	0.007	Fekel et al. (1997)	9
21231+4831	HDS 3045	5.8654	57.3	0.301	1				18
		7.6018	60.1	0.286	1				18
21395+3009	A 772	5.8572	105.2	0.106	1	10.9	−0.011	Jasinta (1996)	1
		7.5991	95.0	0.112	1	10.3	−0.018	Jasinta (1996)	1
21400+0911	CHR 105	5.8572	224.8	0.110	1				5
		7.5991	255.5:	0.105:	1				5
22139+3943	BNU 8 Aa,Ab	5.8654	170.3	0.194	1				5
	MCA 70 Aa,Ac	5.8654	21.1	0.327	1				5
22241−0450	BU 172 AB	5.8650	47.2	0.349	1	−1.2	−0.020	Docobo & Ling (2007a)	a
		7.5992	42.8	0.375	1	−2.3	−0.014	Docobo & Ling (2007a)	a
22300+0426	STF 2912	5.8572	110.2	0.217	1	−9.8	0.004	Söderhjelm (1999)	1
22361+7253	BU 1092 AB	5.8655	27.6	0.251	1	5.3	0.124	Docobo & Costa (1986)	1
		7.5990	31.3	0.273	1	3.4	0.086	Docobo & Costa (1986)	1
22430+3013	BLA 11 Aa,Ab	5.8572	27.8	0.051	2	7.9	0.013	Hummel et al. (1998)	a,5
22431+4710	STT 476 AB	5.8654	298.5	0.491	1				5
	AC	5.8654	129.5	0.507	1				5
		7.5884	117.6	0.493	1				5
	HU 91 BC	5.8654	24.3	0.096	1	−7.8	−0.006	Tokovinin (1997)	5
		7.5884	21.4	0.100	1	−8.1	−0.012	Tokovinin (1997)	5
22537+4445	BU 382 AB	5.8654	229.0	0.846	1	0.2	−0.024	Söderhjelm (1999)	
22570+2441	COU 542 Aa,Ab	5.8655	30.0	0.238	1	2.7	−0.010	Docobo & Ling (2001a)	a
		7.5883	39.3	0.220	1	2.4	−0.018	Docobo & Ling (2001a)	a
		8.4617	45.1	0.211	1	2.9	−0.020	Docobo & Ling (2001a)	a
23052−0742	A 417 AB	5.8614	349.9	0.132	2	15.9	0.032	Hartkopf et al. (1996)	a,1
		7.5883	15.7	0.161	1	−1.5	−0.005	Hartkopf et al. (1996)	a,1
23088+1058	A 1238 AB	5.8614	126.3	0.298	2	−2.2	−0.010	Scardia et al. (2001)	
		7.5883	120.4	0.297	1	−3.2	−0.008	Scardia et al. (2001)	
23159−0905	BU 1220 BC	5.8655	108.0	0.633	1	4.4	0.012	Zirm (2007)	5
23126+0241	A 2298 AB	5.8628	103.7	0.216	2	−1.1	−0.006	Pourbaix (2000)	
		7.5883	98.7	0.174	1	−1.3	−0.002	Pourbaix (2000)	
23167+1937	HDS 3316	5.8682	232.7:	0.374:	1	−23.9	0.215	Balega et al. (2006)	1
23175+1652	HU 497 BC	5.8655	78.3	0.225	1	−10.4	−0.032	Ling (2007)	1,5
23304+3050	BU 1266 AB	1.5020	6.1	0.122	1	1.2	−0.000	Mason & Hartkopf (1998)	9
		5.8625	289.8	0.105	1	3.4	0.006	Mason & Hartkopf (1998)	
		7.5992	260.6	0.106	1	4.8	−0.003	Mason & Hartkopf (1998)	

Table A1—Continued

WDS Desig. α δ (2000)	Discoverer Designation	Epoch (BY-2000)	θ (deg)	ρ ($''$)	n	$[O-C]_\theta$ (deg)	$[O-C]_\rho$ ($''$)	Reference	Notes
23322+0705	HU 298	1.5020	349.3	0.193	1	−0.6	−0.008	Hartkopf & Mason (2000)	a
		1.5674	348.1	0.195	1	−2.3	−0.006	Hartkopf & Mason (2000)	a
		5.8614	22.6	0.189	2	−1.2	0.005	Hartkopf & Mason (2000)	a
		7.5994	38.1	0.169	1	−1.3	−0.007	Hartkopf & Mason (2000)	a
23393+4543	A 643 AB	5.8602	136.8	0.246	1	−3.1	0.020	Olevic & Cvetkovic (2005a)	5
		7.5939	132.4	0.241	2	−5.3	0.015	Olevic & Cvetkovic (2005a)	5
	A,Bb	5.8602	131.3	0.206	1				5
		7.5992	139.9	0.219	1				5
	CHR 149 Ba,Bb	5.8602	88.6	0.069	1	21.5	0.025	Olevic & Cvetkovic (2005a)	5
23411+4613	MLR 4	5.8614	288.5	0.137	2	−2.6	−0.009	Hartkopf et al. (1996)	a
		7.5885	313.0	0.106	1	−1.6	−0.001	Hartkopf et al. (1996)	a
23518−0637	A 2700	5.8628	201.6	0.210	2	−5.1	−0.025	Docobo & Ling (1998)	
		7.6019	193.3	0.216	1	−3.5	−0.011	Docobo & Ling (1998)	
23529−0309	FIN 359	5.8573	36.1	0.107	1	−3.9	0.015	Docobo & Ling (1997)	
		7.6019	20.9	0.083	1	−3.2	0.004	Docobo & Ling (1997)	
23568+0444	A 2100	5.8614	270.7	0.314	2	−0.6	0.005	Mason (1997)	
		7.5994	266.8	0.332	1	−1.5	0.005	Mason (1997)	

[a] System used in characterizing errors or investigating detection space.

[1] Orbit in need of correction.

[2] Not measured before (Table 1).

[3] Pleiades cluster member (Mason et al. 1993b).

[4] Also known as HD 23608. Estimated $\Delta m = 0.6$.

[5] Pair observed to investigate properties of multiple systems.

[6] Hyades cluster member (Mason et al. 1993a).

[7] Also known as HD 28305. Estimated $\Delta m = 2.4$.

[8] While the 6th Orbit Catalog lists two possible solutions for this pair, the measurement fits better the second orbit listed here.

[9] Spectroscopic analysis of this pair in progress.

[10] Quadrant flip necessary for this orbit.

[11] Confirming observation.

[12] Multiple possible orbits for this pair, none of which fits well. While correction may be necessary, the data coverage may be insufficient.

[13] Also known as HD 125131. Estimated $\Delta m = 1.0$.

[14] While the 6th Orbit Catalog lists two possible solutions for this pair, the measurement fits better the second orbit listed here. Quadrant flip necessary for the second orbit.

[15] Also known as P 434. Estimated $\Delta m = 1.5$.

[16] Also known as P 434. Estimated $\Delta m = 2.5$.

[17] Also known as P 456. Estimated $\Delta m = 2.5$.

[18] Eclipsing SB2 with third light indicated.

Table A2. Null Companion Detection[a]

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	HD, HIP, Other Designation	Date (BY)	Tel. Code	Notes
005319.51+040510.7	** A 2307	HD 5143	2005.8627	K	1
010704.52−003531.3	** HDS 144AB	HD 6639	2005.8656	K	2
011343.80+073431.8	** STF 10A	HD 7344	2005.8627	K	
014458.89+270247.6	** COU 750	BD+26 287	2005.8627	K	3
020348.12−002024.5	** TOK 38Aa,Ab	HD 12641	2005.8656	K	4
024221.92+200041.7	** BLA 1Aa,Ab	HD 16811	2005.8627	K	4
025805.08+204007.7	Melotte 25 vB 154	HD 18404	2005.8627	K	h
031712.20+452222.0	GJ 3213	G 078−028	2005.8684	K	5
032732.46+255400.2	Melotte 22 AK III-31	BD+25 547	2005.8629	K	p
033204.86+434012.6	** COU1688	HD 21727	2005.8629	K	6
033608.45+272034.6	Melotte 22 AK III-419	BD+26 579	2005.8629	K	p
033734.91+241411.6	Melotte 22 AK II-359	TYC 1798 00465 1	2005.8630	K	p
033913.19+215036.1	HIP 17043	HD 22637	2005.8630	K	p
034204.72+225130.8	Melotte 22 TRU 39	HD 22977	2005.8630	K	p
034255.11+242935.0	Melotte 22 25	HD 23061	2005.8630	K	p
034327.11+252316.1	Melotte 22 3456		2005.8629	K	p
034342.87+233541.2	Melotte 22 164	HD 23158	2005.8630	K	p
034343.24+242228.4	Melotte 22 H 28	HD 23156	2005.8630	K	p
034348.40+251124.4	Melotte 22 HII 173	TYC 1803 01351 1	2005.8629	K	p
034350.66+251608.3	Melotte 22 177	HD 23170	2005.8629	K	p
034400.26+243325.1	Melotte 22 H 43	HD 23194	2005.8630	K	p
034404.24+245923.4	Melotte 22 250	TYC 1803 00818 1	2005.8630	K	p
034420.37+244623.9	Melotte 22 HII 320	V* V1084 Tau	2005.8630	K	p
034423.54+240757.5	Melotte 22 H 88	HD 23247	2005.8630	K	p
034425.71+242340.9	Melotte 22 H 92	HD 23246	2005.8630	K	p
034439.60+220650.0	Melotte 22 Pels 38		2005.8684	K	p,5
034506.53+241548.6	Melotte 22 H 146	HD 23325	2005.8630	K	p
034520.85+245519.4	Melotte 22 H 169	HD 23351	2005.8630	K	p
034526.14+240206.5	Melotte 22 H 187	HD 23361	2005.8630	K	p
034534.43+242747.8	Melotte 22 H 206	HD 23375	2005.8632	K	p
034537.78+242008.2	Melotte 22 H 216	COU 560	2005.8631	K	p
034540.17+243738.1	Melotte 22 727	V* V855 Tau	2005.8632	K	p
034541.35+241718.8	Melotte 22 K 19	BD+23 513	2005.8631	K	p
034544.21+241309.8	Melotte 22 761		2005.8631	K	p
034548.82+230849.7	** STF 444A	HD 23410	2005.8657	K	p,7
034551.63+240219.9	Melotte 22 H 251	HD 23409	2005.8657	K	p
034602.89+243140.8	Melotte 22 H 265	HD 23441	2005.8632	K	p
034627.28+241517.9	Melotte 22 H 341	** CHR 12Aa,Ab	2005.8631	K	p
034627.35+250807.9	Melotte 22 HII 1015	HD 282952	2005.8632	K	p
034634.19+233726.4	Melotte 22 H 371	HD 23512	2005.8657	K	p
034634.82+255037.8	Melotte 22 TRU 93	HD 23488	2005.8632	K	p
034637.67+234715.8	Melotte 22 HII 1117	HD 282975	2005.8657	K	p
034638.39+225511.2	Melotte 22 1132	HD 23514	2005.8656	K	p
034638.77+245734.7	Melotte 22 HII 1101	HD 282954	2005.8632	K	p
034639.33+240611.7	Melotte 22 H 388	HD 23511	2005.8657	K	p

Table A2—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	HD, HIP, Other Designation	Date (BY)	Tel. Code	Notes
034704.20+235942.7	Melotte 22 H 457	HD 23585	2005.8657	K	p
034720.96+234812.4	Melotte 22 H 510	HD 23632	2005.8657	K	p
034721.03+240658.5	Melotte 22 1375	24 Tau	2005.8657	K	p
034722.88+225520.0	HIP 17694	HD 23610	2005.8657	K	p
034723.70+235454.0	Melotte 22 1392	HD 23631B	2005.8657	K	p
034724.06+243518.3	Melotte 22 H 513	HD 23628	2005.8632	K	p
034726.82+234042.0	Melotte 22 H 534	HD 23643	2005.8657	K	p
034729.44+241718.4	Melotte 22 H 540	HD 23642	2005.8631	K	p
034813.55+241906.2	Melotte 22 H 693	** CHR 155	2005.8632	K	p,8
034826.16+240254.2	Melotte 22 1856	HD 282971	2005.8657	K	p
034830.08+242044.3	Melotte 22 H 742	HD 23763	2005.8631	K	p
034843.89+231535.3	Melotte 22 H 792	HD 23791	2005.8657	K	p
034848.95+241602.6	Melotte 22 HII 2027	UCAC2 40300217	2005.8631	K	p
034906.12+234652.6	Melotte 22 HII 2147		2005.8657	K	p
034911.73+243811.7	Melotte 22 HII 2172	HD 282965	2005.8632	K	p
034912.18+235312.4	Melotte 22 H 885	HD 23863	2005.8657	K	p
034916.80+242346.0	Melotte 22 H 891	HD 23872	2005.8632	K	p
034925.98+241451.7	Melotte 22 H 924	HD 23886	2005.8631	K	p
034932.72+232249.4	Melotte 22 H 948	HD 23912	2005.8657	K	p
034939.39+231724.4	Melotte 22 HII 2406	TYC 1800 00496 1	2005.8684	K	p,5
034943.52+234243.1	Melotte 22 H 977	HD 23923	2005.8633	K	p
034956.59+242056.3	Melotte 22 H 996	HD 23948	2005.8633	K	p
034958.04+235055.7	** STT 64A	HD 23964	2005.8633	K	p,7
035052.42+235741.7	Melotte 22 H 1129	HD 24076	2005.8633	K	p
035127.20+243107.5	Melotte 22 H 1184	HD 24132	2005.8633	K	p,5
035140.44+245859.4	Melotte 22 HII 3097	TYC 1804 01400 1	2005.8685	K	p,5
035309.96+171937.8	Melotte 25 vB 6	HD 24357	2005.8658	K	h
035612.30+210229.9	Melotte 22 AK V-198	TYC 1261 01502 1	2005.8633	K	p
035940.41+101949.5	Melotte 25 vB 8	HD 25102	2005.8686	K	h
040039.45+202250.2	Melotte 25 vB 9	HIP 18719	2005.8657	K	h
040741.91+150946.2	Melotte 25 vB 11	HD 26015A	2005.8685	K	h
041042.29+182524.0	Melotte 25 vB 13	HD 26345	2005.8658	K	h
041120.20+053122.9	Melotte 25 vB 14	HD 26462	2005.8686	K	h
041156.13+233811.3	** CHR 14	HD 284163	2005.8633	K	2
041221.72+161503.4	Melotte 25 vA 45		2005.8685	K	h,5
041310.87+164601.0	Melotte 25 vA 51	HD 285571	2005.8658	K	h
041412.92+281212.5	V* V773 Tau	** GHE 1Aa,Ab	2005.8633	K	2
041430.36+222707.0	Melotte 25 vB 16	HD 26737	2005.8633	K	h
041542.37+204911.6	Melotte 25 vB 162	HD 26874	2005.8657	K	h
041546.21+152402.7	Melotte 25 vB 20	HD 26911	2005.8685	K	h
041633.41+215427.2	Melotte 25 vB 21	V* V984 Tau	2005.8633	K	h
041957.63+140206.9	Melotte 25 vB 30	V* V483 Tau	2005.8686	K	h
042025.04+184433.8	Melotte 25 vB 32	HD 27429	2005.8633	K	h
042036.24+150543.8	V* V696 Tau	HD 27459	2005.8687	K	h
042052.66+135152.1	Melotte 25 vB 34	** BAS 3	2005.8686	K	h,9

Table A2—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	HD, HIP, Other Designation	Date (BY)	Tel. Code	Notes
042131.58+210223.9	Melotte 25 vB 35	HD 27524	2005.8634	K	h
042132.20+182503.6	Melotte 25 vB 36	HD 27534	2005.8633	K	h
042134.73+142435.4	Melotte 25 vB 37	HD 27561	2005.8686	K	h
042203.45+140438.1	Melotte 25 vB 38	HD 27628	2005.8686	K	h
042225.62+111820.6	Melotte 25 vB 259	** PAT 5	2005.8686	K	h,10
042322.79+193931.5	Melotte 25 vB 43	V* V988 Tau	2005.8634	K	h
042325.00+164638.4	Melotte 25 vB 45	HD 27749	2005.8687	K	h
042330.34+242419.8	Melotte 25 vB 44	HD 27731	2005.8634	K	h
042350.70+091219.6	LP 535−73	G 007−192	2005.8685	K	h,5
042405.69+172639.2	Melotte 25 vB 47	HD 27819	2005.8633	K	h
042412.78+162244.1	Melotte 25 vB 49	HD 27835	2005.8687	K	h
042422.21+170444.5	Melotte 25 vB 51	HD 27848	2005.8633	K	h
042443.17+044159.8	Melotte 25 vB 140	HD 27935	2005.8686	K	h
042457.06+190231.5	Melotte 25 vB 53	HD 27901	2005.8633	K	h
042522.10+221738.3	Melotte 25 vB 54	HD 27934	2005.8634	K	h
042524.94+221200.4	Melotte 25 vB 55	HD 27946	2005.8634	K	h
042529.38+175540.5	** KUI 17A	HD 27962	2005.8633	K	h,7
042553.40+115600.7	Melotte 25 vA 376	HD 286806	2005.8686	K	h
042605.86+153127.6	Melotte 25 vB 59	** PAT 7	2005.8687	K	h,2
042618.39+224849.3	Melotte 25 vB 60	HD 28024	2005.8634	K	h
042620.67+153706.0	Melotte 25 vB 141	HD 28052	2005.8687	K	h
042648.19+105216.0	Melotte 25 Leid 59	** PAT 8	2005.8686	K	h,2
042725.34+141538.3	Melotte 25 vB 177	HD 285828	2005.8659	K	h
042758.96+183000.8	Melotte 25 Leid 57	HD 285766	2005.8687	K	h
042800.72+213712.0	Melotte 25 vB 67	HD 28226	2005.8687	K	h
042823.34+144427.7	Melotte 25 vB 68	HD 28294	2005.8659	K	h
042836.93+191049.9	Melotte 25 vB 70	HD 28305	2006.1909	C	h
042839.67+155215.4	** MKT 13Aa,Ab	HD 28319	2005.8688	K	h,4
042850.10+130251.5	Melotte 25 vB 74	HD 28355	2005.8659	K	h
042930.29+175147.7	Melotte 25 vB 78	HD 28406	2005.8687	K	h
043017.91+195026.3	Melotte 25 vB 81	** PAT 10	2005.8687	K	h
043033.57+161138.7	Melotte 25 vB 82	HD 28527	2005.8688	K	h
043034.87+154402.3	Melotte 25 vB 182	HD 28545	2005.8659	K	h
043037.30+134328.0	Melotte 25 vB 84	HD 28556	2005.8659	K	h
043038.83+154131.0	Melotte 25 vB 83	HD 28546	2005.8659	K	h
043046.74+160855.5	Melotte 25 vB 85	** PAT 11	2005.8688	K	h
043057.11+104506.5	Melotte 25 vB 86	HD 28608	2005.8659	K	h
043129.29+135412.7	Melotte 25 vB 88	HD 28635	2005.8659	K	h
043151.69+155105.9	Melotte 25 vB 89	HD 28677	2005.8658	K	h
043204.74+052436.1	Melotte 25 vB 90	HD 28736	2005.8659	K	h
043250.11+160020.9	Melotte 25 vB 91	** CHR 152	2005.8688	K	h
043259.45+154908.2	Melotte 25 vB 92	HD 28805	2005.8688	K	h
043337.96+164544.9	Melotte 25 vB 93	HD 28878	2005.8688	K	h
043346.58+131506.9	Melotte 25 vB 94	HD 28911	2005.8659	K	h
043350.86+145040.2	Melotte 25 vA 725	rho Tau	2005.8659	K	h

Table A2—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	HD, HIP, Other Designation	Date (BY)	Tel. Code	Notes
043432.18+154939.2	Melotte 25 vB 183	HD 28977	2005.8658	K	h
043605.26+154102.4	Melotte 25 vB 99	HD 29159	2005.8659	K	h
043629.07+232027.5	Melotte 25 vB 100	HD 29169	2005.8687	K	h
043640.66+155209.8	Melotte 25 vB 101	HD 29225	2005.8658	K	h
043641.19+115444.8	Melotte 25 vB 210	HD 286900	2005.8659	K	h
043809.38+160200.2	Melotte 25 vB 103	** PAT 12Aa,Ab	2005.8689	K	h,2
043809.40+123039.1	Melotte 25 vB 104	HD 29388	2005.8689	K	h
043906.10+075215.6	Melotte 25 vB 107	HD 29499	2005.8659	K	h
043916.45+155504.9	Melotte 25 vB 108	HD 29488	2005.8689	K	h
044005.80+231816.7	Melotte 25 vB 109	HD 284574	2005.8690	K	h
044025.41+163049.4	Melotte 25 vB 185	** CHR 154	2005.8689	K	h,2
044425.77+110846.2	Melotte 25 vB 111	HD 30034	2005.8688	K	h
044601.70+114220.2	Melotte 25 vB 112	HD 30210	2005.8688	K	h
044630.33+152819.6	Melotte 25 vB 142	HD 30246	2005.8689	K	h
044737.52+181531.7	Melotte 25 vB 114	** PAT 17	2005.8689	K	h,11
044842.07+210604.0	Melotte 25 vB 115	HD 284787	2005.8690	K	h
044912.93+244810.7	Melotte 25 vB 117	HD 283882	2005.8690	K	h
044932.07+155319.7	Melotte 25 vB 118	HD 30589	2005.8689	K	h
045048.49+161237.9	Melotte 25 vB 121	HD 30738	2005.8689	K	h
045122.41+185023.8	Melotte 25 vB 123	HD 30780	2005.8690	K	h
045123.18+152600.6	Melotte 25 vB 143	HD 30809	2005.8689	K	h
045458.32+192907.6	Melotte 25 vB 126	HD 31236	2005.8690	K	h
045749.46+140008.0	Melotte 25 vB 127	HD 31609	2005.8689	K	h
045944.27+155500.5	Melotte 25 vB 128	HD 31845	2005.8689	K	h
050305.70+213524.2	Melotte 25 vB 129	HD 32301	2005.8690	K	h
050307.62+134350.6	Melotte 25 vB 351	HD 32347	2005.8689	K	h
050540.34+062754.6	Melotte 25 vB 151	** PAT 18	2005.8688	K	h,2
050617.95+174859.4	HIP 23750	HD 240648	2005.8689	K	h
050658.42+280919.6	Melotte 25 S 63	HD 240676	2005.8690	K	h
050919.60+094946.6	Melotte 25 vB 130	HD 33254	2005.8688	K	h
050945.06+280150.2	Melotte 25 vB 131	HD 33204	2005.8690	K	h
052351.33−005159.8	** A 847BC	HD 35317	2005.8662	K	12
062203.05+343550.4	V* V454 Aur	HD 44192	2005.8636	K	
063602.12+164749.2	23 Gem	HD 46781	2005.8635	K	
			2006.1909	C	
071827.12−572106.5	** HDS1013Aa,Ab	HD 57555	2006.1964	C	2,5
072048.45−051535.7	V* AR Mon	HD 57364	2005.8663	K	
			2006.1910	C	
073748.96−023549.2	** B 2525AB	HD 61151	2005.8664	K	13
			2006.1910	C	
092738.42−350026.5	** B 2215	HD 81919	2006.1912	C	4
094411.37+252111.4	V* DU Leo	HD 84207	2005.8636	K	
094950.12+211046.0	** KUI 44	HD 85040	2005.8636	K	4
095311.78−034124.4	GJ 372	HIP 48477	2006.1966	C	5
100914.88+061015.3	HIP 49739	HD 88048	2006.1913	C	4

Table A2—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	HD, HIP, Other Designation	Date (BY)	Tel. Code	Notes
102218.04−103215.3	BD−09 3055	HIP 50796	2006.1912	C	2,4
103104.97−241047.3	** CHR 132Aa,Ab	HD 91172	2006.1912	C	4
111743.15−705839.0	** HDS1611	HD 98387	2006.1995	C	2
112004.83+655047.4	** TAM 1	GJ 424	2005.8637	K	11
113207.12−033201.9	** RST4480BC	BD−02 3365	2005.8665	K	2
			2006.1914	C	
115521.35−714937.9	** HDS1680Aa,Ab	HD 103575	2006.1995	C	2
121920.90−591728.5	** RST4496	HD 107126	2006.1996	C	14
123450.52−695329.8	** HDS1766	HD 109374	2006.1996	C	2
124938.69−060444.8	V* IM Vir	HD 111487	2006.1915	C	
125418.74−113854.9	** CHR 206	HD 112131	2006.1997	C	15
132045.24−112701.3	** HDS1872	HD 115969	2006.1997	C	2
132825.95+134648.7	70 Vir	HD 117176	2006.1916	C	
135238.84−184232.5	V* DL Vir	HD 120901	2006.1890	C	
151044.97−612520.3	LTT 6035	HD 134060	2006.1892	C	
152057.18−152225.4	** MCA 41	HD 136406	2006.1998	C	16
161136.43−270441.5	HIP 79346	HD 145377	2006.1918	C	
173828.71−161805.6	P 415	UCAC2 25809826	2006.1973	C	o,5
174112.07−154134.5	P 384.2	UCAC2 26039859	2006.1973	C	o,5
174438.39−164635.5	P 507	HD 161154	2006.2000	C	o,5
174541.99−162931.6	P 495.3	UCAC2 25815762	2006.1973	C	o,5
174606.88−154610.0	P 363	2MASS 17460688-1546100	2006.1973	C	o,5
175136.71−163236.3	P 434	UCAC2 25591445	2006.1973	C	o,5
175150.37−163232.0	P 435	UCAC2 25591625	2006.1973	C	o,5
175252.95−163200.9	P 438	UCAC2 25592292	2006.1973	C	o,5
175331.95−162247.0	P 456	UCAC2 25822467	2006.1973	C	o,5
175505.69−162834.4	P 445.3	UCAC2 25823784	2006.1973	C	o,5
182712.51+001146.1	** STF2316Aa,Ab	HD 169985	2005.8652	K	17
			2006.2001	C	
183345.62+174355.9	** HU 322AB	HD 171365	2005.8651	K	18
184628.58−005741.9	** MCA 53Aa,Ab	HD 173654	2006.2001	C	19
184729.57+492555.4	** BU 971AB	HD 174343	2005.8651	K	2
190945.83−210124.7	** FIN 311AB	HD 178524	2006.1947	C	20
192516.45−243030.4	** FIN 327	HD 182369	2006.1947	C	21
200527.69+315818.1	V* V477 Cyg	HD 190786	2005.8679	K	
201546.16+274851.2	** CHR 94Aa,Ab	HD 192806	2005.8679	K	22
201921.16+142214.5	** A 1672BC	HD 193349	2005.8679	K	2
203427.53+825335.5	** MLR 235	BD+82 622	2005.8653	K	2
204327.55+150428.9	del Del	HD 197461	2005.8680	K	
210720.50+520258.1	HIP 104263	HD 235444	2005.8653	K	
211337.33−062757.0	HIP 104783	HD 202034	2005.8680	K	
220347.16+643739.9	** MCA 69Aa,Ab	HD 209790	2005.8654	K	23
223542.60+531214.0	** A 1470	HD 214222	2005.8654	K	24
230840.84+020739.4	5 Psc	HD 218527	2005.8655	K	
234602.04+462513.0	** MCA 75Aa,Ab	HD 223047	2005.8625	K	25

Table A2—Continued

RA,Dec (2000) (hhmmss.ss±ddmmss.s)	Cluster, Other Designation	HD, HIP, Other Designation	Date (BY)	Tel. Code	Notes
234602.04+462513.0	** MCA 75Aa,Ac	HD 223047	2005.8625	K	25

Note. — Telescope code: C = CTIO 4 m, K = KPNO 4 m.

[a] $\rho < 0\farcs03$ except as noted.

[1] The Seymour & Hartkopf (1999) orbit predicts a separation of about $0\farcs07$ at the time of this observation; this orbit was based on data only through 1995, however, so the pair may have closed more than predicted.

[2] The known companion is too faint for detection here.

[3] The most recent orbit of this pair (Docobo & Ling 2005b) predicts a separation of $0\farcs28$ at this epoch; it is unknown why the pair was not resolved.

[4] Separation of the known close companion may have been $< 0\farcs03$ at the time of this observation.

[5] Observed with a Johnson V filter and usually a lower magnification microscope objective due to the character of the target. The resolution limit for this observation is estimated at $0\farcs05$.

[6] This pair was resolved four times between 1978 and 1986 (separations $0\farcs09$ to $0\farcs14$); however, there are also 20 published unresolved observations between 1982 and 2004, including two 6 m speckle observations.

[7] Observed one component of a wide double/multiple.

[8] The 1991 discovery measure of this pair (Mason et al. 1993b) remains unconfirmed.

[9] This object was unresolved in five observations between 1988 and 1993, using techniques including visual and infrared speckle interferometry, the HST fine-guidance sensor, and Hipparcos. The sole resolved measure (Barstow et al. 2001) was made in 1999 using the HST planetary camera in the ultraviolet (197 nm).

[10] Patience et al. (1998) resolved this pair twice ($\sim 0\farcs045$) at 2.2 μm on the Palomar 5 m, in 1996 and 1997. Earlier observations (HST, visual speckle) were unable to detect a secondary.

[11] The known companion has too large a magnitude difference for detection here.

[12] Due to its highly-inclined orbit, the separation for this pair ranges from $0\farcs3$ to $0\farcs014$ over the course of $\sim$ 12 years. The pair was approaching closest apparent separation at the time of this observation, so presumably $\rho < 0\farcs03$.

[13] The AB components of this triple were resolved in 1936 and 1937, but not recovered since then. The AB-C pair has widened to probably $> 1\farcs5$ at this time; the C component is also too faint to detect with the filter used.

[14] First resolved by Rossiter (1955) in 1939 at $0\farcs20$, the pair was confirmed by Holden (1972) in 1970 at $0\farcs18$ (with a large change in position angle), but unresolved by Hipparcos in 1991 (ESA 1997). There have been no other published observations. Perhaps orbital motion has brought the pair closer than $\rho < 0\farcs03$ at the time of this observation.

[15] This occultation pair was marginally resolved twice in 1984 (Mason 1996); all subsequent attempts to resolve this occultation pair have been unsuccessful.

[16] This occultation pair was resolved once in 1980 at $0\farcs365$ (McAlister et al. 1983); this discovery

remains unconfirmed, however, despite 13 published attempts.

[17] The A component of a $5''$ pair is a spectroscopic triple and an irregular variable (d Ser). The pair was initially resolved in 1951 by eyepiece interferometry (Wilson 1952) at a separation of $0\farcs06$. McAlister & Hendry (1982) also resolved it in 1976, although at a very different separation ($0\farcs25$) and angle. Some 10 unresolved observations have been published since 1976, suggesting that the earlier resolutions may instead have been artifacts.

[18] This pair has closed steadily in recent years, from $0\farcs21$ in 1991 to $0\farcs08$ in 2001. It may perhaps have been closer than $0\farcs03$ at the time of this observation.

[19] Only six observations have been published, all between 1976 and 1989; separations have ranged from $0\farcs16$ to $0\farcs045$, as well as two unresolved observations. No clear pattern of motion has yet been discerned.

[20] This pair was resolved several times between 1936 and 1954 ($\rho \sim 0\farcs09 - 0\farcs14$), unresolved several times between 1959 and 1964, resolved once in 1989 ($0\farcs13$), and unresolved by Hipparcos in 1991. No observations have been published since that time.

[21] The most recent published orbit (Mason & Hartkopf 1999) predicts a separation of about $0\farcs054$ at this time of this observation, decreasing to $0\farcs005$ by 2006.87. Periastron may have occurred slightly earlier than predicted.

[22] Only three observations of this pair have been published, indicating fair orbital motion and a decrease in separation from 67 to 50 mas between 1985 and 1991. The pair therefore may well have been $< 0\farcs03$ in 2005. However, the wider MCA 60AB pair remained nearly stationary at $(\sim 145^\circ, 0\farcs25)$ between 1980 and 1998; it is unknown why this pair was not resolved.

[23] This pair was measured some 34 times between 1975 and 1999, usually in the 50–70 mas range of separation. No observations have been published since 1999, however. Published orbits by McAlister (1980) and Pourbaix (2000) both give periods of about 2.25 yr and predict separations at the time of this observation of $0\farcs036$ and $0\farcs044$, respectively. Periastron separations for both orbits are about $0\farcs01$.

[24] Recent orbital solutions (Tokovinin 1986; Pourbaix 2000) predict a separation of about $0\farcs052$ for 2005.86; it is unknown why the pair was not resolved here.

[25] Both the Aa,Ab and Aa,Ac pairs should have separations of $\sim 0\farcs25$; it is unknown why neither pair was resolved here.

[h] Hyades cluster member (Mason et al. 1993a).

[o] New Horizon's occultation star.

[p] Pleiades cluster member (Mason et al. 1993b).

Table B1. New Orbital Elements

WDS (Fig. No.)	Discoverer Designation	P (yr)	a ($''$)	i (deg)	Ω (deg)	T (yr)	e	ω (deg)	Grade	Published Orbit Reference
05429−0648	A 494 AB	20.13	0.208	71.7	96.8	1959.03	0.392	273.2	2	Mason & Hartkopf (1999)
(4a)		±0.02	±0.001	±0.3	±0.4	±0.06	±0.003	±1.4		
06159+0110	RST 5225	29.70	0.166	15.6	6.9	1965.51	0.379	16.4	2	Hartkopf & Mason (2001a)
(4b)		±0.13	±0.001	±3.0	±12.4	±0.20	±0.007	±13.5		
06214+0216	A 2667	100.23	0.393	58.5	111.8	1931.40	0.335	249.2	2	Seymour & Mason (2000a)
(4c)		±1.11	±0.004	±0.7	±1.1	±0.91	±0.014	±3.7		
07168+0059	A 2855	64.44	0.349	148.3	56.3	1958.36	0.178	329.2	2	Seymour & Mason (1999)
(4d)		±0.45	±0.003	±2.1	±3.7	±0.69	±0.010	±7.0		
07573+0108	STT 185	58.01	0.343	72.5	9.5	1944.22	0.672	240.7	2	Hartkopf & Mason (2001b)
(4e)		±0.08	±0.002	±0.3	±0.4	±0.13	±0.002	±1.2		
08315−1935	I 489	261.06	0.504	122.1	96.9	2005.97	0.241	141.0	4	Zulevic (1997)
(4f)		±15.48	±0.007	±2.7	±1.7	±7.48	±0.010	±14.6		
08474−1703	BU 586	194.61	0.604	72.5	31.4	2003.08	0.905	239.6	4	Mante (2003b)
(5a)		±10.76	±0.018	±3.2	±2.0	±0.38	±0.014	±4.9		
10161−5954	HU 1597	83.90	0.365	48.8	93.4	1989.02	0.253	303.7	2	Ling & Prieto (1990)
(5b)		±0.65	±0.003	±0.8	±1.0	±0.35	±0.006	±1.4		
11441−0448	RST 5524	56.24	0.148	48.7	15.4	1984.17	0.480	336.9	3	Zirm (2002)
(5c)		±1.92	±0.003	±4.4	±5.1	±0.81	±0.050	±7.7		

Table B2. Orbital Ephemerides

WDS Designation	Discoverer Designation	BY2010.0 θ (deg)	BY2010.0 ρ (″)	BY2012.0 θ (deg)	BY2012.0 ρ (″)	BY2014.0 θ (deg)	BY2014.0 ρ (″)	BY2016.0 θ (deg)	BY2016.0 ρ (″)	BY2018.0 θ (deg)	BY2018.0 ρ (″)
05320−0018	HEI 42 Aa	131.9	0.317	131.3	0.318	130.7	0.319	130.1	0.320	129.5	0.320
05429−0648	A 494 AB	213.1	0.100	244.8	0.145	260.8	0.188	272.6	0.194	289.8	0.120
06159+0110	RST 5225	202.4	0.228	214.0	0.225	226.3	0.214	240.3	0.198	257.4	0.176
06214+0216	A 2667	263.0	0.321	268.2	0.328	273.2	0.333	278.1	0.334	283.1	0.331
07168+0059	A 2855	183.5	0.305	170.4	0.285	155.5	0.270	139.2	0.260	122.2	0.258
07573+0108	STT 185	12.7	0.325	15.4	0.359	17.8	0.381	20.0	0.395	22.0	0.400
08315−1935	I 489	293.8	0.348	290.9	0.359	288.2	0.369	285.6	0.378	283.2	0.385
08474−1703	BU 586	35.6	0.287	37.4	0.334	38.8	0.373	40.0	0.408	41.0	0.438
10161−5954	HU 1597	144.0	0.290	152.8	0.285	161.9	0.281	171.1	0.281	180.3	0.283
11441−0448	RST 5524	175.3	0.203	179.2	0.209	182.8	0.212	186.4	0.213	190.0	0.212
16003−2237	LAB 3	11.3	0.107	334.2	0.075	348.0	0.163	354.0	0.191	359.4	0.182